



PROFESSIONAL-GRADE  
**ILLUMINATION**  
**TOOLS**

# SINCE 1973, WE'VE BEEN FOCUSED ON LIGHTING THE WAY IN CHANGE. **WE'LL NEVER STOP.**

For over 45 years, Streamlight has delivered effective, efficient high-performance lighting solutions featuring the latest technology, unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And although features or light output may change - our commitment to quality and innovation is the one constant that will always remain the same.







**STINGER SERIES**

Stinger® 2020 Series	Pg. 11
Stinger LED HL® Series	Pg. 12
Stinger® HPL Series	Pg. 13
Stinger® LED Series	Pg. 14
Ultrastinger® LED	Pg. 15
PolyStinger® Series	Pg. 16
Stinger Accessories	Pg. 17

**STRION SERIES**

Strion LED HL® Series	Pg. 18
Strion® HPL Series	Pg. 18
Strion® LED Series	Pg. 19
Strion® Accessories	Pg. 19

**SL SERIES**

SL Series	Pgs. 20-21
-----------	------------

**WORKLIGHTS SERIES**

Stinger Switchblade® Series	Pgs. 24-25
Strion Switchblade® Series	Pgs. 26-27
Syclone®	Pg. 28
Flipmate®	Pg. 29

**LANTERN SERIES**

Portable Scene Light Series	Pgs. 32-35
Vulcan® 180 Series	Pgs. 36-37
Fire Vulcan® LED	Pg. 37
E-Flood® LiteBox® // E-Flood® FireBox®	Pg. 38
E-Spot® LiteBox® // E-Spot® FireBox®	Pg. 39
E-Flood HL® LiteBox® HL	Pg. 40
HID LiteBox®	Pg. 40
Lantern Accessories	Pg. 41
Waypoint® Series	Pgs. 42-43
Siege® Series	Pgs. 44-47

**RIGHT ANGLE SERIES**

Survivor® Series	Pgs. 50-51
Vantage® II	Pg. 52
Vantage® 180 X Series	Pg. 53
Vantage®	Pg. 54
PolyTac 90® X Series	Pg. 55
Knucklehead® Series	Pgs. 56-57

**SAFETY-RATED SERIES**

Dualie® Series	Pgs. 62-65
ProPolymer® Series	Pgs. 66-71
Knucklehead® HAZ-LO® Series	Pgs. 72-73

**WEAPON-MOUNTED SERIES**

TLR Full-Size Series	Pgs. 78-89
TLR Series Full-Size Access.	Pgs. 90-91
TLR Sub-Compact Series	Pgs. 92-99
TLR™ RM Series	Pg. 100
ProTac® Rail Mount Series	Pgs. 101-103
TL-Racker® Series	Pgs. 104-105

**USB RECHARGEABLE LITHIUM ION BATTERY**

SL-B26™ Series	Pgs. 108-109
----------------	--------------

**TACTICAL SERIES**

ProTac® Series	Pgs. 110-119
PolyTac® Series	Pgs. 120-121
Super Tac® X // TL-2® X	Pg. 122
Scorpion® HL // Scorpion® X	Pg. 123
NightFighter® X	Pg. 123
Sidewinder® Series	Pgs. 124-127

**HEADLAMP SERIES**

Headlamp Series	Pgs. 132-143
-----------------	--------------

**STYLUS SERIES**

MicroStream® Series	Pg. 146
MacroStream® Series	Pg. 147
Stylus® Series	Pgs. 149-151
Stylus Reach® Series	Pgs. 152-153

**TWIN-TASK SERIES**

Twin-Task® Series	Pgs. 154-156
-------------------	--------------

**TASK-LIGHT SERIES**

Task-Light® Series	Pg. 156
--------------------	---------

**SPECIALTY SERIES**

Specialty Series	Pg. 157
------------------	---------

**STREAMLIGHT JR. SERIES**

Streamlight Jr. F-Stop® Series	Pg. 158
Streamlight Jr.® Series	Pg. 159

**POCKET LIGHT SERIES**

Pocket Lights	Pgs. 160-161
---------------	--------------

**LIGHTS FOR A CAUSE SERIES**

Lights For A Cause	Pgs. 162-163
--------------------	--------------

**STAY CONNECTED WITH US:**



#STREAMLIGHTSTRONG



# LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF PROFESSIONAL GRADE LIGHTS:

// NEW



STINGER 2020®  
pg. 11



STINGER LED HL®  
// DS LED HL®  
pg. 12



STINGER HPL®  
// DS HPL®  
pg. 13



STINGER® LED  
// DS LED®  
pg. 14



ULTRASTINGER® LED  
pg. 15



POLYSTINGER®  
LED HAZ-LO®  
pg. 16



POLYSTINGER® LED  
// DS® LED  
pg. 16



STRION LED HL®  
// DS HL®  
pg. 18



PORTABLE SCENE LIGHT  
pg. 32



PORTABLE SCENE LIGHT II  
pg. 34



VULCAN® 180  
pg. 36



VULCAN® 180 HAZ-LO®  
pg. 37

// NEW



FIRE VULCAN® LED  
pg. 37



E-FLOOD® LITEBOX®  
// FIREBOX®  
pg. 38



SUPER SIEGE®  
pg. 45



SIEGE® X USB  
pg. 45



THE SIEGE®  
pg. 46



SIEGE® AA  
pg. 47



SURVIVOR®  
pg. 51



VANTAGE® II  
pg. 52



VANTAGE® 180 X  
// USB  
pg. 53



VANTAGE®  
pg. 54

// NEW



POLYTAC 90® X  
// USB  
pg. 55



KNUCKLEHEAD®  
FLOOD & SPOT  
MODELS pg. 57



KNUCKLEHEAD®  
HAZ-LO® MODELS  
pg. 73



BANDIT® //  
BANDIT® PRO  
MODELS pgs. 132



QB MODELS  
pg. 133

// NEW



ENDURO® PRO USB  
MODELS  
pg. 134



ENDURO® PRO  
MODELS  
pg. 135

// NEW



ENDURO® PRO  
HAZ-LO®  
pg. 135



TWIN-TASK®  
HEADLAMP  
MODELS pg. 137

// NEW



USB HAZ-LO®  
Headlamp pg. 143



MICROSTREAM®  
MODELS pg. 146

// NEW



MACROSTREAM®  
USB pg. 147



STYLUS PRO®  
MODELS  
pgs. 149-150



STYLUS®  
MODELS pg. 151



STYLUS REACH®  
MODELS  
pgs. 152-153



TWIN-TASK®  
MODELS  
pgs. 154-156



TASK-LIGHT®  
3AA pg. 156



MULTI OPS®  
pg. 157



# STREAMLIGHT

PERFORMANCE. PERIOD.



STRION HPL®  
// DS HPL®  
pg. 18



STRION LED®  
// DS®  
pg. 19



SL-20L®  
pg. 20



SL-20LP®  
pg. 21



STINGER  
SWITCHBLADE® pg. 25



STRION  
SWITCHBLADE® pg. 26



SYCLONE®  
pg. 28



FLIPMATE®  
pg. 29



E-SPOT® LITEBOX®  
// FIREBOX®  
pg. 39



E-FLOOD® LITEBOX® HL  
pg. 40



HID LITEBOX®  
pg. 40



WAYPOINT®  
pg. 42



WAYPOINT® 300  
pg. 42



DUALIE WAYPOINT®  
pg. 43



DUALIE®  
RECHARGEABLE  
MODELS pg. 62



DUALIE®  
2AA  
pg. 64



DUALIE®  
3AA MODELS  
pgs. 65



2AA // 2AAA  
PROPOLYMER®  
HAZ-LO® MODELS  
pg. 66



4AA PROPOLYMER®  
MODELS  
pgs. 67-68



4AA  
PROPOLYMAX®  
MODELS  
pg. 68



3C PROPOLYMER®  
MODELS  
pgs. 68-69



3AA PROPOLYMER®  
HAZ-LO® pg. 70



3N PROPOLYMER®  
LED pg. 71



PROTAC HL®  
HEADLAMPS  
MODELS pg. 138



DOUBLE CLUTCH™  
USB pg. 139



ARGO® MODELS  
pg. 140



SEPTOR® MODELS  
pg. 141



3AA HAZ-LO®  
pg. 141



TRIDENT®  
MODELS pg. 142



ENDURO®  
pg. 143



NIGHT COM®  
MODELS pg. 157



STREAMLIGHT JR.  
F-STOP® pg. 158



STREAMLIGHT JR.® LED  
MODELS pg. 159



CLIPMATE® USB  
pg. 160



NANO LIGHT®  
pg. 160



KEYMATE® USB  
pg. 161



CLIPMATE®  
pg. 161



THE LOGO™  
pg. 161

# LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF TACTICAL LIGHTS:





# STREAMLIGHT

PERFORMANCE. PERIOD.



TLR-1 HPL®  
pg. 84



TLR-1®  
GAME SPOTTER®  
pg. 85



TLR-2® G  
pg. 86



TLR-1® S  
TLR-1® S  
pg. 87



TLR-2® S  
TLR-2® S  
pg. 87



TLR IR™ MODELS  
pg. 88



TLR-VIR® MODELS  
pg. 89



TLR-6® MODELS  
pgs. 92-97



PROTAC®  
RAIL MOUNT HL-X  
pg. 103



NEW

TL-RACKER®  
MODELS  
pg. 105



SL-B26™  
BATTERY PACKS  
pgs. 108-109



PROTAC® HL-X  
// USB MODELS  
pg. 110



PROTAC® 2L-X  
// USB MODELS  
pg. 110



PROTAC HL® 4  
pg. 111



PROTAC HL® 5-X  
// USB MODELS  
pg. 111



PROTAC®  
1AAA  
pg. 116



PROTAC®  
2AAA  
pg. 117



PROTAC® EMS  
pg. 117



PROTAC®  
1L-1AA  
pg. 118



PROTAC® 1L  
pg. 118



PROTAC® 2L  
pg. 118



PROTAC HL®  
HEADLAMP  
pg. 119



PROTAC HL® USB  
HEADLAMP  
pg. 119



SCORPION® X  
pg. 123



NIGHTFIGHTER® X  
pg. 123



SIDEWINDER®  
pg. 125



SIDEWINDER®  
RESCUE  
pg. 125



SIDEWINDER  
COMPACT® II  
pg. 126



NEW

SIDEWINDER®  
BOOT  
pg. 127

# STINGER, STRION & SL SERIES //

**DUTY & UTILITY LIGHTING SPECIALISTS**  
BECAUSE WORK IS TOUGH ENOUGH WITHOUT  
HAVING TO WORRY ABOUT YOUR LIGHTING.

Streamlight Stingers, Strions and SL lights are trusted by LEO, professional mechanics and tradesmen around the world for a simple reason... they're the best. With the performance and features that they need and the durability they can depend on.






STINGER® 2020



STINGER DS® HPL



STRION DS HL®



SL-20L®



STREAMLIGHT  
STINGER SERIES



THE STINGER 2020.

# THE NEXT EVOLUTION IN HIGH-PERFORMANCE FLASHLIGHTS.





## STINGER® 2020

The next evolution in high-performance, work-ready flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. A long-lasting SL-B26 USB rechargeable battery pack offers multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. IPX7 waterproof to 1m submersion, corrosion-resistant sealed glass lens. TAA Compliant.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	850	100
<b>CANDELA:</b>	26,000	12,000	6,000
<b>DISTANCE:</b>	315m	200m	70m
<b>RUN TIME:</b>	2h	4h	24h

Strobe mode: 3.25 hours of continuous run time

### STINGER 2020

**BATTERY:** (2) SL-B26 Li-Ion USB rechargeable battery packs

**SIZE:** 7.67" x 1.62"  
(19.48 x 4.11 cm)

**WEIGHT:** 12.3 oz (350 g)

**COLOR:** Black

### STINGER 2020

78101 120V AC/12V DC - 2 holders - Black

78104 12V DC - Black

78100 Without Charger - includes "Y" USB cord - Black



With **[(STROBE)]**  
Double tap switch to activate.



Independently functioning head-mounted and tail switches



Mode switch for easy selection of High, Medium or Low



Uses two SL-B26™ protected Li-Ion USB rechargeable battery packs



Optional ring kit includes interchangeable red, blue, purple, orange and lime green face cap rings for easy identification (see page 17)

**STINGER DS LED HL®  
STINGER LED HL®**

Everything you love about the Stinger with more lumens for more brightness and a wider beam that lights up a whole area from side to side. Now you'll see the dangers that may be hiding in corners in rooms, tunnels, alleyways, cars, and more.

**STINGER DS LED HL**

**BATTERY:** NiMH Rechargeable

**DS SIZE:** 8.85" x 1.62" x 1.17"  
(22.48 x 4.11 x 2.97 cm)

**DS WEIGHT:** 12.8 OZ (364 g)

**COLOR:** Black

**STINGER LED HL**

**BATTERY:** NiMH Rechargeable

**SIZE:** 8.41" x 1.62" x 1.17"  
(21.36 x 4.11 x 2.97 cm)

**WEIGHT:** 12.4 OZ (352 g)

**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	800	400	200
<b>CANDELA:</b>	24,000	12,000	6,000
<b>DISTANCE:</b>	310m	216m	155m
<b>RUN TIME:</b>	1h 30m	2h 30m	5h

Strobe mode: 3 hours of continuous run time

**DS LED HL LED HL**

75454	75430	120V AC/12V DC - 2 holders-Black
75455	75431	120V AC - Black
75456	75432	12V DC - Black
75458	75434	120V AC/12V DC - 1 PiggyBack-Black
75453	75429	Without Charger-Black




With **[(STROBE)]**  
Double tap switch to activate.

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES




**DIFFERENT KINDS OF BEAMS  
FOR DIFFERENT KINDS OF TASKS.**

**WANT TO SEE THESE BEAMS IN ACTION?**  
Visit Streamlight's [www.beamdemo.com](http://www.beamdemo.com)  
and see the differences for yourself.




**TRADITION** SERIES

This family of flashlights delivers the optimal balance of bright, far-reaching beam, ample peripheral light, and long run times. When you're out in the field or on any job that requires light for long periods, these are the flashlights you want by your side. Their brightness, power, performance, cost, and extended run times make them perfect for a variety of tasks.



**HPL** SERIES

These High Performance, High Lumen flashlights throw bright light a long distance. They have a bigger hot spot that casts more light on the target with more peripheral light. They're great for illuminating the entire length of a dark alley, for any task that requires a far-reaching beam.



**HL** SERIES

These High Lumen flashlights have a wide, side-to-side beam. They illuminate an entire area, including what may be hiding in corners. They perform like floodlights, illuminating a whole room, vehicle, or any area with bright, revealing light.



THE STINGER SERIES IS ALWAYS ON THE JOB.

# IT'S A DUTY LIGHT. BUILT WITH PRECISION & PERFORMANCE.



**STINGER  
DUTY+TACTICAL  
HOLSTER**

**DUTY + TACTICAL HOLSTER**  
- Super-tough nylon construction  
- Quick, Easy Access

## STINGER DS® HPL STINGER® HPL

The Stinger® HPL has combined two intensely bright illumination patterns into one multi-tasking beam giving you clarity up-close and deep into the horizon. Its long distance beam reaches 438 meters and the 800 lumen beam provides side to side visibility to fill in up-close areas and corners.

### STINGER DS HPL

**BATTERY:** NiMH Rechargeable

**DS SIZE:** 9.65" x 2.20" x 1.17"  
(24.51 x 5.59 x 2.97 cm)

**DS WEIGHT:** 14.0 oz (396 g)

**COLOR:** Black

### STINGER HPL

**BATTERY:** NiMH Rechargeable

**SIZE:** 9.23" x 2.20" x 1.17"  
(23.44 x 5.59 x 2.97 cm)

**WEIGHT:** 13.6 oz (385 g)

**COLOR:** Black

DS HPL	HPL	
75863	75763	120V AC/12V DC - 2 holders
75861	75761	120V AC
75899	75799	12V DC
75882	75782	120V AC/12V DC - 1 PiggyBack
75900	75980	Without Charger

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	800	400	200
<b>CANDELA:</b>	48,000	24,000	12,000
<b>DISTANCE:</b>	438m	310m	219m
<b>RUN TIME:</b>	1h 30m	2h 30m	5h

Strobe mode: 3 hours of continuous run time



With **[(STROBE)]**  
Double tap switch to activate.

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

SEE **STINGER ACCESSORIES** P. 17





THE STINGER IS FOUND  
**IN MORE TOOL BOXES**  
AND HOLSTERS FOR TWO SIMPLE REASONS...  
**PERFORMANCE AND DEPENDABILITY.**

**STINGER DS® LED**  
**STINGER® LED**

The Stinger LED and Stinger DS LED deliver the optimal balance of performance and value with the longest run time in the Stinger family. The DS model provides both a tailcap and head switch.

**STINGER DS LED**

**BATTERY:** NiMH Rechargeable

**DS SIZE:** 8.85" x 1.62" x 1.17"  
(22.48 x 4.11 x 2.97 cm)

**DS WEIGHT:** 12.8 oz (364 g)

**COLOR:** Black

**STINGER LED**

**BATTERY:** NiMH Rechargeable

**SIZE:** 8.41" x 1.62" x 1.17"  
(21.36 x 4.11 x 2.97 cm)

**WEIGHT:** 12.4 oz (352 g)

**COLOR:** Black

**DS LED    LED**

75813	75713	120V AC/12V DC Smart Charger—Black
75811	75711	120V AC Smart Charger—Black
75832	75732	120V AC/12V DC PiggyBack®—Black
75853	75753	12V DC Smart Charger—Black
75810	75710	Without Charger—Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	425	200	100
<b>CANDELA:</b>	26,000	12,000	6,000
<b>DISTANCE:</b>	322m	219m	155m
<b>RUN TIME:</b>	3h	5h 30m	10h

Strobe mode: 7.5 hours of continuous run time



With **[(STROBE)]**  
Double tap switch to activate.

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES





**FAR REACHING BEAM +  
1,100 LUMENS...  
THERE'S A REASON IT'S CALLED THE  
ULTRASTINGER LED.**

**ULTRASTINGER® LED**

The UltraStinger LED delivers a piercing 1,100 lumens, but that's not all... it also has a far-reaching beam, TEN-TAP® programming for its multiple intensities and strobe; plus we added a rubber sleeve for a better grip. It's IPX4 rated for water resistance and it works with existing Stinger® chargers and accessories.

**ULTRASTINGER LED**

**BATTERY:** NiMH Rechargeable

**SIZE:** 11.82" x 2.37" x 1.19" (30 x 6.01 x 3 cm)

**WEIGHT:** 19.9 oz (564 g)

**COLOR:** Black

77553	AC/DC Smart Charger—Black
77551	AC Smart Charger—Black
77555	DC Smart Charger—Black
77550	Without Charger—Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,100	350	90
<b>CANDELA:</b>	65,000	21,000	5,000
<b>DISTANCE:</b>	510m	290m	141m
<b>RUN TIME:</b>	1h 30m	4h 30m	16h

Strobe mode: 3h 15m of continuous run time



**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

With **[(STROBE)]**

Double tap switch to activate.

# BUILT FOR DURABILITY AND PERFORMANCE.

## POLYSTINGER® LED HAZ-LO®

If you're working in a potentially hazardous location, this is the light you need. It provides lots of bright, white light, yet it's intrinsically safe, with a Class I, Div. 1. rating. It has an O-ring sealed, unbreakable, scratch-resistant lens. It's IPX4 rated for water-resistance, and 3 meter impact-resistance tested.

	HIGH	LOW
<b>LUMENS:</b>	130	50
<b>CANDELA:</b>	15,000	5,700
<b>DISTANCE:</b>	245m	151m
<b>RUN TIME:</b>	4h	12h

Moonlight mode: 20 days of continuous run time



Lanyard Ring with lanyard for tail cap.



Class I & II, Division 1, Groups C,D,F,G;  
Class I, Division 2, Groups A,B,C,D;  
Class III; 138 C, T-Code: T3C

### POLYSTINGER LED HAZ-LO

**BATTERY:** NiCd Rechargeable

**SIZE:** 10.2" x 1.76" x 1.34" (25.9 x 4.47 x 3.4 cm)

**WEIGHT:** 13.5 oz (382 g)

**COLOR:** Black or Yellow

### YELLOW BLACK

76412	76442	120V AC/12V DC Smart Charger
76411	76441	12V DC Smart Charger
76410	76440	Without Charger

### ACCESSORIES

76409	Lanyard
75928	Loop Holster
75906	Ring Holder
76375	NiCd Battery Stick
75400	5 Unit Bank Smart Charger 120V
22060	120V AC Charge Cord
22051	DC1 Charge Cord
22050	DC2 Direct Wire Charge Cord

## POLYSTINGER DS® LED POLYSTINGER® LED

Intense brightness, long-range and long run time in a durable nylon polymer housing. It's the ideal combination of power, performance and durability. The DS model has the convenience of two full-function, independent switches: one on the head and a tail switch.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	485	240	120
<b>CANDELA:</b>	28,000	14,000	7,000
<b>DISTANCE:</b>	335m	237m	167m
<b>RUN TIME:</b>	3h	5h 30m	10h

Strobe mode: 7.5 hours of continuous run time



With **[(STROBE)]**  
Double tap switch to activate.

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

### POLYSTINGER DS LED

**BATTERY:** NiMH Rechargeable

**DS SIZE:** 8.64" x 1.76" x 1.21"  
(21.95 x 4.47 x 3.07 cm)

**DS WEIGHT:** 11.9 oz (338 g)

**DS COLOR:** Black

### POLYSTINGER LED

**BATTERY:** NiMH Rechargeable

**SIZE:** 8.07" x 1.76" x 1.21"  
(20.50 x 4.47 x 3.07 cm)

**WEIGHT:** 11.5 oz (326 g)

**COLOR:** Black or Yellow

DS LED	LED	
—	76163	120V AC/DC 2 Holders—Yellow
76813	76113	120V AC/DC 2 Holders—Black
—	76161	120V AC—Yellow
76811	76111	120V AC—Black
—	76199	12V DC—Yellow
76849	76149	12V DC—Black
—	76182	120V AC/DC 1 PiggyBack Holder—Yellow
76832	76132	120V AC/DC 1 PiggyBack Holder—Black
—	76203	Without Charger—Yellow
76850	76150	Without Charger—Black



## STINGER ACCESSORIES

Stinger Accessories	STINGER 2020	DS LED HL LED HL	DS HPL HPL	DS LED LED	UltraStinger LED	PolyStinger LED HAZ-LO	PolyStinger LED / DS LED
<b>5 Unit Bank Charger</b> 	75400	75400	75400	75400	75400	75400	75400
<b>Smart Charger</b> 	75105	75105	75105	75105	75105	75105	75105
<b>Steady PiggyBack®</b> 	—	75277	75277	75277	—	—	75277
<b>NIMH Battery Stick</b> 	—	75375	75375	75375	77375	—	75375
<b>Li-Ion Battery Stick</b> 	—	75176	75176	75176	—	—	75176
<b>NiCd Battery Stick</b> 	—	—	—	—	—	76375	—
<b>SL-B26 Battery Pack</b> 	78105	—	—	—	—	—	—
<b>12V Car Charge Cord</b> 	22051	22051	22051	22051	22051	22051	22051
<b>12V DC Charge Cord</b> 	22050	22050	22050	22050	22050	22050	22050
<b>120V AC Charge Cord</b> 	22071	22071	22071	22071	22071	22071	22071
<b>Leather Plain Holster</b> 	—	75133	—	75133	—	—	75133
<b>Leather Weave Holster</b> 	—	75134	—	75134	—	—	75134
<b>Std. Nylon Holster</b> 	—	75927	75927	75927	—	—	75910
<b>Loop Nylon Holster</b> 	—	75928	75928	75928	75928	75928	75928
<b>Duty Holster</b> 	—	88053	88053	88053	88053	—	—
<b>Ring Holder</b> 	—	75906	75906	75906	75906	75906	75906
<b>Red Flip Lens</b> 	75115	75115	—	75115	—	—	—
<b>Green Flip Lens</b> 	75117	75117	—	75117	—	—	—
<b>Blue Flip Lens</b> 	75116	75116	—	75116	—	—	—
<b>Red Wand</b> 	75903	75903	75946	75903	78903	—	75933
<b>White Wand</b> 	75908	75908	75949	75908	—	—	75938
<b>Blue Wand</b> 	75902	75902	75947	75902	—	—	75932
<b>Yellow Wand</b> 	75904	75904	75948	75904	78904	—	75934
<b>Glow in the Dark Wand</b> 	75913	75913	75950	75913	78913	—	75943
<b>USB Cord 22" &amp; 40"</b> 	22081 - 22" 22070 - 40"	—	—	—	—	—	—
<b>"Y" USB Cord</b> 	22082	—	—	—	—	—	—
<b>12V DC USB Adapter</b> 	22069	—	—	—	—	—	—
<b>Facecap Ring Kit</b> 	78113	—	—	—	—	—	—



**STRION DS HL®  
STRION LED HL®**

The power of a Stinger in a more compact Lithium Ion rechargeable flashlight. It even fits long-gun mounts. Casts a bright white beam that spreads out to illuminate an entire area. You'll see what's in front of you and what may be hiding in the corners.

**STRION DS HL**

**BATTERY:** Li-ion Rechargeable

**SIZE:** 6.33" x 1.25" x .95"  
(16.08 x 3.18 x 2.41 cm)

**WEIGHT:** 5.4 OZ (153 g)

**COLOR:** Black

**STRION LED HL**

**BATTERY:** Li-ion Rechargeable

**SIZE:** 5.90" x 1.25" x .95"  
(14.99 x 3.18 x 2.41 cm)

**WEIGHT:** 5.2 OZ (148 g)

**COLOR:** Black

STRION HL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	615	320	160
<b>CANDELA:</b>	12,000	6,000	3,000
<b>DISTANCE:</b>	219m	155m	110m
<b>RUN TIME:</b>	1h 15m	2h 30m	4h 30m

Strobe mode: 3 hours of continuous run time



**Dual Switch** With **[(STROBE)]**  
TECHNOLOGY Double tap switch to activate.  
AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

DS model features **TEN-TAP®** programmable switch that allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION DS HL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	700	300	40
<b>CANDELA:</b>	12,000	5,000	800
<b>DISTANCE:</b>	219m	141m	57m
<b>RUN TIME:</b>	1h 15m	3h 30m	24h

Strobe mode: 2.5 hours of continuous run time

DS HL	LED HL	
74612	74752	120V AC/12V DC - 2 holders-Black
74611	74751	120V AC/12V DC - 1 holder-Black
74621	74755	120V AC/12V DC - 1 holder-Black-Clam
74619	74778	120V AC/12V DC - 1 PiggyBack-Black
74613	74753	120V AC
74614	74754	12V DC
74610	74750	Without Charger-Black
74620	74509	Strion LED HL with grip ring - with 120V AC

**STRION DS® HPL  
STRION® HPL**

Lightweight and ultra-compact, yet extremely powerful. It throws its long beam far out in the distance while casting plenty of peripheral light along the way. Features three intensities plus strobe. Rechargeable battery and powerful illumination result in one of the lowest operating costs of any flashlight. Easy, one-handed operation with multi-function push-button tailswitch.

**STRION DS HPL**

**BATTERY:** Li-ion Rechargeable

**SIZE:** 7.56" x 2.2" x .95"  
(19.2 x 5.59 x 2.41 cm)

**WEIGHT:** 6.9 OZ (196 g)

**COLOR:** Black

**STRION HPL**

**BATTERY:** Li-ion Rechargeable

**SIZE:** 7.00" x 2.2" x .95"  
(17.78 x 5.59 x 2.41 cm)

**WEIGHT:** 7.1 OZ (202 g)

**COLOR:** Black

STRION HPL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	615	320	160
<b>CANDELA:</b>	40,000	20,000	10,000
<b>DISTANCE:</b>	400m	283m	200m
<b>RUN TIME:</b>	1h 15m	2h 30m	4h 30m

Strobe mode: 3 hours of continuous run time



**Dual Switch** With **[(STROBE)]**  
TECHNOLOGY Double tap switch to activate.  
AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

DS model features **TEN-TAP®** programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION DS HPL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	700	300	40
<b>CANDELA:</b>	44,000	18,000	2,600
<b>DISTANCE:</b>	420m	268m	102m
<b>RUN TIME:</b>	1h 15m	3h 30m	24h

Strobe mode: 2.5 hours of continuous run time

DS HPL	HPL	
74811	74501	120V AC/12V DC - 1 Holder - Black
74812	74502	120V AC/12V DC - 2 Holders - Black
74819	74536	120V AC/12V DC - 1 PiggyBack
74813	74503	120V AC - Black
74814	74504	12V DC - Black
74810	74500	Without Charger - Black

## STRION DS® STRION® LED

A powerful value that's perfect for the broadest range of lighting needs. IPX4 rated for water-resistance. Anti-roll ring included. Optional model with adjustable Grip Ring provides a sure-grip for easy one-handed operation.

### STRION DS

**BATTERY:** Li-ion Rechargeable  
**SIZE:** 6.4" x 1.25" x .95"  
(16.26 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.4 oz (153 g)  
**COLOR:** Black

### STRION LED

**BATTERY:** Li-ion Rechargeable  
**SIZE:** 5.9" x 1.25" x .95"  
(14.99 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.2 oz (148 g)  
**COLOR:** Black or Pink

STRION LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	175	80
<b>CANDELA:</b>	12,000	6,500	3,200
<b>DISTANCE:</b>	219m	161m	113m
<b>RUN TIME:</b>	2h 30m	4h 45m	9h 30m

Strobe mode: 6.5 hours of continuous run time



With **[(STROBE)]**  
**Dual Switch** TECHNOLOGY. Double tap switch to activate.  
AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

DS model features **TEN-TAP®** programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION DS	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	150	40
<b>CANDELA:</b>	12,000	5,000	1,300
<b>DISTANCE:</b>	219m	141m	72m
<b>RUN TIME:</b>	2h 30m	6h 15m	24h

Strobe mode: 5 hours of continuous run time

DS	STRION	
74411	74301	120V AC/12V DC – 1 Holder – Black
74412	74302	120V AC/12V DC – 2 Holders – Black
74413	74303	120V AC – Black
74414	74304	12V DC – Black
74421	74308	120V AC/12V DC – Black – Clam
74419	74353	120V AC/12V DC – 1 PiggyBack – Black
–	74361	120V AC/12V DC – 1 PiggyBack – Pink (BCRF)
74410	74300	Without Charger – Black
74420	74309	Grip Ring 120V AC – Black
–	74350	120V AC/12V DC – 1 Holder – Pink (BCRF)

## STRION ACCESSORIES

Strion Accessories	STRION / DS LED HL	STRION HPL / DS HPL	STRION / STRION DS
<b>6 Unit Bank Charger 120V</b>	74400	74400	74400
<b>6 Unit Bank Charger DC</b>	74401	74401	74401
<b>Piggyback Charger Holder</b>	74115	74115	74115
<b>Smart Charger Holder</b>	74102	74102	74102
<b>Li-ion Battery Stick</b>	74175	74175	74175
<b>12V DC1 Charge Cord</b>	22051	22051	22051
<b>12V DC2 Charge Cord</b>	22050	22050	22050
<b>120V USB Charge Cord</b>	22071	22071	22071
<b>Rail Mount</b>	74200	74200	74200
<b>Vertical Grip</b>	69114	69114	69114
<b>Leather Plain Holster</b>	74059	–	74059
<b>Leather Weave Holster</b>	74060	–	74060
<b>Std. Nylon Holster</b>	–	75910	–
<b>Nylon Option Holster</b>	85905	–	85905
<b>Tactical Holster</b>	88051	88051	88051
<b>Red Flip Lens</b>	85115	–	85115
<b>Green Flip Lens</b>	85117	–	85117
<b>Blue Flip Lens</b>	85116	–	85116
<b>Red Wand</b>	74903	75946	74903
<b>White Wand</b>	–	75949	–
<b>Blue Wand</b>	–	75947	–
<b>Yellow Wand</b>	74904	75948	74904
<b>Glow Wand</b>	74913	75950	74913

# STREAMLIGHT SL-20L SERIES



## SL-20L®

Full-size, professional grade light that delivers the intense brightness and run times you need for a wide variety of jobs.

### SL-20L

**BATTERY:** NiMH Rechargeable

**SIZE:** 13.1" x 2.5" x 1.5"  
(33.3 x 6.35 x 3.81 cm)

**WEIGHT:** 1 lb 11.2 oz (770 g)

**COLOR:** Black

20703	120V AC/DC-Smart Charge - 2 Sleeves - Black
20701	120V AC Smart Charge - Black
20702	12V DC Smart Charge - Black
20700	Without Charger - Black

With **[(STROBE)]**  
Double tap switch to activate.

## UPGRADED

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	450	225	60
<b>CANDELA:</b>	70,000	35,000	9,000
<b>DISTANCE:</b>	529m	374m	189m
<b>RUN TIME:</b>	3h 15m	5h	20h

Strobe mode: 4.5 hours of continuous run time

### Special Features:

- Unbreakable, scratch-resistant, O-ring sealed lens.
- IPX4 rated for water-resistance.
- 1 meter impact-resistance tested.



## SL ACCESSORIES



	5 Unit Bank Charger 120v	5 Unit Bank Charger DC	Charger Sleeve	12V DC1 Car Charger	12V DC2 Charge Cord	120V AC Charge Cord
SL-20L	21400	21401	22047	22051	22050	22060
SL-20LP	21400	21401	22047	22051	22050	22060



# A HISTORY OF PERFORMANCE, THE LEGENDARY FULL-SIZE DUTY LIGHT.



## SL-20LP®

All the power and performance of our SL-20L® in a durable, nylon polymer lightweight housing.

### SL-20LP

**BATTERY:** NiMH Rechargeable

**SIZE:** 13.2" x 2.5" x 1.5"  
(33.5 x 6.35 x 3.81 cm)

**WEIGHT:** 1.3 lb (590 g)

**COLOR:** Black, Yellow or Orange

25323	120V AC/12V DC Smart Charge - 2 Sleeves - Yellow
25303	120V AC/12V DC Smart Charge - 2 Sleeves - Black
25313	120V AC/12V DC Smart Charge - 2 Sleeves - Orange
25321	120V AC Smart Charge - Yellow
25301	120V AC Smart Charge - Black
25311	120V AC Smart Charge - Orange
25322	12V DC Smart Charge - Yellow
25302	12V DC Smart Charge - Black
25312	12V DC Smart Charge - Orange
25320	Without Charger - Yellow
25300	Without Charger - Black
25310	Without Charger - Orange

## UPGRADED

With **[(STROBE)]**  
Double tap switch to activate.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	450	225	60
<b>CANDELA:</b>	70,000	35,000	9,000
<b>DISTANCE:</b>	529m	374m	189m
<b>RUN TIME:</b>	3h 15m	5h	20h

Strobe mode: 4 hours of continuous run time

### Special Features:

- Unbreakable, scratch-resistant, O-ring sealed lens.
- IPX4 rated for water-resistance.
- 1 meter impact-resistance tested.



	NIMH Battery Stick	Ring Holder	Std. Nylon Holster	Red Wand	Blue Wand	Yellow Wand	Glow in the Dark Wand
SL-20L	77375	22911	25090	22511	22512	22519	22513
SL-20LP	77375	22911	25090	22511	22512	22519	22513

# WORKLIGHTS SERIES //

## **WORKLIGHT SPECIALISTS**

**IN THE GARAGE, ON THE WORK TRUCK OR IN THE FIELD,  
STREAMLIGHT DELIVERS LIGHT WHERE YOU NEED IT.**

At Streamlight we innovate lighting solutions that make sense.

We build lights that put function right alongside performance and convenience. That's exactly what our family of worklights is design to deliver. With innovative mounts, charging systems and light deliver, we make it easier for you to get the job done.





STRION SWITCHBLADE®

STINGER SWITCHBLADE®



SYCLONE®

FLIPMATE®

STREAMLIGHT  
WORKLIGHTS SERIES

THE STINGER SWITCHBLADE  
SPENDS AS MUCH TIME  
**UNDER THE CAR,  
ON THE WALL,  
AND COVERED  
IN GREASE**  
AS YOU DO. A PERFECT MATCH.





## STINGER SWITCHBLADE®

Compact and extremely powerful, the Stinger Switchblade® rechargeable area light offers three (3) lighting options. The blade of the Switchblade can rotate 180° on the body. Soft detents will hold the blade in your desired position, and the light will stand on its tail with the light bar in any position. There are multiple ways to hook and hang the light. Use the hooks on the base plate or the retractable hook for many hanging options. The weighted base also includes magnets that will hold the light (in any orientation) to provide task-specific illumination.



### STINGER SWITCHBLADE

**BATTERY:** Lithium Ion Rechargeable  
**FOLDED SIZE:** 9.80" x 1.62" x 1.40" (24.89 x 4.11 x 3.56 cm)  
**EXTENDED LENGTH:** 17.0" (43.18 cm)  
**WEIGHT:** 17.1 oz (485 g)  
**COLOR:** Red

76801 120V/100V AC 1 holder – Red  
 76800 USB cord – Red



HANDS-FREE APPLICATIONS:  
 TAIL-END MAGNET. STOWABLE HANG HOOK  
 AND STABLE FOOT



180° rotating light bar aims the beam where you need it.

	COOL WHITE	90 CRI	UV LED
<b>OUTPUT:</b>	800 Lumens	600 Lumens	500 mW
<b>RUN TIME:</b>	3h 45m	3h 45m	15h



### DOUBLE-SIDED LIGHT BAR:

- 1.) 90 CRI LEDs - Color-Rite Technology - allows you to distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) Cool white LEDs for bright, white light
- 3.) UV LED for leak detection



DUAL CHARGING OPTIONS:  
 CHARGE USING EXISTING STINGER CHARGERS  
 OR CHARGE VIA USB SOURCE

## STINGER SWITCHBLADE ACCESSORIES

<b>5 Unit Bank Charger</b>		75400
<b>Smart Charger</b>		75105
<b>Li-Ion Battery Stick</b>		76805
<b>12V Car Charge Cord</b>		22051
<b>12V DC Charge Cord</b>		22050
<b>120V AC Charge Cord</b>		22071
<b>USB Cord 22" &amp; 40"</b>		22081 - 22" 22070 - 40"
<b>12V DC USB Adapter</b>		22069



## STRION SWITCHBLADE®

Compact & extremely powerful, the Strion Switchblade® LED rechargeable area light offers three (3) lighting options. Cool white LEDs for area lighting, 90 CRI LEDs for color matching, and a UV LED for leak detection. All use the latest in power LED technology. The rechargeable battery results in one of the lowest operating costs of any area light of this type. The blade can rotate 180° on the body. Soft detents will hold the blade in your desired position, and the light will stand on its tail with the light bar in any position. There are multiple ways to hook and hang the light. Use the hooks on the base or the retractable swivel hook for many hanging options. The base also includes magnets that will hold the light on any convenient ferrous metal surface (in any orientation) to provide task-specific illumination.

### STRION SWITCHBLADE

**BATTERY:** Lithium Ion Rechargeable

**FOLDED SIZE:** 6.0" x 1.18" x .99" (15.24 x 3.0 x 2.51 cm)

**EXTENDED LENGTH:** 10.75" (27.30 cm)

**WEIGHT:** 6.4 oz (181 g)

**COLOR:** Red

74850 USB cord — Red

74851 120V/100V AC 1 holder — Red

74854 120V/100V AC PiggyBack — Red



HANDS-FREE APPLICATIONS:  
TAIL-END MAGNET. STOWABLE HANG HOOK  
AND STABLE FOOT



MULTIPLE CHARGING OPTIONS:  
CHARGE USING PIGGYBACK® CHARGERS, EXISTING STRION  
CHARGERS OR CHARGE VIA USB SOURCE



#### DOUBLE-SIDED LIGHT BAR:

- 1.) 90 CRI LEDs - Color-Rite Technology™ - allows you to distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) UV LED for leak detection
- 3.) Cool white LEDs for bright, white light

180° rotating light bar aims the beam where you need it.




	COOL WHITE	90 CRI	UV LED
<b>OUTPUT:</b>	500 Lumens	400 Lumens	500 mW
<b>RUN TIME:</b>	3h	3h	5h



## STRION SWITCHBLADE ACCESSORIES

<b>6 Unit Bank Charger 120V</b>		74400
<b>6 Unit Bank Charger DC</b>		74401
<b>PiggyBack Charger Holder</b>		74115
<b>Smart Charger Holder</b>		74102
<b>Li-ion Battery Stick</b>		74175
<b>12V DC1 Charge Cord</b>		22051
<b>12V DC2 Charge Cord</b>		22050
<b>120V USB Charge Cord</b>		22071







**SYCLONE**  
**400** ULTRA-COMPACT  
LUMEN WORK LIGHT  
**WITH SPOT OR FLOOD.**

**SYCLONE®**

Inspect, identify and repair with the Syclone. It produces bright white light for everyday use or high CRI light with Streamlight's Color-Rite Technology™ for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook.

**SYCLONE**

**BATTERY:** Lithium Polymer Rechargeable

**SIZE:** 2.97" x 2.79" x 1.42" (7.54 x 7.08 x 3.60 cm)

**WEIGHT:** 5.3 OZ (150 g)

**COLOR:** Red

61510 Syclone with USB cord—Red



**CHARGING**



**CHARGED**

Multi-function push-button switch with charge indicator.  
Battery charges in approx. 4.5 hours



USB rechargeable  
Lithium ion battery  
recharges in 4.5 hours



**NEW**



Hands-free applications:  
1.) Magnetic base  
2.) Stowable hang hook



SPOT	HIGH	MED	LOW
<b>LUMENS:</b>	400	200	100
<b>CANDELA:</b>	5,000	2,250	1,300
<b>DISTANCE:</b>	141m	95m	72m
<b>RUN TIME:</b>	2h	4h 30m	9h 30m

FLOOD	HIGH	MED	LOW
<b>LUMENS:</b>	300	150	75
<b>CANDELA:</b>	580	300	150
<b>DISTANCE:</b>	48m	35m	24m
<b>RUN TIME:</b>	2h	4h	8h

**Special Features:**

- **360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools**



## FLIPMATE®

Inspect, identify and repair with the super-compact FlipMate. It produces bright white light for everyday use or high CRI light with Streamlight's Color-Rite Technology™ to identify color differences in paint or wires. Fits comfortably in the palm of your hand, allowing you to illuminate hard-to-get-to spaces, like under the dash. Go hands-free with the flat, magnetic base and stowable hook.

### FLIPMATE

**BATTERY:** Lithium Ion Rechargeable

**SIZE:** 2.37" x 5.44" (6.00 x 13.82 cm)

**WEIGHT:** 8.7 oz (247 g)

**COLOR:** Black, Red, or Blue

61500	FlipMate with USB Cord – Black
61501	FlipMate with USB Cord – Red
61502	FlipMate with USB Cord – Blue



Hands-free applications:  
1.) Magnetic base  
2.) Stowable hang hook



270° rotating light bar aims the beam where you need it



USB rechargeable Lithium ion battery recharges in 4.5 hours

COOL WHITE LED	HIGH	LOW
<b>LUMENS:</b>	500	250
<b>RUN TIME:</b>	2h 30m	5h 45m

90 CRI LED	HIGH	LOW
<b>LUMENS:</b>	400	200
<b>RUN TIME:</b>	2h 30m	6h

**NEW**

Double-function light bar:

- 1.) 90 CRI LEDs - Color-Rite Technology™ - distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) Cool white LEDs for bright, white light  
Each with high and low modes



FLIPMATE  
**MULTI-FUNCTION LIGHT**  
THAT STANDS, HANGS, ROTATES AND STICKS



# SCENE LIGHT/LANTERN SERIES //

## SCENE LIGHTING SPECIALISTS

FROM FIRST ON THE SCENE TO THE LAST ONE OUT  
OF THE TUNNEL, HEROES TRUST STREAMLIGHT.

Lanterns are part of our history and part of our future. In 1973, Streamlight pioneered portable lighting with our million candlepower SL and for the past 45+ years we continue to forge new ways to provide light where it's needed.



PORTABLE  
SCENE LIGHT



VULCAN® 180



WAYPOINT 300®



THE SIEGE® LANTERN



PORTABLE SCENE LIGHT II



# LIGHT UP THE WORLD ANYWHERE YOU WANT.

## PORTABLE SCENE LIGHT PORTABLE SCENE LIGHT EXT

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. With its 90° swivel neck, it's easy to shine light into the most out-of-the-way place. The head extends to 72" within seconds. It provides 3 levels of lighting and substantial run time to last through several shifts, even days. The unique diffuser lets you select a flood or spot beam in all three levels. It's designed to adapt to tight spaces, but rugged enough to be stable in wide open terrain or steps. The regulated light provides consistent output throughout the life of the battery. It's an indispensable tool for first responders, construction crews, and utility workers.

### PORTABLE SCENE LIGHT

**BATTERY:** Zero-maintenance, sealed lead acid. Can also be powered by 12V DC power cord.

**SIZE:** 22" x 6.5" x 11" (55.88 x 16.5 x 27.9 cm)

**WEIGHT:** 25 lb (11.3 kg)

**COLOR:** Yellow

### PORTABLE SCENE LIGHT EXT

**BATTERY:** Zero-maintenance, sealed lead acid. Can also be powered by 12V DC power cord.

**SIZE:** 25.5" x 6.5" x 11" (55.88 x 16.5 x 27.9 cm)

**WEIGHT:** 25.5 lb (11.6 kg)

**COLOR:** Yellow

### PORTABLE SCENE LIGHT

45670 120V AC/12V DC Portable Scene Light – Yellow

### PORTABLE SCENE LIGHT EXT

45680 120V AC/12V DC Portable Scene Light – Yellow

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	5,300	2,500	1,300
<b>CANDELA:</b>	42,000	21,300	11,600
<b>DISTANCE:</b>	410m	292m	215m
<b>RUN TIME:</b>	4h	9h	18h

**Portable Scene Light**  
 packs to a compact size  
 for easy storage  
 (22 in.; 55.88 cm)



**Portable Scene Light EXT**  
 packs to a compact size  
 for easy storage  
 (25.5 in.; 64.8 cm)



### Special Features:

- Full deployment in 30 seconds
- Designed to resist 40mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67 rated; dust-tight and **WATERPROOF TO 1M FOR 30 MINUTES**
- Stabilization legs provide balance on uneven surfaces





# PORTABLE SCENE LIGHT II : TURN TO A HIGHER POWER

- STACKABLE FOR “LIGHT TOWER” CAPABILITY
- 360-DEGREE ROTATING HEAD
- PORTABLE, CORDLESS AND LIGHTWEIGHT
- HIGH-QUALITY, VIRTUALLY INDESTRUCTIBLE ALLOY STEEL FRAME
- WATERPROOF
- 10,000 LUMENS



## PORTABLE SCENE LIGHT II

Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for “light tower” capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc. The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, etc.

### PORTABLE SCENE LIGHT II

**BATTERY:** Lithium-ion Rechargeable

**SIZE:** 16" x 11" x 12" (19.05 x 12.7 x 16.51 cm)

**WEIGHT:** 15.38 lbs (6.10 kg)

**COLOR:** Red

46000 120V AC/12V DC—Red



	100%	80%	60%	40%	20%
<b>LUMENS:</b>	10,000	8,300	6,300	4,500	2,300
<b>RUN TIME:</b>	2h	2h 45m	3h 45m	5h 45m	11h

Digital display shows intensity level and run time



Toggle switch - choose from 5 intensity levels

### Special Features:

- Portable, cordless, ultra compact
- Virtually indestructible alloy steel frame
- Unlimited run time using AC/DC power source
  - Batteries will continue to charge while in use
- **IPX7 WATERPROOF TO 1M FOR 30 MINUTES**

Use a single unit or stack for multi-level lighting



Hang over doors, guard rails, fences, etc.



# CORDLESS AND COMPACT PREVENTS TRIP HAZARDS

The Portable Scene Light II makes your work site safer and clean up easier. It's cordless and compact so it removes trip hazards and is easy to maneuver around. Stackable for "light tower" capability, individual units feature a 360° rotating head to aim the beam for multi-level lighting. Lightweight - under 16 lbs - so if you need to grab one off the stack and move to another location, it won't weigh you down.

TAKE YOUR WORK SITE FROM THIS:



TO THIS:







The Fire Vulcan and Vulcan 180 feature blue taillight LEDs for rear visibility.

# SEE AND BE SEEN EVEN IN THE THICKEST SMOKE

THE VULCAN SERIES FEATURE A TIGHT BEAM AND  
BLUE TAILLIGHT LEDES

## VULCAN® 180

The lightest portable lantern of its kind, the Vulcan 180 is designed to burn brighter and run longer making it an essential firefighting tool. This rechargeable, waterproof lantern has a 180° tilting head which allows you to direct the light where you need it. Three LEDs bring you extreme brightness along with two blue taillight LEDs for visibility in thick smoke.

### VULCAN 180

**BATTERY:** Lithium-ion Rechargeable

**SIZE:** 7.43" x 4.32" x 4.36"  
(18.8 x 10.9 x 11 cm)

**WEIGHT:** 2.47 lbs (1123 g)

**COLOR:** Orange or Yellow

44301	Standard System with 120V AC/12V DC, with shoulder strap and charging rack—Yellow
44305	Vehicle Mount System with 12V DC, with shoulder strap and charging rack—Yellow
44307	Standard System with 120V AC/12V DC, with quick release strap and charging rack—Yellow
44311	Standard System with 120V AC/12V DC, with quick release strap and charging rack—Orange
44315	Vehicle Mount System with 12V DC, with quick release strap and charging rack—Orange



180° articulating head puts the light where you need it.

	HIGH	LOW
<b>LUMENS:</b>	1,200	350
<b>CANDELA:</b>	75,000	22,000
<b>DISTANCE:</b>	548m	296m
<b>RUN TIME:</b>	5h 45m	16h

Flat base area allows light to stand on its own for scene lighting.



Quick install charge rack fits same foot print as LiteBox® and Vulcan® Series.



Class I, Division 2, Groups A, B, C, D;  
Class II, Division 2, Groups F, G;  
Class III; T-Class: T4

NFPA

Rack meets requirements of  
NFPA 1901-14.1.10.2 (2016)  
mounted in any position

	HIGH	LOW
<b>LUMENS:</b>	400	130
<b>CANDELA:</b>	25,000	8,000
<b>DISTANCE:</b>	316m	128m
<b>RUN TIME:</b>	10h	24h

Large, multi-function, push button switch easy to use with gloved hands.



**NEW**



Class I, Div 1, Groups A, B, C, D;  
Class II, Div. 1, Groups E, F, G;  
Class I, Zone O, Group IIC  
Class III, T4

**NFPA**

Rack meets requirements of  
NFPA 1901-14.1.10.2 (2016)  
mounted in any position

Taillight LEDs ensure you can be seen even from behind Can be programmed on or off



## VULCAN® 180 HAZ-LO®

Developed for use in hazardous locations on a portable scene light platform the Class 1, Div. 1 safety rated Vulcan 180 is lightweight and rechargeable. Features three white power LEDs for extreme brightness and two ultra-bright blue taillight LEDs provide visibility from behind. Use its 180° articulating head to target the light where needed. A large handle enables smooth handoffs even with gloves. IP67 rated - waterproof to 1m submersion.

### VULCAN 180 HAZ-LO

**BATTERY:** Lithium-ion Rechargeable

**SIZE:** 7.43" x 4.32" x 4.36" (18.8 x 10.9 x 11 cm)

**WEIGHT:** 2.45 lbs (1112 g)

**COLOR:** Orange or Yellow

44321	HAZ-LO Standard System with 120V/100V AC/12V DC, with shoulder strap and charging rack – Yellow
44325	HAZ-LO Vehicle Mount System with 12V DC, with shoulder strap and charging rack – Yellow
44320	HAZ-LO Light Only – Yellow
44311	HAZ-LO Standard System with 120V/100V AC/12V DC, with quick release strap and charging rack – Orange
44335	HAZ-LO Vehicle Mount System with 12V DC, with quick release strap and charging rack – Orange
44330	HAZ-LO Light Only – Orange

## FIRE VULCAN® LED

This lightweight lantern with taillight LEDs helps you be seen even in thick smoke. It's IPX7 rated for water resistance to 1 meter for 30 minutes. It even floats! Delivers regulated, consistent light throughout battery life. The light modes are programmable, so you can control the order in which the modes come on. Features an unbreakable, scratch-resistant, O-ring sealed lens.

### FIRE VULCAN LED

**BATTERY:** Lithium-ion Rechargeable

**SIZE:** 7.5" x 5" x 6.5" (19.05 x 12.7 x 16.51 cm)

**WEIGHT:** 1.85 lbs (839 g)

**COLOR:** Orange

44450	Standard System with 120V AC/12V DC – Orange
44451	Vehicle Mount with 12V DC – Orange
44454	without Charger – Orange

	HIGH	LOW
<b>LUMENS:</b>	180	80
<b>CANDELA:</b>	100,000	45,000
<b>RUN TIME:</b>	5h	10h

Ultra-bright blue taillight LEDs make certain you can be seen, even in thick smoke.



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F, G;  
Class III T-Code: T4

**NFPA**

Rack meets requirements of  
NFPA 1901-14.1.10.2  
(2016) mounted in  
any position





**E-FLOOD® LITEBOX®  
E-FLOOD® FIREBOX®**

Six LEDs spread light over an entire area. It has an extended run time - 18 hrs. on low - so you can keep large areas illuminated no matter how long your shift lasts. With its swivel head, you can point light right where it's needed. The FireBox has 2 rear blue LEDs so you can be seen from behind: a life-saving feature for firefighters!

**E-FLOOD LITEBOX / E-FLOOD FIREBOX**

**BATTERY:** Zero-maintenance, sealed lead acid

**SIZE:** 11.5" x 5.1" x 7"  
(29.2 x 13 x 17.8 cm)

**WEIGHT:** 7.9 lbs (3.58 kg)

**COLOR:** Orange or Yellow

**E-FLOOD LITEBOX**

- 45801 120V AC/12V DC, shoulder strap and mounting rack—Orange
- 45821 120V AC/12V DC, shoulder strap and mounting rack—Yellow
- 45805 Vehicle Mount System with 12V DC, shoulder strap—Orange
- 45825 Vehicle Mount System with 12V DC, shoulder strap—Yellow
- 45807 Power Failure w/120V AC/12V DC, mounting rack—Orange
- 45806 Without Charger - with shoulder strap—Orange
- 45826 Without Charger - with shoulder strap—Yellow

**E-FLOOD FIREBOX**

- 45811 120V AC/12V DC, dual rear LEDs, strap, mounting rack—Orange
- 45815 Vehicle Mount System w/DC, dual rear LEDs, shoulder strap—Orange
- 45832 Without Charger incl. shoulder strap—dual rear LEDs—Orange



	HIGH	LOW
<b>LUMENS:</b>	615	330
<b>CANDELA:</b>	4,000	2,150
<b>DISTANCE:</b>	126m	93m
<b>RUN TIME:</b>	8h	18h

**NFPA**

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position



E-Flood FireBox includes dual safety blue rear LEDs.



The Power Failure System features "Smart" power failure circuitry which automatically illuminates the light when the power goes off

THE E-FLOOD & E-SPOT SERIES ARE ABOUT  
**DELIVERING**  
**THE RIGHT LIGHT**  
**EXACTLY WHERE**  
**YOU NEED IT.**

**E-SPOT® LITEBOX®**  
**E-SPOT® FIREBOX®**

Three LEDs spotlight an area with focused bright light so you can search or inspect from a distance. Its beam has more of a hotspot than the E-Flood, providing more concentrated, brighter light. Its swivel head makes it easy to inspect high bays, ceilings, and out-of-the-way places. IPX4 rated for water-resistance. Optimized electronics provide regulated intensity. Unbreakable, scratch-resistant lens.

**E-SPOT LITEBOX / E-SPOT FIREBOX**

**BATTERY:** Zero-maintenance, sealed lead acid

**SIZE:** 11.5" x 5.1" x 7"  
 (29.2 x 13 x 17.8 cm)

**WEIGHT:** 7.9 lbs (3.58 kg)

**COLOR:** Orange or Yellow



**E-SPOT LITEBOX**

45851	120V AC/12V DC, shoulder strap and mounting rack – Orange
45871	120V AC/12V DC, shoulder strap and mounting rack – Yellow
45855	Vehicle Mount System with 12V DC, shoulder strap – Orange
45875	Vehicle Mount System with 12V DC, shoulder strap – Yellow
45857	Power Failure System, shoulder strap and mounting rack – Orange
45856	Without Charger - with shoulder strap – Orange
45876	Without Charger - with shoulder strap – Yellow

**E-SPOT FIREBOX**

45861	120V AC/12V DC, dual rear LEDs, strap, mounting rack – Orange
45865	Vehicle Mount System w/DC, dual rear LEDs, shoulder strap – Orange
45882	Without Charger incl. shoulder strap – dual rear LEDs – Orange

	HIGH	LOW
<b>LUMENS:</b>	540	330
<b>CANDELA:</b>	55,000	32,000
<b>DISTANCE:</b>	469m	358m
<b>RUN TIME:</b>	7h	15h

**NFPA**

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position



E-Spot FireBox includes dual safety blue rear LEDs.

**Available in Power Failure System**

Power failure circuitry automatically illuminates the light when the power goes off.



## E-FLOOD® LITEBOX® HL

The intense brightness of its 5,300 lumens stretches from side to side and floods an entire area with light. Easy-to-use, twist to change diffuser lets you select from a flood and spot lens in all three lighting modes. 90° swivel neck lets you aim light where it's needed. Ideal for illuminating a rescue scene, an entire plant floor or any site that requires a large flood beam. The portability and full illumination is perfect for underground construction.

### E-FLOOD LITEBOX HL

**BATTERY:** Zero-maintenance, sealed lead acid. Can also be powered by 12V DC power cord.

**SIZE:** 12.3" x 5.1" x 7.7" (31 x 13 x 19 cm)

**WEIGHT:** 10.4 lb (4.7 kg)

**COLOR:** Orange

### E-FLOOD LITEBOX HL

45661 120V AC/12V DC, shoulder strap & mounting rack - Orange

45665 Vehicle Mount System, 12V DC direct wire rack, shoulder strap - Orange

45660 Without Charger - includes shoulder strap - Orange

### Special Features:

- Six super-bright white LEDs
- Unbreakable, scratch-resistant, O-ring sealed lens.
- Provides regulated light output throughout battery life.



	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	5,300	2,500	1,300
<b>CANDELA:</b>	42,000	21,300	11,600
<b>DISTANCE:</b>	410m	292m	215m
<b>RUN TIME:</b>	1h 45m	4h 30m	10h



### NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position



10 ft (3 meters) 12V DC power cord plugs into port at rear of light to provide duration lighting

HID LiteBox battery will continue to charge while operating directly from an external 12V DC power source when using the remote cord



	HIGH
<b>LUMENS:</b>	3,350
<b>CANDELA:</b>	1,000,000
<b>RUN TIME:</b>	1h 45m



Swivel neck shown in 90° position.



Swivel neck shown in 45° position.

## HID LITEBOX®

This portable, one million candela searchlight illuminates objects up to a mile away. Its 35-watt, high intensity xenon lamp has a 2,000-hour minimum lifetime and a 90° swivel head. The intense brightness and amazing 1-mile reach make this the ideal hand-held light when you absolutely must be able to inspect an entire area quickly and efficiently. It plugs into your vehicle's power source for an unlimited run time.

### HID LITEBOX

**BATTERY:** Zero-maintenance, sealed lead acid
























**SIZE:** 14.9" x 5.1" x 8.8" (38 x 13 x 23 cm)

**WEIGHT:** 10 lbs 1.6 oz (4.6 kg)

**COLOR:** Orange or Black

### ORANGE BLACK

45601	45621	120V AC/12V DC includes shoulder strap and flood lens
45600	45620	Without Charger includes shoulder strap and flood lens
45605	45625	Vehicle Mount System with 12V DC — includes shoulder strap and flood lens

LANTERN SERIES ACCESSORIES		PART #	GOES WITH
Standard Mounting Rack—Orange Vehicle Mounting Rack—Orange		45070 45071	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/ FireBox, HID LiteBox
Standard Mounting Rack—Yellow Vehicle Mounting Rack—Yellow		45072 45074	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox
Standard Mounting Rack—Black Vehicle Mounting Rack—Black		45075 45076	HID LiteBox
Standard Charge Rack - Black Vehicle Mounting Rack - Black		44103 44132	Fire Vulcan LED
Standard Charge Rack - Black Direct Wire 12V DC Charge Rack Kit - Black		44350 44306	Vulcan 180
12V DC (Car Socket) Charge Cord		22051	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
12V DC Charge Cord		22050	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
12V DC Charge Cord (10 ft/3m)		22056	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II, E-Flood LiteBox HL, HID LiteBox
120V AC Charge Cord		22060	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
Power Supply 120V AC Charge Cord		22083 22074	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II
Battery (Sealed Lead Acid)		45630	Portable Scene Light, Portable Scene Light EXT, E-Flood LiteBox HL, HID LiteBox
Battery (Sealed Lead Acid)		45937	E-Flood LiteBox, E-Spot LiteBox
Battery (Lithium Ion)		44610	Fire Vulcan LED
Battery (Lithium Ion)		44351	Vulcan 180
Battery (Lithium Ion)		46005	Portable Scene Light II
HID Bulb Kit		45637	HID LiteBox
Flood Lens		45657	HID LiteBox
IR Filter		45654	HID LiteBox
E-Spot Upgrade Kit		45845	E-Spot LiteBox/FireBox
E-Flood Upgrade Kit		45842	E-Flood LiteBox/FireBox
Quick Release Strap		44050	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
Heavy Duty Strap		45232	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
Heavy Duty Strap with Carabiner Lock		45677	Portable Scene Light



# STREAMLIGHT WAYPOINT SERIES

## WAYPOINT®

This long-distance, pistol-grip lantern is the light you need to inspect a power line from the ground, find a dock from the interior of a lake or to see whatever is way up ahead. Its beam reaches about the length of 6 football fields! It also has plenty of peripheral light, so you can see what's all around you. Set it down to illuminate an entire area or aim it to check on trees or power lines far away. Features 3 modes including a strobe for signaling.

### WAYPOINT

**BATTERY:** 4 "C" batteries (not included).  
Can also be powered by 12V DC power cord (included)

**SIZE:** 6.75" x 7.14" x 3.5" (17.15 x 18.14 x 8.89 cm)

**WEIGHT:** 1.8 lb (816 g)

**COLOR:** Yellow or Black

### YELLOW BLACK

44900	44902	12V DC power cord* - w/polymer storage mount
44904	44905	12V DC power cord*

### ACCESSORIES

44908	44908	Polymer Storage Mount
44903	44903	12V DC power cord*
44924	44924	Red Filter
44925	44925	Green Filter

\*12V DC power cord does not recharge batteries



Trigger style switch with momentary operation.



	HIGH	LOW
<b>LUMENS:</b>	550	40
<b>CANDELA:</b>	100,000	7,900
<b>DISTANCE:</b>	625m	178m
<b>RUN TIME:</b>	10h	82h

Unlimited run time when using 12V DC power cord.  
Emergency signal run time 82 hours.



Green Filter reduces shadows.

Red Filter preserves night vision.

## WAYPOINT 300® RECHARGEABLE

The rechargeable Waypoint 300 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8 - waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

### WAYPOINT 300

**BATTERY:** Lithium Ion with on-board safety control circuit

**SIZE:** 6.75" x 7.14" x 3.62" (17.15 x 18.14 x 9.29 cm)

**WEIGHT:** 1.52 lb (691 g)

**COLOR:** Yellow or Black

### YELLOW BLACK

44910	44911	120V AC charge cord
-------	-------	---------------------

### ACCESSORIES

44918	44918	Polymer Storage Mount
44915	44915	Red Filter
44916	44916	Green Filter
44923	44923	12V DC charge cord
44909	44909	120V AC charge cord

Green Filter reduces shadows.



Red Filter preserves night vision.




The Waypoint rechargeable holder allows for secure storage (included with product and also offered as an accessory).



Includes 120V Charge Cord.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	550	35
<b>CANDELA:</b>	270,000	135,000	10,000
<b>DISTANCE:</b>	1,039m	735m	200m
<b>RUN TIME:</b>	3h 45m	7h 30m	87h



THE WAYPOINT FAMILY  
**FEATURES**  
**DUALIE**  
 FUNCTIONALITY.

**DUALIE WAYPOINT®**

The Dualie Waypoint® light offers dual light technology with a forward facing spot beam and a bottom facing flood light that can be used individually or at the same time. See what's ahead of you and right in front of your feet with the Dualie Waypoint. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Multiple hands-free uses - hang it over a door, stand it on its kickstand or hang it with integrated D-ring. The ergonomic handle hooks over any door, pipe, bar, cable or ladder rung for hands free operation. It also includes an integrated stand to make the light perfect for any lighting need. The light is sealed and floats, so it's great for wet applications.

**DUALIE WAYPOINT**

**BATTERY:** (4) "C" alkaline batteries

**SIZE:** 6.75" x 6.5" x 3.55"  
 (17.14 x 16.5 x 9.0 cm)

**WEIGHT:** 2.06 lbs (934 g) w/o batteries

**COLOR:** Yellow



- 44940 Yellow – Wrap
- 44955 Yellow – Box

SPOT BEAM	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	750	500	35
<b>CANDELA:</b>	75,000	45,000	3,200
<b>DISTANCE:</b>	548m	426m	113m
<b>RUN TIME:</b>	3h 30m	6h	125h

FLOOD BEAM	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	500	230	25
<b>CANDELA:</b>	250	120	10
<b>DISTANCE:</b>	31m	22m	6m
<b>RUN TIME:</b>	5h	12h 30m	170h

BOTH LIGHTS	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	600	75
<b>RUN TIME:</b>	3h	6h	55h



Push button switch with momentary and click on operation. The rotary switch selects the main/front beam, bottom/area light, or both.



LED bottom facing flood light can be used individually or with the forward facing spot beam.



Integrated stand and D-ring for hands-free lighting.



STREAMLIGHT  
SIEGE SERIES



SUPER SIEGE **THE HARDEST**  
**WORKING**  
SIEGE LANTERN.

## SUPER SIEGE® RECHARGEABLE LANTERN

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! A rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7 waterproof to 1m. It floats.

### SUPER SIEGE

**BATTERY:** Lithium Ion Rechargeable

**SIZE:** 3.8" x 7.5" (9.65 x 19.05 cm)

**WEIGHT:** 1 lb 14 oz (867.62 g)

**COLOR:** Coyote or Yellow

44947 AC power cord—Coyote

44945 AC power cord—Yellow

### SUPER SIEGE ACCESSORY

44951 Magnetic Base—Black

44950 Glare Guard

(1) WHITE LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,100	550	125
<b>RUN TIME:</b>	5h 45m	11h 30m	36h 15m

Light output with outer globe removed.

(4) RED LEDs	HIGH	FLASH/SOS MODE	LOW
<b>LUMENS:</b>	2.7	2.7	1
<b>RUN TIME:</b>	140h	320h	348h

With **[(RED SOS)]**

Hold on/off button to activate.



A small dry storage area is provided in the light's base for all your "keep dry" needs

**Rechargeable lithium ion battery** supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port.



Magnetic Accessory Base



With **[(RED SOS)]**

Hold on/off button to activate.



## SIEGE® X USB

This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area or a focused beam to light your path. Features three lighting modes: smooth lantern lighting; a red LED to preserve night vision and a front spot light for use as a handheld flashlight. It accepts the Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack or two CR123A lithium batteries. IPX7 waterproof to 1m submersion. A its ergonomic handle can also be used as a hang hook or use the D-ring in the base for hands-free lighting needs.

### SIEGE X USB

**BATTERY:** (1) SL-B26 USB rechargeable battery pack or (2) CR123

**SIZE:** 2.12" x 4.35" (5.38 x 11.05 cm)

**WEIGHT W/SL-B26:** 7.2 oz (204.12 g)

**WEIGHT W/CR123A:** 6.8 oz (192.78 g)

**COLOR:** Coyote

44956 SL-B26 battery pack & 22" USB Cord—Coyote

### MULTI-FUEL DESIGN:

Runs on (1) SL-B26™ battery pack or (2) CR123A

LANTERN	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	325	170	30
<b>RUN TIME:</b>	4h 30m	7h 45m	25h

Red LED: 22 hours of continuous run time, 90 hours of SOS

FLASHLIGHT	HIGH	LOW
<b>LUMENS:</b>	300	40
<b>CANDELA:</b>	6,000	900
<b>DISTANCE:</b>	155m	60m
<b>RUN TIME:</b>	3h 30m	25h



The Siege X USB features a 300 lumen front spot light



**STREAMLIGHT**  
**SIEGE SERIES**



**THE SIEGE® LANTERN**

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high, and over 12 days on low! Its handle and D-ring allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery.

**THE SIEGE**

**BATTERY:** [3] "D" size alkaline  
**SIZE:** 3.8" x 7.25" (9.65 x 18.41 cm)  
**WEIGHT:** 1 lb 15 oz (878 g)  
**COLOR:** Coyote

44931 The Siege Lantern – Coyote

**SIEGE ACCESSORY**

44952 Magnetic Base – Black  
44950 Glare Guard

[4] WHITE LEDs	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	540	275	55
<b>RUN TIME:</b>	30h	70h	295h

Light output with outer globe removed.

[1] RED LED	HIGH	FLASH/SOS MODE
<b>LUMENS:</b>	10	10
<b>RUN TIME:</b>	235h	430h

**Special Features:**

- Floats for easy retrieval.
- Waterproof to 1 meter.
- 2 meter impact-resistance tested.
- Unbreakable lens.
- Rugged, non-slip base.

With **[(RED SOS)]**  
Hold on/off button to activate.

Versatile design features rugged carry handle and D-rings clip to hang virtually anywhere.



Magnetic Accessory Base



Shown with outer globe removed.



# THE SIEGE SERIES. THEY'VE GOT SURVIVAL INSTINCTS.

## SIEGE® AA LANTERN

The Siege® AA lantern features one white LED, and two red LEDs (or two blue LEDs on the blue C.D.P.S. model). There are five output modes and a battery level indicator built into the on/off button. With the outer lantern globe in place, the light will float. Use the lantern with or without the outer globe cover. Remove the outer globe and hang the body upside down by the D-ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time.

### SIEGE AA

**BATTERY:** (3) "AA" size alkaline

**SIZE:** 2.37" x 5.44" (6.00 x 13.82 cm)

**WEIGHT:** 8.8 oz (249.47 g)

**MAG. MODEL WEIGHT:** 9.1 oz (257.98 g)

**COLOR:** Coyote, Yellow, Red, Pink or Blue

- 44941 Siege AA Lantern – Coyote
- 44943 Siege AA Lantern – Yellow w/magnetic base
- 44953 Siege AA Lantern – Red (NFFF)
- 44944 Siege AA Lantern – Pink (BCRF)
- 44949 Siege AA Lantern – Blue (COPS)

### SIEGE AA ACCESSORY

- 44942 Magnetic Base – Coyote

WHITE LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	200	100	50
<b>RUN TIME:</b>	7h	15h 30m	37h

Light output with outer globe removed.

(2) RED LEDs	HIGH	FLASH/SOS MODE
<b>LUMENS:</b>	.7	.7
<b>RUN TIME:</b>	192h	288h



The yellow Siege AA has three strong magnets in the base. It's now a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.

With **[(RED SOS)]**  
Hold on/off button to activate.



See page 163 to learn how buying a light for a cause benefits these organizations.



# RIGHT-ANGLE SERIES //

## RIGHT-ANGLE LIGHTING

WHETHER IT'S ON THE BODY OR ON THE HELMET,  
STREAMLIGHT DELIVERS THE TRUSTED OPTIONS.

Ask any firefighter what light they trust most... and the likely answer is the Streamlight Survivor. And while we're proud of that fact, we're also not one to let it rest at that. We continue to develop products that keep firefighters and industrial workers safe. Because as we all know, the work is never truly done.



SURVIVOR®



VANTAGE® II



VANTAGE®  
180 X USB



POLYTAC 90X® USB



**STREAMLIGHT**  
**RIGHT ANGLE SERIES**



The low profile Survivor shown at actual size.

**SURVIVOR ACCESSORIES**



**Battery Chargers**

**Fits All**

**Battery Packs**

**Fits All**

**Charge Cords**

**PN**

Smart Charger Holder	90116	Alkaline Battery Cartridge	90542	120V AC	22060
120V AC Fast Charger	90011	NiMH battery pack	90339	12V DC1 Car Charger	22051
Fast Charger	90118			12V DC Direct Wire	22050
DC1 Car Charger Cord/Fast Charger	90012				
DC2 Direct Wire/Fast Charger	90013				
120V AC Bank Charger	90400			<b>Addtl Accessories</b>	<b>PN</b>
12V DC Bank Charger	90401			Smoke Cutter Plug Kit	908019

# THE MOST TRUSTED RIGHT ANGLE LIGHT. THIN, BRIGHT & VERSATILE. THE LEGENDARY SURVIVOR.



## SURVIVOR®

The leading Class I, Div. 1 right angle, clip-on flashlight features a slim profile and a dependable clip/hook for more accurate light orientation. 4 lighting modes include high, low, flash, and a moonlight mode for low-level lighting that runs for 20 days. Spring-loaded clip easily attaches to belts and harnesses. Comes with two special, interchangeable Smoke Cutter® plugs that help create your preferred beam pattern: Black plug significantly reduces peripheral light for a tighter beam while the Amber plug reduces peripheral light and eye fatigue caused by glare. Available in alkaline and rechargeable models.

All openings are O-ring sealed for weather-resistance. IPX4 rated water-resistant. 2 meter impact resistance tested. Unbreakable, scratch-resistant polycarbonate lens. Designed for easy operation even with heavy gloves.

### SURVIVOR

**BATTERY:** Dual power source: accepts rechargeable NiMH battery pack or (4) "AA" alkaline batteries.

**SIZE:** 7.6" x 2.85" x 2.87"  
(17.92 x 7.24 x 7.29 cm)

**NiMH WEIGHT:** 18 OZ (510 g)

**ALKALINE WEIGHT:** 13.7 OZ (388 g)

**COLOR:** Orange, Yellow, or Black

### YELLOW ORANGE BLACK

90513	90503	90523	120V AC/DC cords
90512	90502	90522	120V AC Fast Charger
90519	90509	90528	12V DC Fast Charger
90510	90500	90520	Without Charger
90541	90540	90545	Alkaline



Alkaline battery cartridge holds four "AA" alkaline batteries.

NiMH MODEL	HIGH	LOW
<b>LUMENS:</b>	175	60
<b>CANDELA:</b>	41,000	14,000
<b>DISTANCE:</b>	405m	237m
<b>RUN TIME:</b>	3h 30m	13h

Moonlight mode: 20 days of continuous run time  
Flash runs 8 hours

ALKALINE MODEL	HIGH	LOW
<b>LUMENS:</b>	175	60
<b>CANDELA:</b>	41,000	14,000
<b>DISTANCE:</b>	405m	237m
<b>RUN TIME:</b>	4h	15h

Moonlight mode: 20 days of continuous run time  
Flash runs 8 hours

**NFPA** Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)

**NFPA** Rack meets requirements of 1901-14.1.10.2 (2016) mounted in any position



Class I & II, Division 1, Groups C,D,E,F,G;  
Class III, T4, Class 1 Zone 0 IIB  
Class I, Division 2, Groups A,B,C,D; T4  
Class 1 Zone 2 IIC



Permissible Flashlight  
Approval No. 20-A150001-0

Interchangeable Smoke Cutter® plugs:



Black reduces peripheral light for a tighter beam

Amber reduces peripheral light and eye fatigue caused by glare



Clip/hook designed for accurate light orientation



**STREAMLIGHT**  
**RIGHT ANGLE SERIES**



**VANTAGE® II**

Lightweight, compact and low profile, the VANTAGE® II is designed to easily attach above or below full brim Fire Helmets or Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra-bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

**VANTAGE II**

**BATTERY:** [1] CR123A lithium

**SIZE WITH FIRE MOUNT:** 2.37" x 1.16" x 2.18"  
(6.01 x 2.95 x 5.54 cm)

**SIZE WITH INDUSTRIAL MOUNT:** 2.37" x 1.16" x 1.54"  
(6.01 x 2.95 x 3.91 cm)

**FIRE MOUNT WEIGHT:** 3.65 oz (103.5 g)

**INDUSTRIAL MOUNT WEIGHT:** 2.97 oz (84.2 g)

**COLOR:** Black



Fire model



Large push-button switch features blue taillight LED that ensures you can be seen even from behind.

	HIGH	LOW
<b>LUMENS:</b>	350	135
<b>CANDELA:</b>	3,500	1,700
<b>DISTANCE:</b>	118m	80m
<b>RUN TIME:</b>	2h 15m	5h



Attaches securely to your helmet - above or below brim in seconds!

- 69331 Fire Helmet Mount & CR123A lithium battery - Box
- 69333 Industrial Hard Hat Mount & CR123A lithium battery - Box

**ACCESSORIES**

- 69334 Bracket Kit - Vantage II - Fire
- 69336 Bracket Kit - Vantage II - Industrial
- 85175 Lithium Batteries—2 Pack
- 85180 Lithium Batteries—6 Pack
- 85177 Lithium Batteries—12 Pack
- 85179 Lithium Batteries—400 Pack

**NFPA** Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

**CE** Meets applicable European Community Directives



Industrial model features hard hat mount that slides into V-Guard slot.



Industrial model

## VANTAGE® 180 X USB VANTAGE® 180 X

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB port. The Vantage 180 X includes two CR123 batteries. Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7 waterproof.

Head articulates 180° to aim the beam.



WITH SL-B26	HIGH	LOW
<b>LUMENS:</b>	250	100
<b>CANDELA:</b>	7,200	2,650
<b>DISTANCE:</b>	170m	103m
<b>RUN TIME:</b>	5h	15h

WITH CR123	HIGH	LOW
<b>LUMENS:</b>	250	100
<b>CANDELA:</b>	7,200	2,650
<b>DISTANCE:</b>	170m	103m
<b>RUN TIME:</b>	4h	12h



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

### VANTAGE 180 X USB

**BATTERY:** (1) SL-B26 battery pack  
**SIZE:** 5.20" x 1.60" x 1.06"  
(13.20 x 4.06 x 2.69 cm)  
**WEIGHT:** 5.9 oz (167 g)  
**COLOR:** Black or Orange

### VANTAGE 180 X

**BATTERY:** (2) 3V CR123A lithium  
**SIZE:** 5.20" x 1.60" x 1.06"  
(13.20 x 4.06 x 2.69 cm)  
**WEIGHT:** 5.5 oz (156 g)  
**COLOR:** Black or Orange

88911	Vantage 180 X USB, SL-B26 battery pack, Helmet Bracket—Box — Orange
88913	Vantage 180 X USB, SL-B26 battery pack, Helmet Bracket—Box — Black
88901	Vantage 180 X, two CR123A Lithium Batteries, Helmet Bracket—Box — Orange
88903	Vantage 180 X, two CR123A Lithium Batteries, Helmet Bracket—Box — Black



## X USB MULTI-FUEL FLEXIBILITY

**POWER UP WITH A  
STREAMLIGHT SL-B26™  
PROTECTED LI-ION USB  
RECHARGEABLE BATTERY PACK  
OR (2) CR123A LITHIUM BATTERIES**

Includes "quick release" helmet bracket and hex key.



Rear LED Taillight changes from blue to white:

- Blue LED for helmet mount use and visibility in heavy smoke
- White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



### ACCESSORIES

22010	Li-Ion Charger Kit-USB (incl. (2) SL-B26 USB batteries)
22011	Li-Ion Charger Kit-120V AC (incl. (2) SL-B26 batteries)
22100	Li-Ion Battery Charge Cradle
22070	USB Cord A to Micro 40" (101cm)
22081	USB Cord A to USB Micro 22" (55.88 cm)
22082	USB Cord Y-Split
22101	SL-B26 USB Battery
22102	SL-B26 USB Battery—2 Pack
85175	Lithium Batteries—2 Pack
85180	Lithium Batteries—6 Pack
85177	Lithium Batteries—12 Pack
85179	Lithium Batteries—400 Pack

See page 108 for more information on SL-B26 battery packs and chargers

**NFPA** Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

**CE** Meets applicable European Community Directives



**STREAMLIGHT**  
**RIGHT ANGLE SERIES**



**VANTAGE®**

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats, and rotates 360°. Fits snugly against helmet to prevent snags. Includes a bright tail light so you can be seen from behind even in heavy smoke (blue on black & red models, green on green model). Easy to operate with gloves. Fits both traditional and modern helmets.

**VANTAGE**

**BATTERY:** (2) 3V CR123A lithium

**SIZE:** 3.26" x 1.47" x 2.56"  
(8.28 x 3.73 x 6.5 cm)

**WEIGHT:** 5.14 oz (145.7 g)

**COLOR:** Black, Green or Red

- 69140 Vantage LED Tactical Helmet Light – Black
- 69189 Vantage LED Tactical Helmet Light – Green
- 69157 Vantage LED Tactical Helmet Light – Red (NFFF)

**ACCESSORIES**

- 85175 Lithium Batteries—2 Pack
- 85180 Lithium Batteries—6 Pack
- 85177 Lithium Batteries—12 Pack
- 85179 Lithium Batteries—400 Pack

<b>LUMENS:</b>	115
<b>CANDELA:</b>	7,000
<b>DISTANCE:</b>	167m
<b>RUN TIME:</b>	6h



Dual direction, easy access on/off switch.

470nm ultra-bright taillight LED.

**NFPA** Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

**CE** Meets applicable European Community Directives



Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit foundation has developed and expanded programs that fulfill that mandate. Their mission is to honor and remember America's fallen fire heroes and to provide resources to assist their survivors in rebuilding their lives. For more information, visit [www.firehero.org](http://www.firehero.org).

See page 163 to learn how buying a light for a cause benefits these organizations.

## POLYTAC 90<sup>®</sup> X USB POLYTAC 90<sup>®</sup> X

Flexible, rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Durable construction plus a switch with built in battery life indicator will let you know when it is time to recharge your battery or replace them giving you the confidence to stay focused on the task at hand. The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123 batteries.

### POLYTAC 90 X USB

**BATTERY:** (1) SL-B26 battery pack

**SIZE:** 5.22" x 1.25" x 1"  
(13.3 x 3.18 x 2.54 cm)

**WEIGHT:** 4.8 oz (136 g)

**COLOR:** Orange, Yellow or Black

### POLYTAC 90 X

**BATTERY:** (2) 3V CR123A lithium

**SIZE:** 5.22" x 1.25" x 1"  
(13.3 x 3.18 x 2.54 cm)

**WEIGHT:** 4.3 oz (122 g)

**COLOR:** Orange, Yellow or Black

### YELLOW ORANGE BLACK

88836	88838	88835	90 X USB with SL-B26 battery
—	88837	—	90 X USB w/SL-B26 & Gear Keeper
88831	88834	88830	90 X with lithium batteries
—	88832	—	90 X w/lithium batteries & Gear Keeper

### ACCESSORIES

88833	Gear Keeper®
22101	SL-B26 battery pack—1 Pack
22102	SL-B26 battery pack—2 Pack
22010	Li-Ion Battery Pack Kit—USB
22011	Li-Ion Battery Pack Kit—USB
22100	SL-B26 Battery Charge Cradle
22070	USB Cord A to Micro 40" (101cm)
22081	USB Cord A to USB Micro 22" (55.88 cm)
22082	USB Cord Y-Split
85175	CR123A Lithium Batteries—2 Pack
85180	CR123A Lithium Batteries—6 Pack
85177	CR123A Lithium Batteries—12 Pack
85179	CR123A Lithium Batteries—400 Pack

See page 108 for more information on SL-B26 battery packs and chargers

Integrated carabiner style D-ring for a variety of attachment methods



Multi-position, reversible pocket clip attaches to MOLLE, turnout gear, harnesses, etc.; offers a variety of mounting positions



Gear Keeper® Tether features spectra nylon line with 36" extension and 6 oz. retraction force.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,485	4,930	675
<b>DISTANCE:</b>	205m	135m	50m
<b>RUN TIME: [SL-B26]</b>	3h 30m	5h 45m	36h
<b>RUN TIME: [CR123]</b>	2h 45m	5h 30m	34h

## X USB MULTI-FUEL FLEXIBILITY

POWER UP WITH A STREAMLIGHT  
SL-B26 PROTECTED LI-ION USB  
RECHARGEABLE BATTERY PACK  
OR (2) CR123A LITHIUM BATTERIES



Multi-function push-button head switch easy to use with gloved hands. Features battery life indicator.





**WHETHER YOU'RE WORKING ON THE FLOOR  
OR OVERHEAD, THE  
KNUCKLEHEAD  
IS YOUR PARTNER.**

**STREAMLIGHT TASK-SPECIFIC TECHNOLOGY:  
CHOOSE THE LIGHT INTENSITY ALLOWING YOU TO  
CHOOSE THE RIGHT LIGHT FOR THE JOB.**



**AIM IT ANYWHERE //  
WITH AN ARTICULATING HEAD.**

**ATTACH IT TO STEEL //  
WITH ITS MAGNET.**



**CLIP IT ANYWHERE //  
WITH A SPRING-LOADED CLIP.**  
(ORANGE MODEL.)



**HANG IT ANYWHERE //  
WITH AN INTEGRATED  
STOWABLE HOOK.** (YELLOW & BLACK MODELS.)



## KNUCKLEHEAD® FLOOD

A lightweight, rechargeable, hand-held work light that hangs or attaches a variety of ways to flood your entire work area with light. Even light pattern is easy on your eyes. Articulating head rotates 360°, making it easy to aim light where it's needed. Removable magnet. Unbreakable, anti-scratch, O-ring sealed lens. IPX4 rated for water-resistance. All openings are O-ring sealed. 2 meter impact-resistance tested. Orange model comes with clip; integrated hook on yellow and black models.

### KNUCKLEHEAD FLOOD

**BATTERY:** Dual power source: accepts rechargeable NiMH battery pack or (4) "AA" alkaline batteries

**SIZE:** 9.2" x 2.85" x 2.75" (23.4 x 7.2 x 7 cm)

**NiMH WEIGHT:** 1 lb 7.1 oz (655 g)

**ALKALINE WEIGHT:** 1 lb 2.3 oz (519 g)

**COLOR:** Orange, Yellow, or Black

### YELLOW ORANGE BLACK

90627	90657	90607	Charger/Holder and 120V AC & 12V DC cords
90622	—	90602	120V AC Charger/Holder
90626	—	90606	12V DC
90631	90661	90611	120V AC Fast Charger
90640	90670	90620	12V DC Fast Charger
90621	90651	90601	without Charger
90642	90644	90641	Alkaline Model

Orange model comes with Clip, Black & Yellow models come with Hook

	HIGH	LOW
<b>LUMENS:</b>	200	63
<b>CANDELA:</b>	1,150	350
<b>DISTANCE:</b>	68m	37m
<b>RUN TIME:</b>	3h 30m	16h

Moonlight mode: 20 days of continuous run time  
Flash: 8 hours continuous time



Class I, Div. 2, Grps A, B, C, D,  
Class II, Div. 2, Grps F, G  
Class III T4

### NFPA

Rack meets requirements of 1901-14.1.10.2 (2016) mounted in any position



	HIGH	LOW
<b>LUMENS:</b>	180	55
<b>CANDELA:</b>	11,000	3,300
<b>DISTANCE:</b>	210m	115m
<b>RUN TIME:</b>	3h 30m	16h

Moonlight mode: 20 days of continuous run time  
Flash: 8 hours continuous time

Spring-loaded clip attaches to turn-out gear for convenient hands-free lighting.



Class I, Div. 2, Grps A, B, C, D,  
Class II, Div. 2, Grps F, G  
Class III T3C

### NFPA

Rack meets requirements of 1901-14.1.10.2 (2016) mounted in any position



Powerful magnet adheres to steel surfaces.

## KNUCKLEHEAD® SPOT

Its far-reaching beam helps locate hazards or victims from a distance. Articulating head makes it easy to aim light where it's needed. Powerful, removable magnet. Smoke-cutting beam. Spring-loaded clip for easy attachment to turnout gear and uneven surfaces. 4 modes include high, low, flash and a moonlight mode for 20-day runtime. Features are designed to give firefighters added flexibility. Unbreakable, anti-scratch, O-ring sealed lens. IPX4 rated for water-resistance. 2 meter impact-resistance tested. All openings are O-ring sealed.

### KNUCKLEHEAD SPOT

**BATTERY:** Dual power source: accepts rechargeable NiMH battery pack or (4) "AA" alkaline batteries.

**SIZE:** 9.2" x 2.85" x 2.75" (23.4 x 7.2 x 7 cm)

**NiMH WEIGHT:** 1 lb 7.1 oz (655 g)

**ALKALINE WEIGHT:** 1 lb 2.3 oz (519 g)

**COLOR:** Orange

90757	120V AC/12V DC - Orange
90761	120V AC Fast Charge - Orange
90770	12V DC Fast Charge - Orange
90751	Light Only (without charger) Orange
90744	Alkaline Model - Orange

## KNUCKLEHEAD ACCESSORIES

Battery Chargers	Fits All	Battery Packs	Fits All	Charge Cords	PN
Smart Charger Holder	90116	Alkaline Battery Cartridge	90542	120V AC	22060
120V AC Fast Charger	90011	NiMH battery pack	90339	12V DC1 Car Charger	22051
Fast Charger	90118			12V DC Direct Wire	22050
DC1 Car Charger Cord/Fast Charger	90012				
DC2 Direct Wire/Fast Charger	90013				
120V AC Bank Charger	90400				
12V DC Bank Charger	90401				



# SAFETY-RATED SERIES //

**SAFETY-RATED LIGHTING SPECIALISTS**  
BECAUSE YOU DON'T GET TO CHOOSE  
WHERE IT'S GOING TO BE DARK.

Streamlight builds more safety-rated lights to give you more options in hazardous locations. With our comprehensive product line of Dualies, ProPolymers, Knuckleheads and headlamps – you have a full selection of safety-rated lights no matter your lighting need... right-angle, wearable or with laser pointing options.



KNUCKLEHEAD®  
HAZ-LO®  
SPOT



3AA PROPOLYMER®  
HAZ-LO®



DUALIE®  
RECHARGEABLE  
MAGNET





# STREAMLIGHT SAFETY-RATED SERIES.

## // DIFFERENT LIGHTS FOR DIFFERENT HAZARDOUS LOCATIONS.

The National Electric Code (NEC) defines hazardous locations by “class” and “division.” There are three classes:



**CLASS I** locations are made hazardous by the presence of flammable gases, liquids or vapors.



**CLASS II** locations are hazardous because combustible dusts are present.



**CLASS III** locations contain easily ignitable fibers or flyings.

The “Division” designation refers to the likelihood that ignitable concentrations of flammable materials are present. There are two divisions:



**DIVISION 1** designates an environment where ignitable concentrations of flammable gases, liquids, vapors or dusts can exist some of the time or all of the time under normal operating conditions, or where easily ignitable fibers and flyings are manufactured, handled or used.



**DIVISION 2** locations are where ignitable concentrations are not likely to exist under normal operating conditions or where Class 3 materials are stored or handled.

Hazardous classes are further defined by “groups” based on the physical properties of their combustible materials. These groups include (but are not limited to):



**GROUP A** Acetylene  
**GROUP B** Hydrogen  
**GROUP C** Ethylene, carbon monoxide  
**GROUP D** Propane, gasoline, naphtha, benzene, butane, ethyl alcohol, acetone, methane



**GROUP E** Metals including aluminum, magnesium (Div. 1 only)  
**GROUP F** Carbonaceous dusts including coal, carbon black, coke  
**GROUP G** Dusts not included in E and F including wood, plastics, flour, starch or grain dusts



# STREAMLIGHT GIVES YOU MORE SAFETY-RATED LIGHTS FOR MORE OPTIONS IN HAZARDOUS LOCATIONS.

Streamlight flashlights are tested and certified by the world's leading independent laboratories — including Underwriters Laboratories, ATEX, Demko, and the Mine Safety and Health Administration (MSHA). This testing is your assurance that the Streamlight flashlight you choose will be safe in the environment(s) in which you'll be using it.



## // STREAMLIGHT'S HAZ-LO LIGHTS - 2 STANDARDS PROVIDE DIFFERENT PATHS TO THE SAME RESULT: A DIVISION 1 RATING!

When working in a Division 1 area, we expect explosive atmospheres to be present. Streamlight's HAZ-LO product line is suitable for use in Division 1 areas. Streamlight uses different protection standards and testing at Nationally Recognized Test Labs (NRTL) to achieve the Division 1 rating that is common to all Streamlight HAZ-LO Lighting. This is the best possible performance while ensuring that your flashlight will not become an ignition source. ANSI/UL 783 is the specific standard for flashlights used in hazardous locations. ANSI/UL 913 is the intrinsically safe standard for general electronic equipment. While either standard can direct certification to Division 1 level, it is important to note Class, Group and Temperature code requirements to select the correct flashlight for specific applications.

## // WHY ARE SAFETY RATINGS IMPORTANT?

There are several types of locations in which it can be extremely dangerous to use any light that has not been specifically designed — and approved — for that kind of location. These are areas where fire or explosion hazards may exist due to the presence of flammable gases, liquids, vapors, dusts, or ignitable fibers or flyings. If you will be using a flashlight in any potentially hazardous location, it is critical that your light be safety-rated for that specific kind of environment.

## // ATEX RATINGS

Streamlight also offers safety-rated lights that comply with the European Union (EU) Directive 2014/34/EU (ATEX) for products intended for use in potentially explosive atmospheres within the EU member countries. Please visit our website, [streamlight.com](http://streamlight.com) for more information on ATEX-rated products. We also have a catalog of ATEX-rated products available upon request.



See our full line of safety-rated headlamps on pages 128-143






**STREAMLIGHT  
DUALIE SERIES**

**THE DUALIE® FAMILY OF LIGHTS  
DIV. 1, INTRINSICALLY SAFE,  
DUAL BEAMS,  
HANDS-FREE & INCREDIBLY VERSATILE.**

**DUAL BEAM DESIGN:**



The Dualie design allows you to see what's ahead of you and right in front of your feet. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls.



The Dualie Laser features a simultaneous spot beam and laser pointer allowing you to illuminate the work area and pinpoint out-of-reach objects.

**DUALIE® RECHARGEABLE**

The Dualie® Rechargeable features a lithium ion battery and dual beams — forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety. Integrated, non-protruding spring loaded belt clip contained within body outline.

**DUALIE RECHARGEABLE**

**BATTERY:** Lithium Ion Rechargeable  
**SIZE:** 7" x 1.86" x 1.06" (17.78 x 4.72 x 2.69 cm)  
**WEIGHT:** 6.8 oz (193 g)  
**COLOR:** Yellow or Black

**YELLOW BLACK**

68732	68733	White LED/120V/100V AC—Box
68734	68735	White LED/12V DC Direct Wire—Box
68730	68731	Light Only—Box



Class I & II, Div. I, Groups A,B,C,D,E,F,G  
Class III, CL I, ZN O, IIC  
T-Code: T4; Exia

Features a forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety.



	SPOT	FLOOD	COMBINED
<b>LUMENS:</b>	180	105	275
<b>CANDELA:</b>	11,500	60	—
<b>DISTANCE:</b>	171m	18m	—
<b>RUN TIME:</b>	7h 15m	13h 30m	5h 30m

# THE LIGHTS THAT WORK. ARE ALSO THE LIGHTS THAT CHARGE. MEET THE DUALIE RECHARGEABLES.

## DUALIE® RECHARGEABLE MAGNET

The Dualie® Rechargeable Magnet features all the great versatility and attributes of the standard Dualie Rechargeable and also incorporates two magnets into its integrated, non-protruding spring loaded belt clip for hands-free use.

### DUALIE RECHARGEABLE MAGNET

**BATTERY:** Lithium Ion Rechargeable

**SIZE:** 7.50" x 1.86" x 1.06" (19.05 x 4.72 x 2.69 cm)

**WEIGHT:** 7.1 oz (201g)

**COLOR:** Yellow or Black

### YELLOW BLACK

68793	68794	White LED/120V/100V AC—Box
68795	68796	White LED/12V DC Direct Wire—Box
68785	68796	Light Only—Box



Class I & II, Div. I, Groups A, B, C, D, E, F, G  
Class III, CL I, ZN 0, IIC  
T-Code: T4; Exia



Features a forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety.



Integrated magnet for hands-free use



	SPOT	FLOOD	COMBINED
<b>LUMENS:</b>	180	105	275
<b>CANDELA:</b>	11,500	60	—
<b>DISTANCE:</b>	171m	18m	—
<b>RUN TIME:</b>	7h 15m	13h 30m	5h 30m

### ACCESSORIES FOR ALL DUALIE RECHARGEABLE MODELS

68792	Lithium ion battery - Dualie Rechargeable
68790	Charger Holder
68789	Bank Charger
22080	12V DC Direct Wire USB Cord
22089	12V DC USB Adapter
22070	40" USB Cord
22071	120V AC USB Cord
68089	Poly Mount Kit
99075	Rubber Helmet Strap
68085	Helmet Mount





**DUALIE® 2AA**

The Dualie® 2AA is an intrinsically safe, high performance, battery powered multi-function LED flashlight. The flashlight features a forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety. The flashlight has opposing switches for easy user activation of desired function(s). Includes removable, reversible clip and integrated magnet.

	SPOT	FLOOD	COMBINED
<b>LUMENS:</b>	115	115	175
<b>CANDELA:</b>	3,100	75	—
<b>DISTANCE:</b>	111m	17m	—
<b>RUN TIME:</b>	24h	24h	15h



Integrated magnet for hands-free use



Features a forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety.

**SGS**  
Class I & II, Div. I, Groups A, B, C, D, E, F, G;  
Class III, CL I, ZN 0, IIC  
T-Code: T4; Exia

**DUALIE 2AA**

**BATTERY:** 2 “AA” size alkaline  
**SIZE:** 6.10" x 1.34" x .87" (15.5 x 3.4 x 2.2 cm)  
**WEIGHT:** 3.9 oz (111 g)  
**COLOR:** Yellow or Black

**YELLOW BLACK**

67750	67752	White LED/alkaline batteries – Clam
67751	67753	White LED/alkaline batteries – Box

**ACCESSORIES**

68089	Poly Mount Kit
99075	Rubber Helmet Strap

**DUALIE® 3AA**

One light, two beams: choose one spot beam or one flood light or both. The 3AA Dualie® provides two types of illumination for multi-directional lighting and special uses. Intuitive activation allows you to use either beam or both at the same time. This intrinsically safe flashlight allows you to see your entire work area and helps you avoid slips, trips, and falls.

	SPOT	FLOOD	COMBINED
<b>LUMENS:</b>	140	140	245
<b>CANDELA:</b>	7,300	80	—
<b>DISTANCE:</b>	171m	18m	—
<b>RUN TIME:</b>	18h	18h	9h



Features a forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety.

**SGS**  
Class I & II, Div. I, Groups A, B, C, D, E, F, G;  
Class III, CL I, ZN 0, IIC  
T-Code: T4; Exia



Permissible Flashlight  
App. No. 20-A160001-0  
Tested for use in methane-air mixtures only

**DUALIE 3AA**

**BATTERY:** 3 “AA” size alkaline  
**SIZE:** 7.00" x 1.86" x 1.06" (17.78 x 3.86 x 2.69 cm)  
**WEIGHT:** 6.8 oz (193 g)  
**COLOR:** Yellow or Black

**YELLOW BLACK**

68750	68752	White LED/alkaline batteries
68751	68753	White LED/without batteries – Box

**ACCESSORIES**

68089	Poly Mount Kit
99075	Rubber Helmet Strap
68085	Helmet Mount

# DUALIE SERIES: DOUBLE THE FUNCTIONALITY

## DUALIE® 3AA MAGNET

The Dualie® 3AA Magnet features all the great versatility and attributes of the standard Dualie 3AA but also incorporates two magnets into its integrated, non-protruding spring loaded belt clip for hands-free use.

	SPOT	FLOOD	COMBINED
<b>LUMENS:</b>	140	140	245
<b>CANDELA:</b>	7,300	80	—
<b>DISTANCE:</b>	171m	18m	—
<b>RUN TIME:</b>	18h	18h	9h



Integrated magnet for hands-free use



Features a forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety.



Class I & II, Div. I, Groups A,B,C,D,E,F,G  
Class III, CL I, ZN O, IIC  
T-Code: T4; Exia



Permissible Flashlight  
App. No. 20-A160001-0  
Tested for use in methane-air mixtures only

### DUALIE 3AA MAGNET

**BATTERY:** 3 "AA" size alkaline

**SIZE:** 7.50" x 1.86" x 1.06" (19.05 x 3.86 x 2.69 cm)

**WEIGHT:** 7.1 oz (201 g)

**COLOR:** Yellow or Black

#### YELLOW BLACK

68780	68781	White LED/alkaline batteries, lanyard
68782	68783	White LED/alkaline batteries, lanyard—Box


#### ACCESSORIES

68089	Poly Mount Kit
99075	Rubber Helmet Strap
68085	Helmet Mount

## DUALIE® 3AA LASER

The Dualie® 3AA Laser is an intrinsically safe, high performance, battery powered multi-function LED flashlight. The Dualie Laser model features forward facing LED spot beam and laser pointer that can be used individually or at the same time for location identification. Opposing switches for easy user activation of desired functions.

	LED	LASER	COMBINED
<b>LUMENS:</b>	150	<5mW	—
<b>CANDELA:</b>	7,700	—	—
<b>DISTANCE:</b>	175m	—	—
<b>RUN TIME:</b>	17h	70h	12h



Simultaneous spot beam and laser pointer allow you to illuminate the work area and pinpoint out-of-reach objects.



Class I & II, Div. I, Groups A,B,C,D,E,F,G  
Class III, CL I, ZN O, IIC  
T-Code: T4; Exia



Permissible Flashlight  
App. No. 20-A160001-0  
Tested for use in methane-air mixtures only

### DUALIE 3AA LASER

**BATTERY:** 3 "AA" size alkaline

**SIZE:** 7.00" x 1.86" x 1.06" (17.78 x 3.86 x 2.69 cm)

**WEIGHT:** 6.8 oz (193 g)

**COLOR:** Yellow or Black

#### YELLOW BLACK

68760	68762	White LED/Laser/alkaline batteries
-------	-------	------------------------------------

#### ACCESSORIES

68089	Poly Mount Kit - universal mounting via MSA V-Gard slot or self-adhesive mount
99075	Rubber Helmet Strap



## STREAMLIGHT PROPOLYMER SERIES



### 2AAA PROPOLYMER® HAZ-LO®

The 2AAA ProPolymer® HAZ-LO® is an extremely durable, alkaline battery-powered, intrinsically safe flashlight. This light offers a push-button tailswitch for momentary on or on-off operation and integrated pocket clip.

#### 2AAA PROPOLYMER HAZ-LO

**BATTERY:** 2 "AAA" size alkaline

**SIZE:** 5.40" x 1.00" x .66" (13.7 x 2.5 x 1.7 cm)

**WEIGHT:** 1.9 oz (54 g)

**COLOR:** Yellow or Black

66500 2AAA HAZ-LO with alkaline batteries — Clam — Yellow

66505 2AAA HAZ-LO with alkaline batteries — Box — Yellow

66501 2AAA HAZ-LO with alkaline batteries — Clam — Black

66506 2AAA HAZ-LO with alkaline batteries — Box — Black

#### ACCESSORIES

66029 Nylon Holster

<b>LUMENS:</b>	60
<b>CANDELA:</b>	800
<b>DISTANCE:</b>	57m
<b>RUN TIME:</b>	16h



Class I, II, Division 1, Groups A, B, C, D, E, F, G;  
Class III; CL I, ZN O, IIC; T-Class: T4A

### 2AA PROPOLYMER® HAZ-LO®

This virtually indestructible safety-rated flashlight is big on brightness and long on run time, but small enough to fit in a pocket or even strap on a helmet. Provides a focused beam with optimum peripheral illumination. O-ring sealed construction. IPX7 rated waterproof to 1 meter for 30 minutes.

#### 2AA PROPOLYMER HAZ-LO

**BATTERY:** 2 "AA" size alkaline

**SIZE:** 6.4" x 1.32" x .89" (16.26 x 3.35 x 2.26 cm)

**WEIGHT:** 3.6 oz (100 g)

**COLOR:** Yellow or Black

67101 2AA HAZ-LO with alkaline batteries — Yellow

67100 2AA HAZ-LO with alkaline batteries — Black

#### ACCESSORIES

99075 Rubber Helmet Strap

74903 Red Safety Wand

74904 Yellow Safety Wand

74913 Glow-In-The-Dark Safety Wand

85905 Nylon Holster

68089 Poly Mount Kit - universal mounting via

MSA V-Gard slot or self-adhesive mount

<b>LUMENS:</b>	65
<b>CANDELA:</b>	2,300
<b>DISTANCE:</b>	96m
<b>RUN TIME:</b>	24h



Class I, II, Division 1, Groups A, B, C, D, E, F, G;  
Class III; T-Class: T4



Permissible Flashlight. Approval No. 20-A140002-0.  
Tested for Intrinsic Safety in Methane-Air mixtures only.



Rubber  
Helmet  
Strap

STREAMLIGHT STORIES...

**“MY 4AA PROPOLYMER MELTED & MUTATED. BUT IT STILL WORKS!”**

Your flashlights are amazing! I was using a 4AA ProPolymer along with a torch for preheating. The light got too close to the torch, the torch melted the flashlight ... but it still works! Thanks and please continue making great durable products.

Jason Palmer  
Alberta, Canada

**4AA PROPOLYMER® LED**

Its soft, diffused light is perfect for up close work, and with 155 hrs. of run time, this safety-rated light is always ready. Contains seven ultra-bright LEDs. IP65 rated, waterproof, dust-resistant. Unbreakable, scratch-resistant lens.

**4AA PROPOLYMER LED**

**BATTERY:** 4 “AA” size alkaline

**SIZE:** 6.5" x 1.63" x 1.34" (16.51 x 4.14 x 3.4 cm)

**WEIGHT:** 6.3 oz (178.6 g)

**COLOR:** Yellow or Black

**YELLOW BLACK**

68202	68302	White LEDs/alkaline batteries – Clam packaged
68201	68301	White LEDs/alkaline batteries – in box
68200	68300	White LEDs w/o alkaline batteries – in box

**LUMENS:** 67  
**RUN TIME:** 155h



Class I, Div. 1, Groups C, D;  
Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3C



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3C



Permissible Flashlight  
App. No. 10C-658-0  
Tested for use in methane-air  
mixtures only

**4AA PROPOLYMER® LUX**

This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67 rated; waterproof to 1 meter for 30 minutes. 1 meter impact-resistance tested. Corrosion-proof.

**4AA PROPOLYMER LUX**

**BATTERY:** 4 “AA” size alkaline

**SIZE:** 7" x 1.48" x 1.69" (17.8 x 3.76 x 4.29 cm)

**WEIGHT:** 7.6 oz (216 g)

**COLOR:** Yellow or Black

**YELLOW BLACK**

68244	68344	4AA Lux Div. 2 w/alkaline batteries
68602	68702	4AA Lux Div. 1 w/alkaline batteries

**ACCESSORIES**

75904	Yellow Safety Wand
75903	Red Safety Wand
75902	Blue Safety Wand
75908	White Safety Wand
75913	Glow-In-The-Dark Safety Wand
68085	Helmet Mount
68089	Poly Mount Kit - universal mounting via MSA V-Gard slot or self-adhesive mount

**LUMENS:** 100  
**CANDELA:** 4,200  
**DISTANCE:** 130m  
**RUN TIME:** 6h



**4AA Lux Div. 1**



Class I & II, Div. 1, Groups C, D, F & G;  
Class I, Div. 2, Groups A, B, C, D;  
Class III, T4



Class I & II, Div. 1, Groups C, D, F & G;  
Class III, T4 Exia  
Non-incendive:  
Class I, Div. 2, Groups A, B, C, D



Permissible Flashlight  
App. No. 20-A060002-0  
Tested for use in methane-air  
mixtures only

**4AA Lux Div. 2**



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3C (142 C)



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3C (142 C)



Safety Wands



Helmet Mount



Helmet Mount



Rubber Helmet Strap



Poly Mount Kit



## 4AA PROPOLYMAX®

The brightest light in our ProPolymer® series stands up to the toughest environments. Produces a tight beam with optimum peripheral illumination. Can be used with a belt clip or attaches to a hard hat. Sealed switch design protects it from corrosion caused by battery leakage. Unbreakable, scratch-resistant lens. Features TEN-TAP® programming, allowing user to select the order in which light modes come on. IP67 rated for dust-tight and waterproof to 1 meter for 30 minutes. IPX4 for water spray. Non conductive; corrosion-proof.

### 4AA PROPOLYMAX

**BATTERY:** 4 "AA" size alkaline

**SIZE:** 7" x 1.05" x 1.5"  
(17.78 x 2.67 x 3.81 cm)

**WEIGHT:** 8.2 OZ (233 g)

**COLOR:** Yellow, Black or Orange

68820	Alkaline batteries - Yellow
68821	Alkaline batteries - Black
68822	Alkaline batteries - Orange
<b>ACCESSORIES</b>	
68088	Belt Clip - fits 4AA ProPolymax
68089	Poly Mount Kit - universal mounting via MSA V-Gard slot or self-adhesive mount



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T4



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T4



	HIGH	LOW
<b>LUMENS:</b>	300	50
<b>CANDELA:</b>	17,000	2,500
<b>DISTANCE:</b>	261m	100m
<b>RUN TIME:</b>	2h 45m	24h

Strobe runs 6 hours

**TEN-TAP®** Programmable switch allows user selection of one of three different programs:

- high/low/strobe (factory default)
- high only
- low/high

Belt Clip

Poly Mount Kit

## 3C PROPOLYMER® LED

10 ultra-bright LEDs provide lots of bright white light and an extended run time - up to 336 hrs! Safety-rated for use in hazardous locations. Unbreakable, scratch-resistant lens. Waterproof.

### 3C PROPOLYMER LED

**BATTERY:** 3 "C" size alkaline

**SIZE:** 8.55" x 1.95" x 1.48"  
(21.72 x 4.95 x 3.76 cm)

**WEIGHT:** 13.5 OZ (382.73 g)

**COLOR:** Yellow or Black

33202	Without alkaline batteries - Yellow
33302	Without alkaline batteries - Black
<b>ACCESSORIES</b>	
33903	Red Wand
33908	White Wand
25090	Holster

<b>LUMENS:</b>	85
<b>RUN TIME:</b>	336h



Permissible Flashlight  
App. No. 10C-658-0  
Tested for use in methane-air mixtures only



Class I, Div. 1, Group D;  
Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3A



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3A





## 3C PROPOLYMER® HAZ-LO®

An intrinsically safe, high-performance flashlight for hazardous locations. Produces a smooth, uniform beam with optimum peripheral illumination. Virtually indestructible body. Resistant to chemicals and solvents. Sealed switch design protects it from corrosion caused by battery leakage. Unbreakable, scratch-resistant lens. 3 meter impact-resistance tested. IP67 rated for dust-tight and waterproof to 1 meter for 30 minutes. IPX4 for water spray. Anti-static and non-conductive.

### 3C PROPOLYMER HAZ-LO

**BATTERY:** 3 "C" size alkaline

**SIZE:** 9.3" x 1.46" x 2.08"  
(23.62 x 3.71 x 5.28 cm)

**WEIGHT:** 13.9 OZ (394 g)

**COLOR:** Yellow or Orange

33820 3C ProPolymer HAZ-LO - Yellow

33822 3C ProPolymer HAZ-LO - Orange

#### ACCESSORIES

25090 Holster

<b>LUMENS:</b>	150
<b>CANDELA:</b>	7,000
<b>DISTANCE:</b>	167m
<b>RUN TIME:</b>	18h



Permissible Flashlight  
App. No. 20-A130003-0  
Tested for Intrinsic Safety in  
Methane-Air mixtures only



Class I, Div 1, Groups A, B, C, D;  
Class II, Div. 1, Groups E, F, G;  
Class III, T4 Exia



**STREAMLIGHT  
PROPOLYMER SERIES**



**3AA PROPOLYMER® HAZ-LO®**

The 3AA ProPolymer HAZ-LO features a strong blend of performance and safety ratings. Intrinsically safe for use in hazardous locations. Produces a tight beam with optimum peripheral illumination. Resistant to chemicals and solvents. Combination of visual and mechanical polarity protection ensures correct installation of batteries. Consistent performance throughout battery life. Unbreakable, scratch-resistant lens. IP67 rated for dust-resistance. Waterproof to 1 meter for 30 minutes.

**3AA PROPOLYMER HAZ-LO**

**BATTERY:** 3 "AA" size alkaline

**SIZE:** 7.0" x 1.05" x 1.50" (17.78 x 2.67 x 3.81 cm)

**WEIGHT:** 7.5 oz (213 g)

**COLOR:** Yellow, Black or Orange

**YELLOW    BLACK    ORANGE**

68720	68721	68722	HAZ-LO with alkaline batteries - Clam
68723	68724	—	HAZ-LO with alkaline batteries - Box
68270	—	—	Helmet Lighting Kit - 3AA HAZ-LO with white LED, alkaline batteries, helmet mount, helmet band, clam packaged

**ACCESSORIES**

68085	Helmet Mount
99075	Rubber Helmet Strap
68088	Belt Clip
68089	Poly Mount Kit - universal mounting via MSA V-Gard slot or self-adhesive mount

<b>LUMENS:</b>	120
<b>CANDELA:</b>	14,000
<b>DISTANCE:</b>	237m
<b>RUN TIME:</b>	6h 30m



**Helmet Mount**



**Rubber Helmet Strap**



**Helmet Lighting Kit**



**Poly Mount Kit**



Permissible Flashlight  
App. No. 20-A140003-0  
Tested for Intrinsic Safety in  
Methane-Air mixtures only



Class I, Div 1, Groups A, B, C, D;  
Class II, Div. 1, Groups E, F, G;  
Class III, T4 Exia

# THESE LIGHTS ARE ALWAYS READY FOR HAZARDOUS DUTY.

## 3N PROPOLYMER® LED

Lightweight, alkaline battery-powered personal light with 3 ultra-bright LEDs. Long run time. Impact-resistant body and face cap. Unbreakable, polycarbonate scratch-resistant lens. Push-button tail switch for momentary and on-off operation.

### 3N PROPOLYMER LED

**BATTERY:** 3 "N" size alkaline

**SIZE:** 5.25" x .96" x .69"  
(13.33 x 2.44 x 1.75 cm)

**WEIGHT:** 2.1 OZ (59.54 g)

**COLOR:** Yellow or Black

62202 Alkaline batteries – Yellow

62302 Alkaline batteries – Black

<b>LUMENS:</b>	30
<b>CANDELA:</b>	300
<b>DISTANCE:</b>	35m
<b>RUN TIME:</b>	10h



Class I, II, Div. 1, Groups A,B,C,D,E,F,G;  
Class III, Exia, T4A Classified



## POLYSTINGER® LED HAZ-LO®

If you need a Class 1, Div. 1 rated light with the cost savings of a rechargeable, the PolyStinger LED HAZ-LO is the light you need. Not only does it provide a bright-white light, it is also intrinsically safe and has an unbreakable, scratch resistant lens. It's O-ring sealed and is IPX4 rated for water resistance and is 3 meter impact resistance tested.

### POLYSTINGER LED HAZ-LO

**BATTERY:** NiCd

**SIZE:** 10.2" x 1.76" x 1.34"  
(25.9 x 4.47 x 3.4 cm)

**WEIGHT:** 13.5 OZ (382 g)

**COLOR:** Black or Yellow

### YELLOW BLACK

76412 76442 120V AC/12V DC

76411 76441 12V DC

76410 76440 Without Charger

### ACCESSORIES

76409 Lanyard

75928 Loop Holster

75906 Ring Holder

76375 NiCd Battery Stick

75400 5 Unit Bank Smart Charger 120V

75105 Smart Charger

22060 120V AC Charge Cord

22051 DC1 Charge Cord

22050 DC2 Direct Wire Charge Cord

	HIGH	LOW
<b>LUMENS:</b>	130	50
<b>CANDELA:</b>	15,000	5,700
<b>DISTANCE:</b>	245m	151m
<b>RUN TIME:</b>	4h	12h

Moonlight mode: 20 days of continuous run time



Lanyard Ring  
with lanyard for tail cap.




Class I & II, Division 1, Groups C,D,F,G;  
Class I, Division 2, Groups A,B,C,D.;  
Class III; 138 C, T-Code: T3C

### Special Features:

- Non-conductive, corrosion-resistant body.
- IPX4-rated for water-resistance.
- 3 meter impact-resistance tested.



**STREAMLIGHT  
KNUCKLEHEAD SERIES**



**THE HARD WORKING  
KNUCKLEHEAD...  
CLASS 1. DIV. 1 RATED.**

**STREAMLIGHT HAZ-LO® SERIES: // WHAT IS “INTRINSICALLY SAFE?”**

Streamlight offers a variety of lights that are safety-rated for hazardous environments. We even have several lights that are “intrinsically safe” – these are lights that have been tested to ANSI/U.L.- Std-913 and found to be safe for use in a Division 1 classified environment.



**KNUCKLEHEAD ACCESSORIES**



**Battery  
Chargers**

Smart Charger Holder	90116
120V AC Fast Charger	90011
Fast Charger	90118
DC1 Car Charger Cord/Fast Charger	90012
DC2 Direct Wire/Fast Charger	90013
120V AC Bank Charger	90400
12V DC Bank Charger	90401

**Fits All**

**Battery Packs**

Alkaline Battery Cartridge	90542
NiMH battery pack	90339

**Fits All**

**Charge Cords**

120V AC	22060
12V DC1 Car Charger	22051
12V DC Direct Wire	22050

**PN**

## KNUCKLEHEAD® HAZ-LO® FLOOD

Class I & II, Div. 1 safety-approved work light with articulating head that hangs or attaches a variety of ways. Its soft flood pattern with 2 LEDs illuminates your work area, yet the beam is easy on your eyes. Articulating head rotates 210°. Includes high, low, moonlight and flash modes. Removable magnet. Yellow model features an integrated hook for hands-free use. Orange model has a clip that clamps to objects or turn-out gear. IPX4 rated for water-resistance. 2 meter impact-resistance tested.

### KNUCKLEHEAD HAZ-LO FLOOD

**BATTERY:** Dual power source: accepts rechargeable NiMH battery pack or (4) "AA" alkaline batteries

**SIZE:** 9.2" x 2.85" x 2.75" (23.4 x 7.2 x 7 cm)

**NIMH WEIGHT:** 1 lb 7.1 oz (655 g)

**ALKALINE WEIGHT:** 1 lb 2.3 oz (519 g)

**COLOR:** Orange or Yellow

YELLOW	ORANGE	
91627	91657	120V AC/12V DC
91622	91652	120V AC
91621	91651	Without Charger
91642	91644	Alkaline Model

	HIGH	LOW
<b>LUMENS:</b>	163	50
<b>CANDELA:</b>	730	230
<b>DISTANCE:</b>	54m	30m
<b>RUN TIME:</b>	3h 45m	12h

Moonlight mode: 20 days of continuous run time  
Flash: 8 hours continuous time



Permissible Flashlight  
App. No. 20-A140001-0



Class I & II Division 1, Groups C,D,F,G;  
Class III; T-Code: T4; Exia;  
Non-Incendive: Class I, II, III Division 2;  
Groups A,B,C,D,F,G  
T-CODE: T4

### NFPA

Rack meets requirements  
of 1901-14.10.2 (2016)  
mounted in any position



	HIGH	LOW
<b>LUMENS:</b>	150	55
<b>CANDELA:</b>	12,900	4,300
<b>DISTANCE:</b>	227m	131m
<b>RUN TIME:</b>	3h 30m	12h

Moonlight mode: 20 days of continuous run time  
Flash: 8 hours continuous time



Permissible Flashlight  
App. No. 20-A140001-0



Class I & II Division 1, Groups C,D,F,G;  
Class III; T-Code: T4; Exia;  
Non-Incendive: Class I, II, III Division 2;  
Groups A,B,C,D,F,G  
T-CODE: T4

### NFPA

Rack meets requirements  
of 1901-14.10.2 (2016)  
mounted in any position



## KNUCKLEHEAD® HAZ-LO® SPOT

Class I & II, Div. 1 safety-approved for hazardous locations. Far-reaching beam helps locate hazards or victims from a distance. Articulating head makes it easy to aim light where it's needed. 4 light modes include a flash for signaling and a moonlight mode for 20-day runtime. Hangs or attaches various ways. Powerful, removable magnet. Yellow model features an integrated hook for hands-free use. Orange model has a clip that clamps to objects or turn-out gear. IPX4 rated for water-resistance. 2 meter impact-resistance tested.

### KNUCKLEHEAD HAZ-LO SPOT

**BATTERY:** Dual power source: accepts rechargeable NiMH battery pack or (4) "AA" alkaline batteries

**SIZE:** 9.2" x 2.85" x 2.75" (23.4 x 7.2 x 7 cm)

**NIMH WEIGHT:** 1 lb 7.1 oz (655 g)

**ALKALINE WEIGHT:** 1 lb 2.3 oz (519 g)

**COLOR:** Orange or Yellow

YELLOW	ORANGE	
91727	91757	120V AC/12V DC
91722	91752	120V AC
91721	91751	Without Charger
91742	91744	Alkaline Model





# WEAPON-MOUNTED SERIES //

## **WEAPON-MOUNTED LIGHTING SPECIALISTS**

**WE BUILD A RANGE OF LIGHTS FOR LONG GUN,  
FULL-FRAME, COMPACT & SUB-COMPACT PISTOLS.**

Streamlight proudly builds our full line of weapon-mounted lights with features and performance levels to fill the needs of military, law enforcement, concealed carry and sportsmen. From IR to high-lumen to laser, Streamlight TLRs lead the industry.



PROTAC® RAIL MOUNT 2



TL-RACKER®



TLR-9™



TLR-1 HL®



# STREAMLIGHT TLRs

## THE WIDEST RANGE OF WEAPON-MOUNTED LIGHTS

### LIGHT ONLY

#### COMPACT & FULL FRAME PISTOLS

##### UNIVERSAL RAIL MOUNT MODELS



**NEW**  
TLR-7<sup>®</sup> A  
WHITE LIGHT  
ILLUMINATOR



**NEW**  
TLR-9<sup>™</sup>  
WHITE LIGHT  
ILLUMINATOR



TLR-7<sup>®</sup>  
WHITE LIGHT  
ILLUMINATOR



TLR-1 HL<sup>®</sup>  
WHITE LIGHT  
ILLUMINATOR



TLR-1<sup>®</sup> // TLR-1<sup>®</sup> s  
WHITE LIGHT  
ILLUMINATOR



TLR-3<sup>®</sup>  
WHITE LIGHT  
ILLUMINATOR

#### SUB-COMPACT & COMPACT PISTOLS

##### TRIGGER GUARD & RAIL MOUNT MODELS



**NEW**  
TLR-7<sup>®</sup> A  
WHITE LIGHT ILLUMINATOR



TLR-7<sup>®</sup>  
WHITE LIGHT ILLUMINATOR



TLR-3<sup>®</sup>  
WHITE LIGHT ILLUMINATOR



TLR-6<sup>®</sup> NON-LASER  
WHITE LIGHT ILLUMINATOR

#### LONG GUN / AR

##### RAIL MOUNT MODELS



TLR-1 HL<sup>®</sup>  
[Long Gun Kit]  
WHITE LIGHT ILLUMINATOR



PROTAC<sup>®</sup>  
RAIL MOUNT 2  
WHITE LIGHT ILLUMINATOR



PROTAC<sup>®</sup>  
RAIL MOUNT 1  
WHITE LIGHT ILLUMINATOR



PROTAC<sup>®</sup>  
RAIL MOUNT HL-X  
WHITE LIGHT ILLUMINATOR



TLR-1 HPL<sup>®</sup>  
[Long Gun Kit]  
WHITE LIGHT ILLUMINATOR



**NEW**  
TL-RACKER<sup>®</sup>  
WHITE LIGHT ILLUMINATOR



**NEW**  
TLR<sup>™</sup> RM 1  
WHITE LIGHT ILLUMINATOR



**NEW**  
TLR<sup>™</sup> RM 2  
WHITE LIGHT ILLUMINATOR

#### SPECIALTY / IR

##### LONG GUN/AR & FULL FRAME PISTOLS



**NEW**  
TLR-VIR<sup>®</sup> II  
WHITE LIGHT ILLUMINATOR  
// IR ILLUMINATOR // IR LASER



TLR-VIR<sup>®</sup>  
[Long Gun Kit]  
WHITE LIGHT ILLUMINATOR  
// IR ILLUMINATOR



TLR-VIR<sup>®</sup> PISTOL  
WHITE LIGHT ILLUMINATOR  
// IR ILLUMINATOR



TLR-1<sup>®</sup> IR  
IR ILLUMINATOR

Streamlight produces a full line of weapon-mounted lights with the features that law enforcement, conceal & carry, and sportsmen need: high-lumen, laser, and IR. Models to fit long guns and full-size and compact pistols.

## LIGHT/LASER COMBO



**NEW**  
TLR-8<sup>®</sup> A  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**NEW**  
TLR-8<sup>®</sup> AG  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



**NEW**  
TLR-8<sup>®</sup> G  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



TLR-8<sup>®</sup>  
WHITE LIGHT ILLUMINATOR  
// RED LASER



TLR-2<sup>®</sup> // TLR-2<sup>®</sup>s  
WHITE LIGHT ILLUMINATOR  
// RED LASER



TLR-2 HL<sup>®</sup>  
WHITE LIGHT ILLUMINATOR  
// RED LASER



TLR-2<sup>®</sup> G  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



TLR-2 HL<sup>®</sup> G  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



**NEW**  
TLR-8<sup>®</sup> A  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**NEW**  
TLR-8<sup>®</sup> AG  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



**NEW**  
TLR-8<sup>®</sup> G  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



TLR-8<sup>®</sup>  
WHITE LIGHT ILLUMINATOR  
// RED LASER



TLR-6<sup>®</sup> // RAIL MOUNT // 1911  
WHITE LIGHT ILLUMINATOR  
// RED LASER



TLR-4<sup>®</sup>  
WHITE LIGHT ILLUMINATOR  
// RED LASER



TLR-4<sup>®</sup> G  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



TLR-2<sup>®</sup> // TLR-2<sup>®</sup>s  
WHITE LIGHT ILLUMINATOR  
// RED LASER



TLR-2 HL<sup>®</sup>  
WHITE LIGHT ILLUMINATOR  
// RED LASER



TLR-2 HL<sup>®</sup> G  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



TLR-2<sup>®</sup> IRW  
WHITE LIGHT ILLUMINATOR  
// EYE SAFE IR LASER



TLR-2<sup>®</sup> IR EYE SAFE  
IR ILLUMINATOR  
// EYE SAFE IR LASER



**STREAMLIGHT**  
**TACTICAL WEAPON-MOUNTED SERIES**

# TLR-8

## ULTRA LOW-PROFILE. RAIL MOUNT LIGHTS

**TLR-8® RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR // RED LASER

Ultra-lightweight and low-profile, the TLR-8® weapon-mounted tactical light with integrated red aiming laser features the latest in LED technology. The light provides 1.5 hours of continuous runtime when in dual mode with the high power visible laser. Rail clamp is designed to rapidly attach/detach from the side of compact and full-frame weapons.

**TLR-8**

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 2.15" x 1.18" x 1.50"  
 (5.46 x 2.98 x 3.81 cm)

**WEIGHT:** 2.64 oz (75 g)

**COLOR:** Black

69410 TLR-8 with red laser, rail locating keys and CR123A lithium battery -  
 Box - Black

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME:</b>	1h 30m

Laser mode: 11 hours of run time

With **[(STROBE)]**  
 Double tap switch to activate.



**TLR-8® G RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR // GREEN LASER

The ultimate in target engagement enhancement, this rugged lithium battery powered LED weapon light with integrated green laser fits most hand guns and long guns. Features a fast rail clamp for rock solid repeatability on a wide variety of weapons. 500 lumen output delivers a powerful beam with extensive range, good peripheral coverage and selectable strobe mode. The daylight visible green targeting laser uses the latest direct drive diode that burns brightly in extreme temperatures. Runs for 1.5 hours continuously with both light and laser in operation.

**TLR-8 G**

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 2.15" x 1.18" x 1.50"  
 (5.46 x 2.98 x 3.81 cm)

**WEIGHT:** 2.64 oz (75 g)

**COLOR:** Black

69430 TLR-8 G with green laser, rail locating keys and CR123A lithium battery  
 - Box - Black

Safe Off feature prevents  
 accidental activation;  
 saves batteries.

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME:</b>	1h 30m

Laser mode: 18 hours of run time

With **[(STROBE)]**  
 Double tap switch to activate.



**TLR-7® RAIL MOUNTED LIGHT**  
WHITE LIGHT ILLUMINATOR

The TLR-7® weapon-mounted tactical light is ultra-lightweight and low-profile, features the latest in LED technology and provides 1.5 hours of continuous runtime from a single lithium battery. Rail clamp is designed to rapidly attach/detach from the side of compact and full-frame weapons.

**TLR-7**

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 2.20" x 1.20" x 1.47"  
(5.58 x 3.04 x 3.73 cm)

**WEIGHT:** 1.16 oz (33 g)

**COLOR:** Black



Safe Off feature prevents accidental activation; saves batteries.

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME:</b>	1h 30m



With **[(STROBE)]**  
Double tap switch to activate.

69420 TLR-7 with rail locating keys and CR123A lithium battery - Box -Black



**TLR-9™ RAIL MOUNTED TACTICAL LIGHT W/ REAR SWITCH OPTIONS**  
WHITE LIGHT ILLUMINATOR

Lightweight & compact, the TLR-9™ full frame Weapon-Mounted Tactical Light features the latest in LED technology for high lumen operation and provides 1.5 hours of continuous runtime from (2) CR123 lithium batteries. 1000 lumen output delivers a powerful beam with extensive range, good peripheral coverage and selectable strobe mode. The TLR-9™ model features rear switches. Rail clamp designed to rapidly attach/detach from side of weapon.

**TLR-9**

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.87" x 1.18" x 1.27"  
(9.82 x 2.98 x 3.22 cm)

**WEIGHT:** 4.26 oz (120.9 g)

**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	10,000
<b>DISTANCE:</b>	200m
<b>RUN TIME:</b>	1h 30m



**HIGH SWITCH**  
For those who prefer a "Higher Grip Style"



**LOW SWITCH**  
For those who prefer a "Lower Grip Style"

69464 TLR-9 FLEX - Includes High Switch mounted on light plus Low Switch in package. CR123A lithium batteries and key kit - Black - Box



With **[(STROBE)]**  
Double tap switch to activate.





# WE SWITCHED IT UP

INTRODUCING THE FLEX PLATFORM WITH HIGH AND LOW SWITCHES

NEW



Safe Off feature prevents accidental activation; saves batteries

With [(STROBE)]  
Double tap switch to activate.

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m



**HIGH SWITCH**  
For those who prefer a "Higher Grip Style"



**LOW SWITCH**  
For those who prefer a "Lower Grip Style"

## TLR-7® A RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR // TWO SWITCH POSITION OPTIONS

The TLR-7® A include customized ergonomic switches featuring a low or high position to match your shooting style. It features an ambidextrous on/off rear switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons.

### TLR-7 A

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 2.52" x 1.28" x 1.16"  
(6.40 x 3.25 x 2.95 cm)

**WEIGHT:** 2.47 OZ (70 g)

**COLOR:** Black

69424 TLR-7 A FLEX – Includes high mounted switch on light plus low switch in package – lithium battery – key kit – allen wrench – Black – Box



**NEW**



With **[(STROBE)]**  
Double tap switch to activate.

Safe Off feature prevents accidental activation; saves batteries.



**LOW SWITCH**  
For those who prefer a "Lower Grip Style"



**HIGH SWITCH**  
For those who prefer a "Higher Grip Style"

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME:</b>	1h 30m

Laser mode: 18 hours of run time

## TLR-8<sup>®</sup> A RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR // RED LASER // TWO SWITCH POSITION OPTIONS

The TLR-8<sup>®</sup> A with a red laser include customized ergonomic switches featuring a low or high option to match your shooting style. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons.

### TLR-8A

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 2.52" x 1.47" x 1.16"  
(6.40 x 3.73 x 2.95 cm)

**WEIGHT:** 2.58 oz (73 g)

**COLOR:** Black

69414 TLR-8 A FLEX with red laser – high mounted switch on light plus low switch in package – lithium battery – key kit – allen wrench – Black – Box

# THE NEW TLR-7 A, TLR-8 A & TLR-8 A G FEATURING TWO SWITCH CONFIGURATIONS

## TLR-8<sup>®</sup> A G RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR // GREEN LASER

Performance night and day. The small and mighty TLR-8<sup>®</sup> A G with a green laser securely fits a broad range of full-size and compact handguns. The green laser is visible even in daylight. Low-profile design prevents snagging and a "safe off" feature prevents accidental activation, saving batteries. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons.

### TLR-8 A G

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 2.15" x 1.18" x 1.50"  
(5.46 x 2.98 x 3.81 cm)

**WEIGHT:** 2.64 oz (75 g)

**COLOR:** Black

69434 Green laser, rail locating keys, lithium battery - Box - Black

**NEW**



With **[(STROBE)]**  
Double tap switch to activate.

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME:</b>	1h 30m

Laser mode: 11 hours of run time



**HIGH SWITCH**  
For those who prefer a "Higher Grip Style"




**LOW SWITCH**  
For those who prefer a "Lower Grip Style"

\* TLR-7, TLR-8, & TLR-8G side switch models cannot be retrofitted to Flex models

# STREAMLIGHT TACTICAL WEAPON-MOUNTED SERIES


## DIFFERENT KINDS OF BEAMS FOR DIFFERENT KINDS OF TASKS.

WANT TO SEE THESE BEAMS IN ACTION?  
Visit Streamlight's [www.beamdemo.com](http://www.beamdemo.com)  
and see the differences for yourself.




### TRADITION<sup>SERIES</sup>

This family of flashlights delivers the optimal balance of bright, far-reaching beam, ample peripheral light, and long run times. When you're out in the field or on any job that requires light for long periods, these are the flashlights you want by your side. Their brightness, power, performance, cost, and extended run times make them perfect for a variety of tasks.



### HPL<sup>SERIES</sup>

These High Performance, High Lumen flashlights throw bright light a long distance. They have a bigger hot spot that casts more light on the target with more peripheral light. They're great for illuminating the entire length of a dark alley, for any task that requires a far-reaching beam.



### HL<sup>SERIES</sup>

These High Lumen flashlights have a wide, side-to-side beam. They illuminate an entire area, including what may be hiding in corners. They perform like floodlights, illuminating a whole room, vehicle, or any area with bright, revealing light.

## TLR-2 HL<sup>®</sup>

WHITE LIGHT ILLUMINATOR // RED LASER

This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Operates in temperatures from -40°F to +120°F. Impact resistant. Easy, fast battery installation/replacement. The TLR-2 HL is IPX4 rated for water resistant operation and features a 640-660nm red laser.

### TLR-2 HL

**BATTERY:** [2] 3V "CR123A" lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.78 OZ (135.5 g)  
**COLOR:** Black

69261 Includes Rail Locating Keys for use with Glock<sup>®</sup> style, 1913 Picatinny, S&W 99/TSW, and Beretta<sup>®</sup> 90two. Lithium batteries. Black.

## UPGRADED

**LUMENS:** 1,000  
**CANDELA:** 20,000  
**DISTANCE:** 283m  
**RUN TIME:** 1h 30m

Laser mode: 45 hours of run time

**HL<sup>®</sup>** With [(STROBE)]  
Double tap switch to activate.



## UPGRADED

**LUMENS:** 1,000  
**CANDELA:** 20,000  
**DISTANCE:** 283m  
**RUN TIME:** 1h 30m

Laser mode: 17 hours of run time

**HL<sup>®</sup>** With [(STROBE)]  
Double tap switch to activate.



## TLR-2 HL<sup>®</sup> G

WHITE LIGHT ILLUMINATOR // GREEN LASER

We added a direct drive green laser to this powerful high-lumen weapon light. The green is clearly visible to guide your aim even in bright sunlight. You can count on the light and laser even in extreme temperatures from -40°F to +120°F. IPX4 rated for water resistance.

### TLR-2 HL G

**BATTERY:** [2] 3V "CR123A" lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.78 OZ (135.5 g)  
**COLOR:** Black

69265 Includes Rail Locating Keys for use with Glock<sup>®</sup> style, 1913 Picatinny, S&W 99/TSW, and Beretta<sup>®</sup> 90two. Lithium batteries. Black.



# TLR HL FAMILY OF LIGHTS

## HIGH-LUMEN DOMINATION THROUGH MAXIMUM ILLUMINATION.

### TLR-1 HL®

WHITE LIGHT ILLUMINATOR

These versatile tactical lights fit handguns and long-guns, and you can switch from one to the other in seconds. Their wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Operates in extreme temperatures. Impact resistant. Easy, fast battery installation/replacement. The TLR-1 HL is IPX7 rated waterproof to 1 meter for 30 minutes.

#### TLR-1 HL

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.44"  
(8.61 x 3.73 x 3.65 cm)

**WEIGHT:** 4.18 oz (118.6 g)

**COLOR:** Black, Flat Dark Earth or Flat Dark Earth Brown

69260	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69264	Earless. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69266	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Flat Dark Earth.
69267	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Flat Dark Earth Brown.
69262	Long Gun Kit includes: TLR-1 HL with thumb screw and "safe off" door switch, remote pressure switch and mounting clips, lithium batteries. For pistol mounting the kit also includes standard door switch, rail locating keys. Black.
69288	Long Gun Kit includes: TLR-1 HL with thumb screw and "safe off" door switch, remote pressure switch and mounting clips, lithium batteries. For pistol mounting the kit also includes standard door switch, rail locating keys. Flat Dark Earth.

### TLR-1 HL® DUAL REMOTE SWITCH KIT

- Allows for simultaneous or individual activation of the Streamlight TLR-1 HL and accompanying external aiming device
- Pressure switches permit momentary or constant on activation
- Mounts directly to all MIL-STD-1913 (Picatinny) rails

69889	includes TLR-1 HL with Safe Off Tail switch, lithium batteries, Dual Remote Pressure Switch, Mounting Clips, Adhesive pads, and Cable Ties
-------	--

UPGRADED

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1h 45m

**HL®** With **[(STROBE)]**  
Double tap switch to activate.



TLR-1 HL Long Gun Kit



# THE TLR-1 HPL... HIGH-LUMEN + LONG-DISTANCE **SEE EVERYWHERE.**

**TLR-1 HPL®**  
WHITE LIGHT ILLUMINATOR

This high lumen, long-range, rail-mounted tactical light has an intensely bright, far-reaching beam with a large hotspot. It throws a wide beam to illuminate your target downrange, while illuminating everything in your path. Fits long-guns. Attaches/detaches with one hand in seconds. Includes a strobe for signaling/disorienting. Operates in extreme temperatures. IPX7 rated. Impact-resistant. Easy, fast battery replacement.

**TLR-1 HPL**  
**BATTERY:** (2) 3V "CR123A" lithium  
**SIZE:** 4.83" x 1.44" x 2.2"  
(12.27 x 3.66 x 5.59 cm)  
**WEIGHT:** 5.3 oz (150.3 g)  
**COLOR:** Black

**TLR-1 HPL W/REMOTE**  
**BATTERY:** (2) 3V "CR123A" lithium  
**SIZE:** 5.25" x 1.44" x 2.2"  
(13.34 x 3.66 x 5.59 cm)  
**WEIGHT:** 5.6 oz (158.8 g)  
**COLOR:** Black

- |       |   |
|-------|---|
| 69215 | Standard model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.  |
| 69216 | Remote model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Remote switch and Lithium batteries. Black.  |
| 69219 | Long Gun Kit with thumbscrew, "Safe Off" door switch and remote pressure switch. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black. |

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	60,000
<b>DISTANCE:</b>	490m
<b>RUN TIME:</b>	1h 30m

Shown with standard switch backplate.



**UPGRADED**



Shown with "Safe Off" remote switch backplate.

With **[(STROBE)]**  
Double tap switch to activate.





## TLR-1® GAME SPOTTER®

GREEN LIGHT ILLUMINATOR

<b>LUMENS:</b>	150
<b>CANDELA:</b>	31,000
<b>DISTANCE:</b>	350m
<b>RUN TIME:</b>	1h 45m



Shown with standard switch backplate.

Shown with remote switch backplate.

A long-gun/long-range light with a green LED that preserves night vision and won't spook game. Mounts directly to long-guns with MIL-STD-1913 rails. Unbreakable, scratch-resistant, O-ring sealed lens. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes. Impact resistant.

### TLR-1 GAME SPOTTER

**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 4.83" x 1.44" x 2.2"  
(12.27 x 3.66 x 5.59 cm)

**WEIGHT:** 5.3 OZ (150.3 g)

**COLOR:** Black

### TLR-1 GAME SPOTTER W/REMOTE

**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 5.25" x 1.44" x 2.2"  
(13.34 x 3.66 x 5.59 cm)

**WEIGHT:** 5.6 OZ (158.8 g)

**COLOR:** Black

69227 Standard model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

69228 Remote model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Remote switch and Lithium batteries. Black.



# THE TLR-2G... GREEN LASER FOR ALL CONDITIONS.

## TLR-2® G

WHITE LIGHT ILLUMINATOR // GREEN LASER

The highly visible (even in daylight) green laser assists in target acquisition. Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 rails. Operates in extreme temperatures. IPX4 rated for water-resistance. Features a strobe that can be disabled.

### TLR-2 G

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.72 oz (133.8 g)

**COLOR:** Black

69250 Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium battery. Black.

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>RUN TIME:</b>	2h 30m

Laser mode: 17 hours of run time

With **[(STROBE)]**

Double tap switch to activate.



Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 (Picatinny) rails.



# TLR TACTICAL LIGHTS

## A TRADITION OF DURABILITY, POWER, & LONG RUN TIME.

### TLR-1® // TLR-1®s

WHITE LIGHT ILLUMINATOR

Intensely bright, durable tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 rails. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes. Impact resistant. The TLR-1s includes a strobe.

#### TLR-1 / TLR-1s

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)

**WEIGHT:** 4.18 oz (118.6 g)

**COLOR:** Black

- |       |   |
|-------|---|
| 69110 | Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.                                      |
| 69210 | Strobe model includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.                         |
| 69211 | Strobe model with Earless Screw Kit, includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black. |

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>DISTANCE:</b>	219m
<b>RUN TIME:</b>	2h 30m



AVAILABLE WITH STROBE  
With **[(STROBE)]**  
Double tap switch to activate.

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>DISTANCE:</b>	219m
<b>RUN TIME:</b>	2h 30m

Laser mode: 48 hours of run time



AVAILABLE WITH STROBE  
With **[(STROBE)]**  
Double tap switch to activate.

### TLR-2® // TLR-2®s

WHITE LIGHT ILLUMINATOR // RED LASER

The same great features as the TLR-1 lights with a 650-660nm red laser for accurate aiming. Strobe ["s"] model available.

#### TLR-2 / TLR-2s

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.72 oz (133.8 g)

**COLOR:** Black

- |       |   |
|-------|---|
| 69120 | Red Laser. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.                 |
| 69230 | Strobe model w/ Red Laser. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black. |



# STREAMLIGHT TACTICAL WEAPON-MOUNTED SERIES

## TLR-2® IRW

WHITE LIGHT ILLUMINATOR // EYE SAFE IR LASER

Features a Class 1 "Eye Safe" Infrared laser along with a blinding bright white light for long-range targeting. User programmable strobe enable/disable. Mounts directly to handguns with Glock® style rails and to all MIL-STD-1913 rails. Operates in extreme temperatures. IPX4 rated for water-resistance.

### TLR-2 IRW

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.72 oz (133.8 g)

**COLOR:** Black

69165 TLR-2 IRW. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>IR LASER OUTPUT:</b>	Less than .8mW
<b>DISTANCE:</b>	219m
<b>RUN TIME:</b>	2h 30m

Laser mode: 45+ hours of run time



## TLR-2® IR EYE SAFE

IR ILLUMINATOR // EYE SAFE IR LASER

Lightweight, compact, lithium battery powered gun-mounted infrared active illuminator with Class 1 "Eye Safe" integrated IR aiming laser. The illuminator features the latest in shock-proof high power infrared LED technology providing at least 7.5 hrs of continuous run time when in dual mode with the infrared laser. Rail clamp designed to rapidly attach/detach from side of weapon.

### TLR-2 IR EYE SAFE

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.72 oz (133.8 g)

**COLOR:** Black

69166 TLR-2 IR w/ Eye Safe Laser. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

<b>IR LED OUTPUT:</b>	120mW
<b>IR LASER OUTPUT:</b>	Less than .8mW
<b>IR RUN TIME:</b>	7h 30m

IR Laser mode: 45+ hours of run time



## TLR-1® IR

IR ILLUMINATOR

Lightweight, compact, lithium battery powered gun-mounted active illuminator featuring the latest in high power infrared LED technology. The illuminator is built with a shock-proof LED and provides at least 7.5 hours of continuous run time. Rail clamp designed to rapidly attach/detach from side of weapon.

### TLR-1 IR

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.26" x 1.47" x 1.44" (8.28 x 3.73 x 3.65cm)

**WEIGHT:** 4.18 oz (118.6 g) with batteries

**COLOR:** Black

69150 TLR-1 IR. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

<b>IR OUTPUT:</b>	125mW/sr
<b>IR RUN TIME:</b>	7h 30m



IR requires the use of [NVG] Night Vision Goggles. (Not Included)

# STREAMLIGHT OFFERS A COMPLETE RANGE OF IR ILLUMINATORS AND LASERS FOR USE WITH NIGHT VISION GOGGLES.

## TLR-VIR® PISTOL

WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR

This combination bright white LED and infrared (IR) illuminator is designed for use with a pistol. It has a lower profile than the original TLR-VIR, and it's waterproof to 66 ft for 2 hours in its standard configuration. The IR illuminator is within the same lens as the white light. You can easily transition from white light to IR with a switch at the bottom of the light. There's no need to remove your eyes from the target or alter your firing grip. It has the standard momentary and constant-on ambidextrous switch as well.

### TLR-VIR PISTOL

**BATTERY:** [2] 3V "CR123A" lithium  
**SIZE:** 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65cm)  
**WEIGHT:** 4.2 OZ (119 g) with batteries  
**COLOR:** Black

69190 Includes rail locating keys for used with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.



Ambidextrous momentary steady-on-off switch

### TLR-VIR PISTOL

<b>LUMENS:</b>	300
<b>CANDELA:</b>	11,000
<b>IR OUTPUT:</b>	1000mW/sr
<b>VISIBLE RUN TIME:</b>	2h 30m
<b>IR RUN TIME:</b>	32h

## TLR-VIR®

WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR

Designed to be used with a long gun, includes both a white LED and an Infrared (IR) illuminator. Also features programmable strobe. Momentary/steady On-Off switch with plug port for momentary remote switch. Switch between white and IR as needed. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes. Designed to fit all long guns with MIL-STD-1913 rails.

### TLR-VIR

**BATTERY:** [2] 3V "CR123A" lithium  
**SIZE:** 3.82" x 1.47" x 2.03" (9.70 x 3.73 x 5.16cm)  
**WEIGHT:** 6.0 OZ (170 g) with batteries, retained lens cap and remote switch  
**COLOR:** Black

69180 Includes opaque lens cover, remote switch, 1913 key. Lithium batteries. Black.

### TLR-VIR

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>IR OUTPUT:</b>	1000mW/sr
<b>VISIBLE RUN TIME:</b>	2h 30m
<b>IR RUN TIME:</b>	20h



With [(STROBE)]  
 Double tap switch to activate.

opaque lens cover

## TLR-VIR® II

WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR // IR LASER

Lightweight, low-profile, lithium battery powered weapon-mounted tactical illuminator with Integrated IR LED/Laser and visible white LED. Class 1 "Eye Safe" IR laser. Has ambidextrous momentary and steady on/off switch and a recessed three position mode selector switch. Windage and elevation adjustment control. Securely fits M17/M18 pistols and all long guns with MIL-STD-1913 rails. IPX7 rated waterproof for 30 minutes.

### TLR-VIR II

**BATTERY:** [1] 3V "CR123A" lithium  
**SIZE:** 3.30" x 1.45" x 1.40" (8.39 x 3.69 x 3.56cm)  
**WEIGHT:** 3.82 OZ (108 g) with batteries  
**COLOR:** Black or Coyote

69192 TLR-VIR II, Black, Mailer Box  
 69191 TLR-VIR II, Coyote, Mailer Box

### TLR-VIR II

<b>LUMENS:</b>	300
<b>CANDELA:</b>	5,000
<b>IR OUTPUT:</b>	600mW/sr
<b>IR LASER OUTPUT:</b>	Less than .8mW
<b>VISIBLE RUN TIME:</b>	1h 30m
<b>IR RUN TIME:</b>	12h

Laser mode: 12 hours of run time



With [(STROBE)]  
 Double tap switch to activate.



# STREAMLIGHT TACTICAL WEAPON-MOUNTED SERIES

## TLR SERIES ACCESSORIES

At Streamlight, we engineer the highest performing, most rugged, durable and innovative lights on the sportsman, Streamlight builds the accessories you can depend on and the options and configurations that

	TLR-1 HL/TLR-2 HL	TLR-2 G/TLR-2 HL G	TLR-1/TLR-1s	TLR-2/TLR-2s	TLR-1 HPL	TLR-3	TLR-4/TLR-4 G	TLR-6
 Remington 870 Mount	69906	69906	69906	69906	69906	69906	69906	—
 TLR 12 ga. Mag Mount	69901	69901	69901	69901	69901	—	—	—
 AR-15 M16 Mount	69902	69902	69902	69902	69902	69902	69902	—
 Mag Tube/Mossberg Rail						69903	69903	—
 Ambidextrous Vert. Grip w/Rail	69114	69114	69114	69114	69114	69114	69114	—
 TLR-1/TLR-2 Key Kit	69175	69175	69175	69175	69175	—	—	—
 TLR-3/TLR-4 Key Kit	—	—	—	—	—	69176	69176	—
 TLR-7/TLR-8 Key Kit	—	—	—	—	—	—	—	—
 Contour Remote -Glock®	69300	69300	69300	69300	—	—	—	—
 Contour Remote -M&P	69310	69310	69310	69310	—	—	—	—
 TLR-1/TLR-2 Remote Door Switch	69130	69130	69130	69130	69130	—	—	—
 Door Switch w/Safe Off	69161	69161	69161	69161	69161	—	—	—
 Tape Switch	69132	69132	69132	69132	69132	—	—	—
 Coil Pressure Switch	69134	69134	69134	69134	69134	—	—	—
 Straight Press Switch	69135	69135	69135	69135	69135	—	—	—
 TLR Dual Remote Switch	69138	69138	69138	69138	69138	—	—	—
 Red Flip Lens	69115	69115	69115	69115	—	—	—	—
 Blue Flip Lens	69116	69116	69116	69116	—	—	—	—
 Green Flip Lens	69117	69117	69117	69117	—	—	—	—
 IR Flip Lens	69118	69118	69118	69118	—	—	—	—
 Opaque Flip Lens	69124	69124	69124	69124	—	—	—	—
 Remote Retaining Clips								
 CR123 Batteries	2 Pk. // 85175   6 Pk. // 85180   12 Pk. // 85177   400 Pk. // 85179							
 CR1/3N Batteries	2 Pk. // 69271   12 Pk. // 69281 — For use in TLR-6							
 CR2 Lithium Batteries	2 Pk. // 69223 — TLR-3/TLR-4							

market and the widest array of weapon mounted lights. Whether you're LEO, S.W.A.T., Military, home defense or a you need to accommodate all your weapon-mounted needs.

TLR-1 Game Spotter	TLR-VIR	TLR-VIR Pistol	TLR-VIR II	TLR-2 IR EYE SAFE	TLR-2 IRW	TLR-7 TLR-8 TLR-8G	TLR-7 A TLR-8 A TLR-8 A G	TLR-9	TLR RM 1	TLR RM 2
69906	69906	69906	—	69906	69906	69906	69906	69906	—	—
69901	69901	—	—	69901	69901	69901	69901	69901	—	—
69902	69902	69902	—	69902	69902	69902	69902	69902	—	—
—	69903	69903	—	—	69903	—	—	—	—	—
69114	69114	69114	—	69114	69114	—	—	—	—	—
69175	69175	69175	—	69175	69175	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	69177	69177	69177	69177	69177
—	69300	—	—	69300	69300	—	—	—	—	—
—	69310	—	—	69310	69310	—	—	—	—	—
69130	69130	69130	—	69130	69130	—	—	—	—	—
69161	69161	—	—	69161	69161	—	—	—	—	—
69132	69132	69132	—	69132	69132	—	—	—	—	—
69134	69134	69134	—	69134	69134	—	—	—	—	—
69135	69135	69135	—	69135	69135	—	—	—	69135	69135
—	69138	—	—	—	—	—	—	—	69138	69138
—	—	69115	69115	69115	69115	—	—	—	—	—
—	—	69116	69116	69116	69116	—	—	—	—	—
—	—	69117	69117	69117	69117	—	—	—	—	—
—	—	69118	69118	69118	69118	—	—	—	—	—
—	69124	69124	69124	69124	69124	—	—	—	—	—
88178	88178	88178	—	88178	88178	—	—	—	—	88178

# TLR-6

## ULTRA-COMPACT LIGHTS FOR COMPACT, SUB-COMPACT & CONCEALED CARRY WEAPONS.

### TLR-6® FOR SUBCOMPACT HANDGUNS

An industry first, the ultra-compact TLR-6® weapon light with white LED and integrated 640/660 nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes — Light only / Light & laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction; IPX4 water-resistant. 1 meter impact resistance tested.

#### TLR-6

**BATTERY:** [2] 3V CR-1/3 N lithium

**SIZE:**\* 2.30" x .85" x 1.42"  
 (5.84 x 2.16 x 3.61 cm)

**WEIGHT:**\* 1.27 oz (36 g)

**COLOR:** Black or Flat Dark Earth Brown

\*Size & Weight vary by model. Glock® 42/43 listed.

<b>LUMENS:</b>	100
<b>CANDELA:</b>	2,000
<b>DISTANCE:</b>	89m
<b>RUN TIME:</b>	1h

Laser mode: 11 hours of run time

69270	TLR-6 (Glock® 42/43) with lithium batteries-Black
69278	TLR-6 (Glock® 42/43) with lithium batteries-Flat Dark Earth Brown
69272	TLR-6 (Glock® 26/27/33) with lithium batteries-Black
69273	TLR-6 (M&P Shield® 40/9) with lithium batteries-Black
69274	TLR-6 (KAHR® ARMS) with lithium batteries-Black
69275	TLR-6 (SIG SAUER® P238/P938) with lithium batteries-Black
69276	TLR-6 (KIMBER® Micro) with lithium batteries-Black
69284	TLR-6 (SIG SAUER® P365) with lithium batteries-Black
69277	TLR-6 Universal Kit-Black


#### ACCESSORIES

69271	CR 1/3N lithium batteries - 2 pk
69281	CR 1/3N lithium batteries - 12 pk



Model  
 #69273

Fits M&P Shield™ 40/9



Model  
 #69278

Fits Glock® 42/43  
 Flat Dark Earth Brown





**Model #69278**

Fits Glock® 42, Glock® 43



**Model #69272**

Fits Glock® 26, Glock® 27, Glock® 33



**Model #69273**

Fits M&P Shield® 40, M&P Shield® 9



**Model #69274**

Fits Kahr® Arms CT9, CW9, CM9, CT40, CW40, CM40, TP9, P9, PM9, TP40, P40 and PM40



**Model #69275**

Fits SIG SAUER® P238, SIG SAUER® P938



**Model #69276**

Fits KIMBER® Micro



**Model #69284**

Fits SIG SAUER® P365



**Model #69277**

All Rights Reserved. M&P Shield®, GLOCK®, SIG SAUER®, KIMBER®, & KAHR® are registered trademarks of Smith & Wesson, Glock, Inc., SIG SAUER, KIMBER, IP LLC & Saeilo Enterprises, Inc. Streamlight has not sought endorsement of this product from Smith & Wesson®, GLOCK®, SIG SAUER®, KIMBER®, KAHR® Arms or Saeilo Enterprises, Inc.

Universal Kit includes LED/laser module and all TLR-6 body housings: Glock 42, Glock 26, M&P Shield, KAHR ARMS, SIG SAUER, KIMBER Micro. (Flat Dark Earth Brown and 1911 model not included.)

# TLR-6 RAIL MOUNT

## THE IDEAL LIGHT & LASER FOR COMPACT, RAILED HANDGUNS

### TLR-6® RAIL MOUNT // FOR COMPACT PISTOLS WITH RAILS

Designed to securely attach to the Rail and the trigger guard of GLOCK® compact railed handguns, Springfield Armory® XD®, XD(M)®, XD® MOD.2® and M&P® standard and compact railed handguns. The compact TLR-6® rail mount weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode.

#### TLR-6 RAIL MOUNT

**BATTERY:** [2] 3V CR-1/3 N lithium

**SIZE:** 2.20" x 1.20" x 1.47"  
 (5.58 x 3.04 x 3.73 cm)

**WEIGHT:** 1.16 oz (33 g)

**COLOR:** Black

<b>LUMENS:</b>	100
<b>CANDELA:</b>	2,000
<b>DISTANCE:</b>	89m
<b>RUN TIME:</b>	1h

Laser mode: 11 hours of run time



Model  
 #69290

Fits Glock® 17,  
 Glock® 19, Glock® 21

69290	TLR-6 Rail (Glock® 17/19/21) with lithium batteries-Black
69291	TLR-6 Rail (SA XD, XD (M), XD MOD 2) with lithium batteries-Black
69293	TLR-6 Rail (S&W M&P®) with lithium batteries-Black

#### ACCESSORIES

69271	CR 1/3N lithium batteries - 2 pk
69281	CR 1/3N lithium batteries - 12 pk



Model  
 #69290

Fits Glock® 17, Glock® 19,  
 Glock® 21



Model  
 #69291

Fits SA XD®, SA XD (M)®,  
 SA XD® MOD. 2®



Model  
 #69293

Fits S&W M&P®





## TLR-6® NON-LASER

Based on our popular ultra-compact TLR-6® weapon light. This non-laser weapon-mounted light features tool-less battery replacement without removal from the weapon. The light provides 1 hour of regulated runtime. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction; IPX4 water-resistant. 1 meter impact resistance tested.

### TLR-6 NON-LASER

**BATTERY:** [2] 3V CR-1/3 N lithium

**SIZE:\*** 2.30" x .85" x 1.42"  
(5.84 x 2.16 x 3.61 cm)

**WEIGHT:\*** 1.27 oz (36 g)

**COLOR:** Black

<b>LUMENS:</b>	100
<b>CANDELA:</b>	2,000
<b>DISTANCE:</b>	89m
<b>RUN TIME:</b>	1h

\*Size & Weight vary by model. Glock® 42/43 listed.



Model  
#69280

Fits Glock® 42& Glock® 43

69280	TLR-6 (Glock® 42/43) with lithium batteries-Black
69282	TLR-6 (Glock® 26/27/33) with lithium batteries-Black
69283	TLR-6 (S&W) with lithium batteries-Black


### ACCESSORIES

69271	CR 1/3N lithium batteries - 2 pk
69281	CR 1/3N lithium batteries - 12 pk





STREAMLIGHT  
SUB-COMPACT WEAPON-MOUNTED SERIES



**TLR-6**  
**FOR NON-RAIL 1911**



Model  
#69279  
Fits 1911

## TLR-6® FOR NON-RAIL 1911 HANDGUNS

Add the compact performance of the TLR-6 to many non-rail 1911 handguns including: KIMBER®, Colt®, Ruger® and Smith & Wesson®. The ultra-compact TLR-6® weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode.

### TLR-6 FOR NON-RAIL 1911

**BATTERY:** [2] 3V CR-1/3 N lithium

**SIZE:\*** 2.34" x .085" x 1.58"  
(5.94 x 2.16 x 4.01 cm)

**WEIGHT:** 1.27 OZ (36 g)

**COLOR:** Black

<b>LUMENS:</b>	100
<b>CANDELA:</b>	2,000
<b>DISTANCE:</b>	89m
<b>RUN TIME:</b>	1h

Laser mode: 11 hours of run time

69279	TLR-6 (1911) with lithium batteries-Black
69289	TLR-6 (1911) without Laser, with lithium batteries-Black

### ACCESSORIES

69271	CR 1/3N lithium batteries - 2 pk
69281	CR 1/3N lithium batteries - 12 pk

**DESIGNED TO SECURELY ATTACH TO THE TRIGGER GUARD OF NON-RAIL 1911 HANDGUNS.**



Model  
#69279  
Fits 1911



## TLR-6® COMPATIBILITY LIST FOR NON-RAIL 1911 HANDGUNS

### KIMBER®

Stainless Ultra Raptor II  
Custom CDP  
Pro CDP II  
Ultra Crimson Carry  
Custom TLE II  
Pro Carry II  
Pro Crimson Carry II

### COLT®

1911-A1  
1911 Commander  
Competition 1911 Government  
1991 A1 Government  
Gold Cup® National Match  
Delta Elite® 10mm  
1911 Lightweight Commander

### SIG SAUER®

1911 TacPac  
1911 C3®  
1911 Nitron®  
1911 Ultra Compact

### PARA® USA

Elite 1911  
Expert Commoner  
1911 LTC

### REMINGTON®

1911 R1S

### SMITH & WESSON®

SW 1911 Pro Series  
SW 1911 CT  
SW 1911 SC  
SW 1911

### SPRINGFIELD ARMORY®

1911 Range Officer®  
1911 Range Officer® Compact


### RUGER®

6700  
6702

All Rights Reserved. KIMBER®, Colt®, Ruger®, SIG SAUER®, Para® USA, Remington®, Smith & Wesson® and Springfield Armory® are registered trademarks of KIMBER®, Colt®, Ruger®, SIG SAUER®, Para® USA, Remington®, Smith & Wesson® and Springfield Armory®. Streamlight has not sought endorsements of the fore mentioned Corporations.



STREAMLIGHT  
SUB-COMPACT WEAPON-MOUNTED SERIES



STREAMLIGHT SUB-COMPACT LIGHTS

**FORGED FOR THE MOST  
EXTREME CONDITIONS.**



## TLR-3®

### WHITE LIGHT ILLUMINATOR

Lightweight and powerful, this super-bright light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes.

#### TLR-3

**BATTERY:** (1) 3V “CR2” lithium

**SIZE:** 2.71" x 1.18" x 1.51" (6.88 x 3.00 x 3.84 cm)

**WEIGHT:** 2.32 OZ (65.8 g)

**COLOR:** Black

69220	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69221	H&K USP Compact Model. Black.
69222	H&K USP Full-Size Model. Black.

<b>LUMENS:</b>	170
<b>CANDELA:</b>	3,300
<b>DISTANCE:</b>	115m
<b>RUN TIME:</b>	1h 30m



## TLR-4®

### WHITE LIGHT ILLUMINATOR // RED LASER

Designed for sub-compact and compact weapons, this white light illuminator features a red laser to guide your aim. Operates in extreme temperatures. IPX4 rated water-resistant.

#### TLR-4

**BATTERY:** (1) 3V “CR2” lithium

**SIZE:** 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)

**WEIGHT:** 2.81 OZ (79.7 g)

**COLOR:** Black

69240	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69241	H&K USP Compact Model. Black.
69242	H&K USP Full-Size Model. Black.

<b>LUMENS:</b>	170
<b>CANDELA:</b>	3,300
<b>DISTANCE:</b>	115m
<b>RUN TIME:</b>	1h 30m

Laser only mode: 15 hours of run time



## TLR-4® G

### WHITE LIGHT ILLUMINATOR // GREEN LASER

Extremely compact weapon-mounted light specifically designed for compact/sub-compact weapons, yet still fits a broad range of handguns. Produces a concentrated beam with optimum peripheral illumination. It includes a long-range green laser to help guide your aim. The laser operates through an extended temperature range. IPX4 rated water-resistant.

#### TLR-4 G

**BATTERY:** (1) 3V “CR2” lithium

**SIZE:** 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)

**WEIGHT:** 2.81 OZ (79.7 g)

**COLOR:** Black

69245	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69246	H&K USP Compact Model. Black.
69247	H&K USP Full-Size Model. Black.

<b>LUMENS:</b>	160
<b>CANDELA:</b>	3,200
<b>DISTANCE:</b>	113m
<b>RUN TIME:</b>	1h 45m LED Only
<b>RUN TIME:</b>	1h 15m LED + Laser

Laser only mode: 4 hours of run time



THE TLR™ RM 1 & TLR™ RM 2



**SLEEK**  
**NOT A SLEEK**



**The Next Generation of Rail-Mounted Lighting Systems for Long Guns**

- The 500 lumen TLR™ RM 1 and 1,000 lumen TLR™ RM 2
- Independently operating ambidextrous tail switch and remote pressure switch provide the security of knowing you'll always have light
- Compact, lightweight and designed to minimize projection off rail
- Complete lighting system with everything needed to mount to your long gun



## TLR™ RM 1 RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR

Lightweight & compact, the TLR™ RM 1 Weapon-Mounted Tactical Light features the latest in shock-proof LED technology for high lumen operation. It provides 1.5 hours of runtime with (1) CR123 lithium battery featuring 500 lumen output. This powerful beam provides extensive range, good peripheral coverage and a selectable strobe mode. Ergonomically friendly multi-function tactical tail switch. Remote switch input option (remote switch included with purchase). Securely attach/detach from any long gun with a MIL Standard 1913 Rail.

### TLR RM 1

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 3.20" x 1.27" x 1.18"  
(8.12 x 3.22 x 2.98 cm)

**WEIGHT:** 2.74 oz (77.9 g)

**COLOR:** Black

69440 Includes rail locating keys, tail cap switch, remote pressure switch, mounting clips and lithium battery - Box

69441 Light Only includes Key Kit - one CR123A lithium battery - Black



**NEW**

**[(STROBE)]**

Double tap either switch to activate

**LUMENS:** 500

**CANDELA:** 5,000

**DISTANCE:** 140m

**RUN TIME:** 1h 30m



**NEW**

**[(STROBE)]**

Double tap either switch to activate

**LUMENS:** 1,000

**CANDELA:** 10,000

**DISTANCE:** 200m

**RUN TIME:** 1h 30m



## TLR™ RM 2 RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR

Lightweight & compact, the TLR™ RM 2 Weapon-Mounted Tactical Light features the latest in shock-proof LED technology for high lumen operation. It provides 1.5 hours of runtime with (2) CR123 lithium batteries featuring 1,000 lumens output. This powerful beam provides extensive range, good peripheral coverage and a selectable strobe mode. Ergonomically friendly multi-function tactical tail switch. Remote switch input option (remote switch included with purchase). Securely attach/detach from any long gun with a MIL Standard 1913 Rail.

### TLR RM 2

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 4.55" x 1.27" x 1.18"  
(11.55 x 3.22 x 2.98 cm)

**WEIGHT:** 4.55 oz (129 g)

**COLOR:** Black

69450 Includes rail locating keys, tail cap switch, remote pressure switch, mounting clips and lithium batteries - Box

69451 Light Only includes Key Kit - two CR123A lithium batteries - Black

**STREAMLIGHT**  
**PROTAC WEAPON-MOUNTED SERIES**



**PROTAC® RAIL MOUNT 1**

This 350 lumen light features a dedicated fixed-mount for MIL-STD 1913 rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch, and can run on either a lithium battery or an easy-to-find alkaline battery. TEN-TAP® programming provides operator custom options.

**PROTAC RAIL MOUNT 1**

**BATTERY:** (1) 3V "CR123A" lithium or (1) "AA" Alkaline

**SIZE:** 4.25" x 1.50" x 1.20" (10.8 x 3.81 x 3.04 cm)

**WEIGHT:** 4.3 OZ (121.9 g) w/CR123 // 4.5 OZ (127.57 g) w/Alkaline

**COLOR:** Black

88058 (1) lithium & (1) "AA" Battery—Black



**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

**MULTI-FUEL DESIGN:**  
Runs on one "AA" alkaline or CR123A lithium battery — both included.

CR123	HIGH	LOW	ALKALINE	HIGH	LOW
<b>LUMENS:</b>	350	40	<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	12,000	1,380	<b>CANDELA:</b>	4,950	1,380
<b>DISTANCE:</b>	219m	19m	<b>DISTANCE:</b>	141m	19m
<b>RUN TIME:</b>	1h 45m	14h 30m	<b>RUN TIME:</b>	1h 30m	8h

Strobe runs 2.75 hours



**PROTAC® RAIL MOUNT 2**

This 625 lumen light features a dedicated fixed-mount for MIL-STD 1913 rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and easy-to-use pressure switch comes with a button for on/off for momentary activation. TEN-TAP® programming provides operator custom options.

**PROTAC RAIL MOUNT 2**

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 5.00" x 1.50" x 1.20" (12.7 x 3.81 x 3.04 cm)

**WEIGHT:** 5.00 OZ (141.7 g)

**COLOR:** Black

88059 (2) lithium batteries—Black

CR123	HIGH	LOW
<b>LUMENS:</b>	625	60
<b>CANDELA:</b>	22,000	2,000
<b>DISTANCE:</b>	297m	89m
<b>RUN TIME:</b>	2h	21h

Strobe runs 2.75 hours

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high





# MAKE THE BRIGHTEST TACTICAL DECISION

THE EXPANDED  
TL-RACKER® FAMILY



MOSSBERG 500®/590®



REMINGTON 870™



NEW 590® SHOCKWAVE MODEL



# TL-RACKER FOREND LIGHT

## THE ULTIMATE WEAPON LIGHT

### FOR COMBAT SHOTGUNS.

#### TL-RACKER®

The compact, lightweight all-in-one integrated shotgun forend light. Replace your weapon's forend with the TL-Racker featuring a bright 1,000 lumen LED light in a sleek design that eliminates the need for remote cords, reducing snag hazards. Its ergonomic design provides maximum grip and easy switch access for momentary and constant on. The elongated switch pad accommodates virtually any hand size. Uses (2) CR123A lithium batteries. The customized optic produces a concentrated beam for multiple applications. Ideal for shotgun breaching, close quarter operations or elevating home defense options. Models available for Mossberg 500®/590®/590® Shockwave and Remington 870™. Models available in Orange for Less-Lethal applications.

#### TL-RACKER

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 8.00" x 1.95" x 2.64" (15.24 x 4.95 x 6.70cm)

**MOSSBERG WEIGHT:** 10.78 OZ (305.6 g) with batteries

**REMINGTON WEIGHT:** 11.08 OZ (314.1 g) with batteries

**COLOR:** Black or Orange

69600	(2) lithium batteries, Mossberg 500/590, Black, Box
69601	(2) lithium batteries, Remington 870, Black, Box
69602	(2) lithium batteries, Mossberg Shockwave, Black, Box
69610	(2) lithium batteries, Mossberg, Orange, Box
69611	(2) lithium batteries, Remington 870, Orange, Box



Model #69610  
Fits Mossberg

Model #69601  
Fits Remington 870



<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1h 30m



Model #69611  
Fits Remington 870



Model #69600  
Fits Mossberg 500/590




Model #69602  
Fits Mossberg 590® Shockwave

# TACTICAL SERIES //


**TACTICAL LIGHTING SPECIALISTS**  
FROM EVERY DAY CARRY TO SPECIALIZED HANDS-FREE  
LIGHTING. STREAMLIGHT IS TACTICAL.

It takes more than a Matte Black or Flat Dark Earth finish to call yourself tactical at Streamlight. We build a complete series of lights dedicated to providing you with the optimal performance for the task at hand. Choose from a full family of ProTac and PolyTac lights with high-lumen and long runtime options and of course the most versatile military light in the world... the Sidewinder.





PROTAC HL® 5-X USB



POLYTAC® X USB



PROTAC® 1L-1AA



SIDEWINDER COMPACT® II

# SL-B26™ BATTERY PACK. THE BATTERY THAT REINVENTS RECHARGEABILITY.



## TURN YOUR HIGH-PERFORMANCE LIGHTS INTO RECHARGEABLE SYSTEMS.

You know how you make the best performing, brightest lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our SL-B26™ Protected Lithium Ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional charge cradle. Flexibility for however and wherever you use your light.

### SL-B26™ PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

**BATTERY CAPACITY:** 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack

**BATTERY SIZE:** 2.75" x .744" (.7 x 1.89cm)

**BATTERY WEIGHT:** 1.7 OZ (48 g)

**CRADLE SIZE:** 4.5" (11.4cm)

**CRADLE WEIGHT:** 2.4 OZ (68 g)


LED display for battery charge status.



Features integrated USB port.

Charge status LEDs:

Red = charging    Green = charged



**CHARGING**

**CHARGED**

USB Rechargeable 2600mAh SL-B26 Lithium Ion Battery — Charges in 5 hours.

22102	SL-B26 battery pack - 2 pack
22100	Li-Ion Charge Cradle
22010	Li-Ion Battery Pack Kit - USB Cord, (2) SL-B26 Battery Packs
22011	Li-Ion Battery Pack Kit - 120V AC, (2) SL-B26 Battery Packs
22070	40" (101 CM) USB Cord
22081	22" (55.88 CM) USB Cord



Charger temperature safety circuit prevents damage to batteries while charging.

## MULTI-FUEL LIGHTING SYSTEMS



Siegex X USB  
Pg. 45



Vantage®  
180 X USB  
Pg. 53



ProTac®  
HL-X USB  
Pg. 110



ProTac®  
90 X USB  
Pg. 120



PolyTac  
90 X USB  
Pg. 120



PolyTac®  
X USB  
Pg. 120



ProTac®  
2L-X USB  
Pg. 110



ProTac  
HL® 5-X USB  
Pg. 111

## ALSO WORKS WITH:

BATTERY SOLD SEPARATELY (NOT AVAILABLE AS SYSTEM)



ProTac® HL USB Headlamp  
Pg. 119



ProTac® HL USB  
Pg. 112



ProTac® HPL USB  
Pg. 112



ProTac HL® 4  
Pg. 111

# ORGANIZE, STORE AND CHARGE YOUR SL-B26 BATTERIES

## EIGHT-UNIT LI-ION BANK CHARGER

Charge up to eight batteries with Streamlight's lithium ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.

### BANK CHARGER

**BATTERY CAPACITY:** 8

**SIZE:** 10.45" x 4.74" x 1" (26.54 x 12.06 x 2.54 cm)

**WEIGHT WITH BATTERIES:** 7.6 oz (216 g)

**WEIGHT WITHOUT BATTERIES:** 20.88 oz (592 g)

20221	8-Unit Bank Charger - 120V AC
20220	8-Unit Bank Charger - 12V DC
20224	8-Unit Bank Charger w/SL-B26 battery packs - 120V AC
20223	8-Unit Bank Charger w/SL-B26 battery packs - 12V DC
44909	120V AC Cord
44923	12V DC Cord



**NFPA** Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position



120V AC Charge Cord



12V DC Charge Cord



**PROTAC® HL-X USB  
PROTAC® HL-X**

The ProTac HL-X is a 1,000 lumen tactical light that comes in 2 versions. The ProTac HL-X USB is a rechargeable system. It comes with our Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB charging port. The ProTac HL-X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IP68 rated; dust tight and waterproof to 2 meters.

**PROTAC HL-X USB / PROTAC HL-X**

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) 3V “CR123A” lithium

**SIZE:** 5.43" x 1.44" x 1.0" (13.8 x 3.7 x 2.54 cm)

**WEIGHT W/SL-B26:** 6.2 OZ (176 g)

**WEIGHT W/(2) CR123A:** 5.7 OZ (162 g)

**COLOR:** Black

HL-X USB (SL-B26)	HL-X (CR123A)	
88084	88064	Batteries, holster and wrist lanyard – Clam
88085	88065	Batteries, holster and wrist lanyard – Box
ACCESSORIES		
22102	SL-B26 battery pack - 2 pack	
22100	SL-B26 battery pack Charge Cradle	
22070	USB cord - 40"	
22081	USB cord - 22"	
88043	Nylon Holster	



**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



**MULTI-FUEL DESIGN:**

Runs on (1) SL-B26 battery pack or (2) CR123A

WITH SL-B26	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	27,100	10,000	1,600
<b>DISTANCE:</b>	330m	200m	80m
<b>RUN TIME:</b>	1h 30m	3h 30m	23h

Strobe runs 3.25 hours

WITH CR123A	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	27,100	10,000	1,600
<b>DISTANCE:</b>	330m	200m	80m
<b>RUN TIME:</b>	1h 15m	3h	20h

Strobe runs 2.5 hours

**PROTAC® 2L-X USB  
PROTAC® 2L-X**

The ProTac 2L-X is a 500 lumen light that comes in 2 versions. The ProTac 2L-X USB is a rechargeable system. It comes with our Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB charging port. The ProTac 2L-X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX7 waterproof to 1 meter for 30 minutes; 1 meter impact resistance tested.

**PROTAC 2L-X**

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) 3V “CR123A” lithium

**SIZE:** 5.14" x 1.06" x .94" (13.0 x 2.7 x 2.4 cm)

**WEIGHT W/SL-B26:** 4.4 OZ (125 g)

**WEIGHT W/(2) CR123A:** 3.9 OZ (111 g)

**COLOR:** Black

2L-X USB (SL-B26)	2L-X (CR123A)	
88082	88062	Batteries, holster and wrist lanyard – Clam
88083	88063	Batteries, holster and wrist lanyard – Box
ACCESSORIES		
22102	SL-B26 battery pack - 2 pack	
22100	SL-B26 battery pack Charge Cradle	
22070	USB cord - 40"	
22081	USB cord - 22"	
88036	Nylon Holster	



With [(STROBE)]  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

**MULTI-FUEL DESIGN:**

Runs on (1) SL-B26 battery pack or (2) CR123A

WITH SL-B26	HIGH	LOW
<b>LUMENS:</b>	500	40
<b>CANDELA:</b>	6,800	600
<b>DISTANCE:</b>	165m	49m
<b>RUN TIME:</b>	3h 15m	30h

Strobe runs 4.5 hours

WITH CR123A	HIGH	LOW
<b>LUMENS:</b>	500	40
<b>CANDELA:</b>	6,800	600
<b>DISTANCE:</b>	165m	49m
<b>RUN TIME:</b>	2h 45m	30h

Strobe runs 3.25 hours

## PROTAC HL®4

With 2,200 lumens of blinding light, the ProTac HL®4 is a super bright member of the ProTac® family. It offers the latest in power LED technology and three different user selectable programs. The output from the LED results in a super bright tactical light. The “sure grip rubber sleeve” and included lanyard ensures you’ll never lose your grip. IPX7 waterproof to 1 meter for 30 minutes; 1 meter impact resistance tested.

### PROTAC HL 4

**BATTERY:** (4) 3V “CR123A” lithium or (2) SL-B26 Li-Ion USB rechargeable battery pack

**SIZE:** 8.63" x 2.35" x 1.24" (21.92 x 5.97 x 3.15 cm)

**WEIGHT:** 17 oz (482 g)

**COLOR:** Black

88060 Lithium batteries and wrist lanyard— Black

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/med/high



**HL®** With **[(STROBE)]**  
Double tap switch to activate.

### MULTI-FUEL DESIGN:

Runs on (4) CR123 or (2) SL-B26 battery packs

WITH CR123	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,200	600	60
<b>CANDELA:</b>	30,000	8,300	800
<b>DISTANCE:</b>	346m	182m	56m
<b>RUN TIME:</b>	1h 30m	4h	40h

Strobe runs 2.5 hours

WITH SL-B26	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,200	600	60
<b>CANDELA:</b>	30,000	8,300	800
<b>DISTANCE:</b>	346m	182m	56m
<b>RUN TIME:</b>	1h 45m	4h 15m	43h

Strobe runs 3.5 hours

## PROTAC HL® 5-X USB PROTAC HL® 5-X

The ProTac HL 5-X is a 3,500 lumen tactical light that comes in 2 versions. The ProTac HL 5-X USB is a rechargeable system. It comes with our two Streamlight SL-B26™ protected Li-Ion USB rechargeable battery packs. The ProTac HL 5-X comes with four CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. The output from the LED results in one of the brightest tactical lights available. The “sure grip rubber sleeve” and included lanyard ensure you’ll never lose your grip.

### PROTAC HL 5-X USB / PROTAC HL 5-X

**BATTERY:** (2) SL-B26 Li-Ion USB rechargeable battery pack or (4) 3V “CR123A” lithium

**SIZE:** 9.53" x 2.35" x 1.24"  
(23.65 x 5.97 x 3.15 cm)

**WEIGHT W/SL-B26:** 1 lb 3.4 oz (550 g)

**WEIGHT W/(4) CR123A:** 1 lb 2.4 oz (522 g)

**COLOR:** Black

**HL 5-X USB HL 5-X**

**[SL-B26] [CR123A]**

88080 88074 Batteries, wrist lanyard — Clam

88081 88075 Batteries, wrist lanyard — Box

### ACCESSORIES

22082 USB “Y” cord - 22”

22070 USB cord - 40”

22081 USB cord - 22”

22100 SL-B26 Li-Ion Battery Pack Charge Cradle

22101 SL-B26 Battery Pack - 1 pack

22102 SL-B26 Battery Pack - 2 pack



**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

**HL®** With **[(STROBE)]**  
Double tap switch to activate.

### MULTI-FUEL DESIGN:

Runs on (2) SL-B26 Battery Packs or (4) CR123A batteries

WITH SL-B26	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	3,500	1,000	250
<b>CANDELA:</b>	51,000	14,100	3,620
<b>DISTANCE:</b>	452m	237m	120m
<b>RUN TIME:</b>	1h 15m	3h	11h 30m

Strobe runs 1.25 hours

WITH CR123A	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,500	1,000	250
<b>CANDELA:</b>	37,000	14,100	3,620
<b>DISTANCE:</b>	385m	237m	120m
<b>RUN TIME:</b>	1h 30m	2h 30m	10h 30m

Strobe runs 1.5 hours

# STREAMLIGHT PROTAC SERIES

## PROTAC® HPL USB

The Pro Tac HPL® USB is a versatile tactical light designed for down range applications, that can charge from multiple sources and use three battery types; Streamlight SL-B26 rechargeable lithium ion battery, two CR123A batteries, or lithium ion batteries. This light will charge from a laptop or most USB wall chargers. Multi-battery versatility means you can always use primary disposable cells to power the light when a charging source is not available. It features a tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX4 rated for water resistance.

### PROTAC HPL USB

**BATTERY:** Lithium-ion, Lithium-ion SL-B26 or [2] 3V "CR123A" lithium  
**SIZE:** 7.08" x 1.72" x 1.07" (18 x 4.38 x 2.7 cm)  
**WEIGHT:** 9.24 OZ (262 g) with Li-On battery  
**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	35,000	14,100	2,250
<b>DISTANCE:</b>	374m	237m	95m
<b>RUN TIME:</b>	1h 30m	3h	20h

Strobe runs 3 hours



With **[(STROBE)]**  
*Double tap switch to activate.*

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

Recharge by plugging into USB port or optional AC wall adapter

88076	USB Cord and holster—Black—Clam
88077	USB Cord and holster—Black—Box
88078	USB 120V/DC and holster—Black—Clam
<b>ACCESSORIES</b>	
22070	40" USB cord
88048	Nylon Holster

## PROTAC HL® USB

The ProTac HL USB is incredibly bright and features new multiple power source capability; Streamlight SL-B26 rechargeable lithium ion battery, two CR123A batteries, or lithium ion batteries. It recharges by connecting to a USB port, so it's easy to charge on the go. The anti-rattle battery compartment keeps batteries securely and quietly in place and doesn't need a battery carrier. TEN-TAP® programming lets you choose the selection of operating modes (high/strobe/low, high only or low/medium/high). IPX4 rated for water resistance.

### PROTAC HL USB

**BATTERY:** Lithium-ion, Lithium-ion SL-B26 or [2] 3V "CR123A" lithium  
**SIZE:** 6.50" x 1.23" x 1.07" (16.5 x 3.1 x 2.7 cm)  
**WEIGHT:** 7.2 OZ (204 g) with Li-On battery  
**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	380	65
<b>CANDELA:</b>	12,000	4,420	700
<b>DISTANCE:</b>	219m	133m	53m
<b>RUN TIME:</b>	1h 30m	3h 30m	23h

Strobe runs 1.5 hours



Recharge by plugging into USB port or optional AC wall adapter

With **[(STROBE)]**  
*Double tap switch to activate.*

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

88052	USB Cord and holster—Black
88054	USB 120V/DC and holster—Black

## EPU-5200™ PORTABLE USB CHARGER

We've made it easier than ever to keep your USB flashlights and mobile devices powered up and ready. You can clip the electronic power unit to a vest and take it anywhere. It's lightweight, yet rugged and durable to stand up to almost anything. And it's also a flashlight! IPX4 water-resistant with cover installed.

### EPU-5200

**BATTERY:** Lithium ion cell pack  
**SIZE:** 4.45" x 1.83" x 1.25" (11.3 x 4.7 x 3.2 cm)  
**WEIGHT:** 5.4 OZ (153 g)  
**COLOR:** Black

22600	with USB cord—Black
-------	---------------------

Take the power with you! Charge your light wherever you need to. (Light not included).

Charges most USB products with micro-USB input.

- 4+ full charges for Streamlight Stylus Pro® USB, Clipmate® USB and Double Clutch™ USB
- 2 full charges for Streamlight® ProTac HL® USB
- 1+ full charges for most smartphones and tablets





# PROTAC SERIES

## THE PERFECT BLEND OF PERFORMANCE + DURABILITY

### PROTAC HL®3

Put 1,100 lumens in the palm of your hands with a wide beam pattern that illuminates an entire area. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated waterproof to 1 meter/30 minutes. 1 meter impact-resistance tested. Includes rubber sleeve.

#### PROTAC HL 3

**BATTERY:** (3) 3V "CR123A" lithium

**SIZE:** 7.1" x 1.73" x 1.0" (18.03 x 4.39 x 2.54 cm)

**WEIGHT:** 9.3 oz (263 g)

**COLOR:** Black

	HIGH	LOW
<b>LUMENS:</b>	1,100	35
<b>CANDELA:</b>	36,000	1,200
<b>DISTANCE:</b>	379m	69m
<b>RUN TIME:</b>	2h	43h

Strobe runs 2 hours



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

88047 Lithium batteries and holster— Black

#### ACCESSORIES

88048 Nylon Holster

### PROTAC HL®

One of the brightest tactical personal carry lights of its size, with a far-reaching beam. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated waterproof to 1 meter/30 minutes. 1 meter impact-resistance tested.

#### PROTAC HL

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 5.4" x 1.375" x 1.0" (13.72 x 3.49 x 2.54 cm)

**WEIGHT:** 5.6 oz (158 g)

**COLOR:** Black

	HIGH	LOW
<b>LUMENS:</b>	750	35
<b>CANDELA:</b>	18,300	900
<b>DISTANCE:</b>	270m	60m
<b>RUN TIME:</b>	1h 15m	18h

Strobe runs 2.5 hours



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

88040 Lithium batteries and holster— Black

#### ACCESSORIES

88043 Nylon Holster



STREAMLIGHT  
PROTAC SERIES



**PROTAC VERSATILITY**  
**WHEREVER YOU NEED LIGHT**  
**AND HOWEVER YOU POWER IT.**



**NEW**

## PROTAC® 90 X USB PROTAC® 90 X

The MULTI-FUEL ProTac 90 X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

### PROTAC 90 X USB / PROTAC 90 X

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A

**SIZE:** 4.39" x 1.14" x .94" (11.1 x 2.9 x 2.4 cm)

**PROTAC 90 X USB WEIGHT:** 4.9 oz (139 g)

**PROTAC 90 X WEIGHT:** 4.4 oz (125 g)

**COLOR:** Black

88094 with CR123A lithium batteries and holster – Black

88095 with USB - SL-B26 battery pack and holster – Black

SEE PAGE 108  
FOR OUR SL-B26  
BATTERY PACK  
CHARGER KIT



## X USB MULTI-FUEL FLEXIBILITY

POWER UP WITH A STREAMLIGHT  
SL-B26 PROTECTED LI-ION USB  
RECHARGEABLE BATTERY PACK  
OR (2) CR123A LITHIUM BATTERIES



### MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A

WITH SL-B26	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	300	65
<b>CANDELA:</b>	7,350	2,060	450
<b>DISTANCE:</b>	171m	91m	42m
<b>RUN TIME:</b>	1h 45m	4h 45m	24h

Strobe runs 3.5 hours

WITH CR123A	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	300	65
<b>CANDELA:</b>	7,350	2,060	450
<b>DISTANCE:</b>	171m	91m	42m
<b>RUN TIME:</b>	2h 30m	4h	21h

Strobe runs 2.5 hours

**TEN-TAP®** programmable switch

allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

WITH CR123	HIGH	LOW
<b>LUMENS:</b>	300	40
<b>CANDELA:</b>	5,400	700
<b>DISTANCE:</b>	147m	53m
<b>RUN TIME:</b>	1h 45m	14h

Strobe runs 2.5 hours

WITH "AA" ALK.	HIGH	LOW
<b>LUMENS:</b>	125	40
<b>CANDELA:</b>	2,150	700
<b>DISTANCE:</b>	93m	53m
<b>RUN TIME:</b>	2h 45m	8h

Strobe runs 3.5 hours

WITH "AA" LITH.	HIGH	LOW
<b>LUMENS:</b>	125	40
<b>CANDELA:</b>	2,150	700
<b>DISTANCE:</b>	93m	53m
<b>RUN TIME:</b>	5h 30m	15h

Strobe runs 8 hours



With **[(STROBE)]**

Double tap switch to activate.

### MULTI-FUEL DESIGN:

Runs on (1) CR123A,  
(1) "AA" Alkaline or  
(1) "AA" Lithium battery

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

## PROTAC® 90

The ProTac® 90 is a super-bright, ultra-compact, right-angle tactical light featuring the convenience of multi-fuel technology. With its 90° head and a multi-function clip designed to fit MOLLE and other gear, the new light provides multiple wearing options for those requiring hands-free operation.

### PROTAC 90

**BATTERY:** (1) 3V "CR123A" lithium or (1) "AA" alkaline/lithium

**SIZE:** 3.78" x 1.05 x .86" (9.6 x 2.67 x 2.18 cm)

**WEIGHT W/CR123:** 2.8 oz (79 g)

**WEIGHT W/ALKALINE:** 3.1 oz (88 g)

**WEIGHT W/LITHIUM:** 2.7 oz (77 g)

**COLOR:** Black

88087 (1) CR123, (1) AA battery and holster—Black—Clam

88088 (1) CR123, (1) AA battery and holster—Black—Box



# THE PROTAC SERIES... **A COMPLETE** FOR ALL TYPES OF USES, FROM

## PROTAC® 2AA

Small enough to carry in a pocket, lightweight, yet extremely bright. TEN-TAP® programming for user selection of mode programs. IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

### PROTAC 2AA

**BATTERY:** (2) "AA" alkaline  
**SIZE:** 6.14" x .9" x .65" (15.60 x 2.29 x 1.65 cm)  
**WEIGHT:** 3.4 OZ (96 g)  
**COLOR:** Black or Coyote

### PROTAC® 2AA

88033 (2) alkaline batteries and holster — Black  
88072 (2) alkaline batteries and holster — Coyote

### ACCESSORIES

88038 Nylon Holster

	HIGH	LOW
<b>LUMENS:</b>	250	18
<b>CANDELA:</b>	4,250	400
<b>DISTANCE:</b>	130m	40m
<b>RUN TIME:</b>	2h	43h

Strobe runs 4 hours



With **[(STROBE)]**  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

## PROTAC® 1AAA

Compact and powerful, this ProTac® series flashlight offers three different user selectable programs and the latest in power LED technology. The combination of small size and output from the LED result in one of the brightest tactical personal carry lights for its size. Packaged with a removable pocket clip and holster. IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested.

### PROTAC 1AAA

**BATTERY:** (1) "AAA" alkaline or lithium  
**SIZE:** 3.94" x .71" x .57" (10.0 x 1.80 x 1.44 cm)  
**WEIGHT:** 1.3 OZ (37 g)  
**COLOR:** Black

### PROTAC® 1AAA

88049 (1) alkaline battery and holster — Black

### ACCESSORIES

72024 Lanyard

### MULTI-FUEL DESIGN:

Runs on (1) CR123 or (1) "AA" battery

LITHIUM	HIGH	LOW	ALKALINE	HIGH	LOW
<b>LUMENS:</b>	115	8	<b>LUMENS:</b>	115	8
<b>CANDELA:</b>	890	65	<b>CANDELA:</b>	890	65
<b>DISTANCE:</b>	60m	16m	<b>DISTANCE:</b>	60m	16m
<b>RUN TIME:</b>	2h 15m	23h	<b>RUN TIME:</b>	1h 45m	17h

Strobe runs 3.75 hours

Strobe runs 1.5 hours



With **[(STROBE)]**  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

# FAMILY OF LIGHTS

## EVERY DAY CARRY TO MEDICAL USE.

### PROTAC® 2AAA

Lightweight personal flashlight with three modes (high, low, and strobe), a removable pocket clip and a 13-hr. run time on low. IPX7 waterproof to 1 meter for 30 minutes. Maximum light output throughout battery life.

#### PROTAC 2AAA

**BATTERY:** [2] "AAA" alkaline

**SIZE:** 5.62" x .72" x .50" (14.27 x 1.83 x 1.27 cm)

**WEIGHT:** 2.0 OZ (57 g)

**COLOR:** Black

#### PROTAC® 2AAA

88039 [2] alkaline batteries – Black

#### ACCESSORIES

88045 Nylon Holster

	HIGH	LOW
<b>LUMENS:</b>	130	20
<b>CANDELA:</b>	1,230	230
<b>DISTANCE:</b>	70m	30m
<b>RUN TIME:</b>	1h 45m	13h

Strobe runs 3.5 hours



With **[(STROBE)]**  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

### PROTAC® EMS

Provides optimal non-glare light for pupil and wound examination. Long run time. Tempered glass lens for maximum beam clarity. IPX7-rated waterproof to 1 meter for 30 minutes. Maximum light output throughout battery life. Removable pocket clip.

#### PROTAC EMS

**BATTERY:** [1] "AA" alkaline or lithium

**SIZE:** 3.97" x .9" x .65" (10.08 x 2.29 x 1.65 cm)

**WEIGHT:** 2.3 OZ (65 g)

**COLOR:** EMS Blue

88034 [1] alkaline battery and holster – EMS Blue

#### ACCESSORIES

88037 Nylon Holster

	LOW	MED	HIGH
<b>LUMENS:</b>	3.6	10	50
<b>CANDELA:</b>	120	340	1,450
<b>DISTANCE:</b>	20m	36m	76m
<b>RUN TIME:</b>	36h	14h	1h 30m





## PROTAC® 1L-1AA

The ProTac® 1L-1AA is a perfect everyday carry light. This multi-fuel, ultra-compact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster. IPX7 waterproof to 1 meter for 30 minutes; 2 meter impact resistance tested.

### PROTAC 1L-1AA

**BATTERY:** (1) 3V "CR123A" lithium or 1"AA" alkaline/lithium

**SIZE:** 4.25" x .95" x .850" (10.8 x 2.41 x 2.16 cm)

**WEIGHT W/CR123:** 2.5 OZ (71 g)

**WEIGHT:** 2.8 OZ (79 g) Alkaline // 2.4 OZ (68 g) Lithium

**COLOR:** Black

### PROTAC® 1L-1AA

88061 (1) alkaline & lithium batteries and holster – Black

88073 (1) alkaline & lithium batteries and holster – Coyote

### ACCESSORIES

88037 Nylon Holster



With **[(STROBE)]**  
Double tap switch to activate.

### MULTI-FUEL DESIGN:

Runs on (1) CR123 or (1) "AA" battery

	HIGH	LOW
<b>LUMENS:</b>	350	40
<b>CANDELA:</b>	6,400	720
<b>DISTANCE:</b>	160m	53m
<b>RUN TIME:</b>	1h 30m	14h

Strobe runs 3 hours

WITH "AA" ALK.	HIGH	LOW
<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	2,750	720
<b>DISTANCE:</b>	105m	53m
<b>RUN TIME:</b>	1h 20m	7h 30m

Strobe runs 3.5 hours

WITH "AA" LITHIUM	HIGH	LOW
<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	2,750	720
<b>DISTANCE:</b>	105m	53m
<b>RUN TIME:</b>	4h 15m	14h

Strobe runs 8 hours

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

## PROTAC® 1L

Ultra-compact and lightweight, yet powerful, bright, with long run times and lots of important features. TEN-TAP® programming for user selection of mode programs (high, low, strobe). IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

### PROTAC 1L

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 3.43" x .9" x .77" (8.71 x 2.29 x 1.96 cm)

**WEIGHT:** 2.0 OZ (57 g)

**COLOR:** Black

### PROTAC® 1L

88030 (1) lithium batteries and holster – Black

### ACCESSORIES

88035 Nylon Holster

	HIGH	LOW
<b>LUMENS:</b>	275	22
<b>CANDELA:</b>	5,100	420
<b>DISTANCE:</b>	143m	41m
<b>RUN TIME:</b>	2h	24h

Strobe runs 3.5 hours



With **[(STROBE)]**  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

## PROTAC® 2L

The ProTac® 2L is compact and lightweight, yet powerful, bright, with long run times and lots of important features. TEN-TAP® programming for user selection of mode programs. IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

### PROTAC 2L

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 4.77" x .9" x .77" (12.12 x 2.29 x 1.96 cm)

**WEIGHT:** 2.8 OZ (79 g)

**COLOR:** Black

### PROTAC® 2L

88031 (2) lithium batteries and holster – Black

### ACCESSORIES

88036 Nylon Holster

	HIGH	LOW
<b>LUMENS:</b>	350	30
<b>CANDELA:</b>	6,300	600
<b>DISTANCE:</b>	159m	49m
<b>RUN TIME:</b>	3h 15m	35h

Strobe runs 6 hours



With **[(STROBE)]**  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

# THE PROTAC SERIES... **SMALLEST, LIGHTEST TACTICAL LIGHTS.**

## PROTAC HL® HEADLAMP

The perfect light for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. TEN-TAP® programming lets you choose the order of operating modes. IPX4 rated for water resistance. 1 meter impact-resistance tested. Maximum light output throughout battery life.

### PROTAC HL

**BATTERY:** [2] 3V "CR123A" lithium  
**SIZE:** 3.66" x 1.2" x 2.6" (9.30 x 3.05 x 6.60 cm)  
**WEIGHT:** 6.6 oz (187 g)  
**COLOR:** Black

61304 Lithium batteries—rubber and elastic straps—Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	635	105	20
<b>CANDELA:</b>	8,500	1,450	280
<b>DISTANCE:</b>	184m	76m	33m
<b>RUN TIME:</b>	1h 45m	8h	36h

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/medium/low (factory default)
- high only
- low/medium/high



## PROTAC HL® USB HEADLAMP

All the great features of the ProTac HL® headlamp with 1,000 lumens, USB rechargeability and Streamlight SL-B26 USB battery pack. TEN-TAP® programming lets you choose the order of operating modes. Includes diffuser lens for spot/flood functionality as well as interchangeable red and green lenses. IPX4 rated for water resistance. 1 meter impact-resistance tested. Maximum light output throughout battery life. Includes red and green lenses. The Lithium Ion rechargeable battery is the only rechargeable battery that can be recharged while in the headlamp.

### PROTAC HL USB

**BATTERY:** Uses rechargeable lithium ion battery (included); also accepts a Streamlight SL-B26 battery pack  
**SIZE:** 4.03" x 1.20" x 3.12" (10.23 x 3.05 x 7.92 cm)  
**WEIGHT:** 8.1 oz (230 g)  
**COLOR:** Black

61305 ProTac HL USB Headlamp—Black

61306 ProTac HL USB Headlamp 120V AC—Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	13,500	5,400	900
<b>DISTANCE:</b>	232m	147m	60m
<b>RUN TIME:</b>	1h 30m	2h 45m	20h

**MULTI-FUEL DESIGN:**  
 Uses the same battery (#74175) as the Strion®; also accepts SL-B26 Li-Ion USB rechargeable battery pack



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/medium/low (factory default)
- high only
- low/medium/high

# STREAMLIGHT POLYTAC SERIES



## POLYTAC® X USB POLYTAC® X

This 600 lumen tactical light that comes in 2 versions. The PolyTac X USB is a rechargeable system with our SL-B26 USB battery with integrated USB charging port or the PolyTac X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and can't be charged. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7 rated waterproof to 1 meter/30 minutes. Maximum light output throughout battery life.

### POLYTAC X USB / POLYTAC X

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) 3V "CR123A" lithium

**SIZE:** 5.46" x 1.25" x 1.00"  
(13.97 x 3.43 x 2.54 cm)

**WEIGHT W/SL-B26:** 4.9 oz (139 g)

**WEIGHT W/[2] CR123A:** 4.4 oz (125 g)

**COLOR:** Black, Yellow or Coyote

POLYTAC X USB	POLYTAC X	
88610	88600	Batteries – Black – Clam
88611	88601	Batteries – Yellow – Clam
88612	88602	Batteries – Coyote – Clam
88613	88603	Batteries – Black – Box
88614	88604	Batteries – Yellow – Box
88615	88605	Batteries – Coyote – Box

## POLYTAC 90® X USB POLYTAC 90® X

Flexible, rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Durable construction plus a switch with built in battery life indicator will let you know when it is time to recharge your battery or replace them giving you the confidence to stay focused on the task at hand. The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123 batteries.

### POLYTAC 90 X USB

**BATTERY:** (1) SL-B26 battery pack

**SIZE:** 5.22" x 1.25" x 1"  
(13.3 x 3.18 x 2.54 cm)

**WEIGHT:** 4.8 oz (136 g)

**COLOR:** Orange, Yellow or Black

### POLYTAC 90 X

**BATTERY:** (2) 3V CR123A lithium

**SIZE:** 5.22" x 1.25" x 1"  
(13.3 x 3.18 x 2.54 cm)

**WEIGHT:** 4.3 oz (122 g)

**COLOR:** Orange, Yellow or Black

YELLOW	ORANGE	BLACK	
88836	88838	88835	90 X USB with SL-B26 battery
–	88837	–	90 X USB w/SL-B26 & Gear Keeper
88831	88834	88830	90 X with lithium batteries
–	88832	–	90 X w/lithium batteries & Gear Keeper

### MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,485	4,930	675
<b>DISTANCE:</b>	205m	135m	50m
<b>RUN TIME: [SL-B26]</b>	3h 30m	5h 45m	36h
<b>RUN TIME: [CR123]</b>	2h 45m	5h 30m	34h

SL-B26: Strobe runs 8 hours

CR123A: Strobe runs 5.5 hours

With **[(STROBE)]**

Double tap switch to activate.



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

**NFPA** Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



## X USB MULTI-FUEL FLEXIBILITY

POWER UP WITH A  
STREAMLIGHT SL-B26  
PROTECTED LI-ION  
USB RECHARGEABLE  
BATTERY PACK  
OR (2) CR123A LITHIUM  
BATTERIES

### MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,485	4,930	675
<b>DISTANCE:</b>	205m	135m	50m
<b>RUN TIME: [SL-B26]</b>	3h 30m	5h 45m	36h
<b>RUN TIME: [CR123]</b>	2h 45m	5h 30m	34h


SL-B26: Strobe runs 8 hours

CR123A: Strobe runs 5.5 hours



**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



With **[(STROBE)]**  
Double tap switch to activate.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,500	4,900	675
<b>DISTANCE:</b>	214m	140m	52m
<b>RUN TIME:</b>	2h 45m	5h 30m	34h

Strobe runs 5.5 hours



**Helmet Lighting Kit**

## POLYTAC®

Rugged housing, superior brightness and extended run times make the PolyTac ideal for the broadest range of lighting applications at the best value. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7 rated waterproof to 1 meter/30 minutes. Maximum light output throughout battery life.

### POLYTAC

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 5.34" x 1.25" x 1"  
(13.56 x 3.45 x 2.54 cm)

**WEIGHT:** 4.2 oz (121 g)

**COLOR:** Black, Coyote or Yellow

### NFPA

Meets requirements of  
NFPA 1971-8.6 (2013)

88850	Lithium batteries – Black
88851	Lithium batteries – Coyote
88853	Lithium batteries – Yellow
88854	Helmet Kit—Yellow PolyTac, rubber strap & helmet mount

## POLYTAC® HP

Super-bright with a long-range beam – ideal for lighting the way to the end of a dark alley, down a wooded path, inspecting utility lines from the ground, or conducting search and rescue missions. Virtually indestructible housing. Features a superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7 rated waterproof to 1 meter/30 minutes. Maximum light output throughout battery life.

### POLYTAC HP

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 5.90" x 1.68" x 1"  
(14.98 x 4.26 x 2.54 cm)

**WEIGHT:** 5.2 oz (148 g)

**COLOR:** Black, Coyote or Yellow

88860	Lithium batteries – Black
88861	Lithium batteries – Coyote
88863	Lithium batteries – Yellow

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



With **[(STROBE)]**  
Double tap switch to activate.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	22,000	9,500	1,300
<b>DISTANCE:</b>	297m	195m	72m
<b>RUN TIME:</b>	2h 45m	5h 30m	34h

Strobe runs 5.5 hours

## POLYTAC ACCESSORIES



	Rubber Helmet Strap	Holster	Red Flip Lens	Green Flip Lens	Blue Flip Lens	Infrared Lens	Helmet Mount	SL-B26 Battery Packs	CR123A Batteries
PolyTac	99075	85909	85115	85117	85116	74039	68085	—	
PolyTac HP	99075	88051	—	—	—	—	68085	—	
PolyTac X	99075	85905	85115	85117	85116	74039	—	See p. 108 for SL-B26 Battery Pack information	2 Pk. 85175 6 Pk. 85180 12 Pk. 85177 400 Pk. 85179
PolyTac X USB	99075	85905	85115	85117	85116	74039	—		

**STREAMLIGHT**  
**TACTICAL HAND-HELD SERIES**

WHEN IT COMES TO HAND-HELD TACTICALS...  
**THE BRIGHTEST**  
**LIGHT CONTROLS**  
**THE FIGHT.**



**SUPER TAC® X**

Super bright with high, low and strobe modes. Far-reaching beam is ideal for long-range target acquisition. Unbreakable, scratch-resistant lens. IPX4 rated for water resistance. 2 meter impact-resistance tested. Openings O-ring sealed. Regulated intensity throughout battery life.

**SUPER TAC X**

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 6.62" x 2.2" x .9"  
(16.81 x 5.59 x 2.29 cm)

**WEIGHT:** 7.1 oz (201 g)

**COLOR:** Black

88708	Holster and lithium batteries. Boxed. Black.
88709	Lithium batteries. Clam packaged. Black.
88710	Super Tac Kit: Vert. grip with mount. Boxed. Black.

	HIGH	LOW
<b>LUMENS:</b>	200	10
<b>CANDELA:</b>	40,000	2,000
<b>DISTANCE:</b>	400m	89m
<b>RUN TIME:</b>	2h 30m	50h

Strobe runs 6 hours



Suitable for weapon-mount.

With **[(STROBE)]**

Double tap switch to activate.

Super Tac Kit. Includes vertical grip with rail and low profile mount.

**TL-2® X**

Pierces the darkness and shines for hours. Produces a smooth beam with optimum peripheral illumination to aid in navigation. High and low modes plus strobe. Includes belt/pocket clip. IPX4 -rated for water-resistance. 3 meter impact-resistance tested. Maximum light output throughout battery life.

**TL-2 X**

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 5.25" x 1.25" x .9"  
(13.33 x 3.18 x 2.29 cm)

**WEIGHT:** 4.7 oz (133 g)

**COLOR:** Black

88119	Lithium batteries. Black.
-------	---------------------------

	HIGH	LOW
<b>LUMENS:</b>	200	10
<b>CANDELA:</b>	11,000	550
<b>DISTANCE:</b>	210m	47m
<b>RUN TIME:</b>	2h 30m	50h

Strobe runs 6 hours



Suitable for weapon-mount.

With **[(STROBE)]**

Double tap switch to activate.



	Remote Switch Retaining Clips	12 Ga. Mag Tube	Rail Mount	Amb. Vert Grip w/Rail	AR15/M16 Adapter	Low Profile Mount	Remote Switch w/Coil Cord*	Remote Switch w/8" Cord*
Super Tac X	88178	69903	69100	69114	69902	88118	88186	88185
TL-2 X	88178	69903	69100	69114	69902	88118	88186	88185
NightFighter X	—	—	—	—	—	—	*Fits TangoDown Rail Covers (includes two screws, tie wrap, double stick tape and retaining clips)	
Scorpion X	—	—	—	—	—	—		

## SCORPION® HL

The only tactical light with a rubberized grip and tail switch is a water-resistant, high lumen flashlight! It has 725 lumens of blinding light, and TEN-TAP® programming.

### SCORPION HL

**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 5.46" x 1.375" x .96"  
(13.87 x 3.49 x 2.44 cm)

**WEIGHT:** 4.8 oz (136 g)

**COLOR:** Black

85400 Lithium batteries. Black.

	HIGH	LOW
<b>LUMENS:</b>	725	35
<b>CANDELA:</b>	18,500	950
<b>RUN TIME:</b>	1h 15m	18h

Strobe runs 2.5 hours

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

**HL**® With **[(STROBE)]**  
Double tap switch to activate.



## SCORPION® X

Full-featured tactical light with high, low and strobe modes and a rubberized housing for secure grip. IPX4 rated for water-resistance. Unbreakable, scratch-resistant lens. 3 meter impact-resistance tested. Maximum light output throughout battery life.

### SCORPION X

**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 5.6" x 1.25" x .94"  
(14.22 x 3.18 x 2.39 cm)

**WEIGHT:** 5.3 oz (142 g)

**COLOR:** Black

85011 Lithium batteries. Black.

	HIGH	LOW
<b>LUMENS:</b>	200	10
<b>CANDELA:</b>	11,000	550
<b>DISTANCE:</b>	210m	47m
<b>RUN TIME:</b>	2h 30m	50h

Strobe runs 6 hours

With **[(STROBE)]**  
Double tap switch to activate.



## NIGHTFIGHTER® X

The brightest light in the ultra-light Nightfighter series. Unique adjustable ring for one-handed operation. Features high, low and strobe modes. IPX4 rated for water-resistance. 3 meter impact-resistance tested. Maximum light output throughout battery life.

### NIGHTFIGHTER X

**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 5.4" x 1.25" x .88"  
(13.72 x 3.18 x 2.24 cm)

**WEIGHT:** 5.2 oz (147 g)

**COLOR:** Black

88008 Lithium batteries. Black.

	HIGH	LOW
<b>LUMENS:</b>	200	10
<b>CANDELA:</b>	11,000	550
<b>DISTANCE:</b>	210m	47m
<b>RUN TIME:</b>	2h 30m	50h

Strobe runs 6 hours

With **[(STROBE)]**  
Double tap switch to activate.



The fully adjustable ring – unique to the NightFighter X – adjusts to any hand size, providing a sure grip for one-handed operation.



## TACTICAL ACCESSORIES

	Nylon Holster	Tactical Holster	Red Flip Lens	Green Flip Lens	Blue Flip Lens	IR Flip Lens	CR123A Batteries
Super Tac X	75910	88051	–	–	–	–	2 Pk. 85175 6 Pk. 85180
TL-2 X	–	–	85115	85117	85116	74039	12 Pk. 85177
NightFighter X	–	–	85115	85117	85116	74039	400 Pk. 85179
Scorpion X	85905	–	85115	85117	85116	74039	





STREAMLIGHT  
SIDEWINDER SERIES



**SIDEWINDER...**  
**THE MOST VERSATILE**  
**MILITARY LIGHT IN THE WORLD.**



## SIDEWINDER®

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7 rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

### SIDEWINDER

**BATTERY:** [2] "AA" alkaline or [2] "AA" lithium for extended operation in extreme temperatures [-40° F to +150° F]  
**SIZE:** 2.34" x 1.08" x 4.65" (5.94 x 2.74 x 11.81 cm)  
**LITHIUM WEIGHT:** 4.38 OZ (124 g)  
**ALKALINE WEIGHT:** 5.02 OZ (142 g)  
**COLOR:** Coyote

#### Military Model (White, Red, Blue, IR LEDs)

14000 Alkaline — Clam packaged. Coyote.  
 14032 Alkaline — Boxed. Coyote.  
 14027 Alkaline — with Helmet Mount. Clam packaged. Coyote.  
 14031 Alkaline — with E-mount. Clam packaged. Coyote.

#### Aviation Model (White, Green, Blue, IR LEDs)

14008 Alkaline — Clam packaged. Coyote.  
 14024 Alkaline — with MOLLE retainer. Boxed. Coyote.



WHITE LED	HIGH
<b>LUMENS:</b>	55
<b>CANDELA:</b>	1,175
<b>DISTANCE:</b>	69m
<b>RUN TIME:</b>	5h 30m

## SIDEWINDER® RESCUE

PM AIR WARRIOR APPROVED

A lightweight hands-free lighting tool with four different color LEDs, each with varying intensities for a wide variety of tasks. It features a flashing beacon that coupled with the "Slide-in-Place" diffuser, projects omni-directional light to signal for help. The integrated diffuser allows you to go from tight, focused beam to wide, soft beam. Accepts either two "AA" alkaline batteries or two "AA" lithium batteries for maximum versatility in the field. IPX7 waterproof to 1 meter for 30 minutes.

### SIDEWINDER RESCUE

**BATTERY:** [2] "AA" alkaline or [2] "AA" lithium for extended operation in extreme temperatures [-40° F to +150° F]  
**SIZE:** 2.34" x 1.08" x 4.65" (5.94 x 2.74 x 11.81 cm)  
**LITHIUM WEIGHT:** 4.38 OZ (124 g)  
**ALKALINE WEIGHT:** 5.02 OZ (142 g)  
**COLOR:** Coyote

#### Rescue Model (White, Green, Blue, IR LEDs)

14065 Kit Includes MOLLE retainer, paracord and alkaline batteries. Boxed  
 14069 Kit Includes MOLLE retainer, paracord and alkaline batteries. Clam  
 14066 Alkaline — Light only. Boxed  
 14067 Alkaline — Light only. Clam  
 14068 Alkaline — Includes E-Mount. Boxed

SIDEWINDER® LIGHT OUTPUT & BATTERY RUN TIME						
LED	Light Output	Low 5% Output	Medium 1 25% Output	Medium 2 60% Output	High 100% Output	Strobe 100% Output
White	55 Lumens	100 Hrs+	45 Hrs	11 Hrs	5.5 Hrs	10 Hrs
IR	25mW/sr [min] radiant intensity	200 Hrs+	140 Hrs	60 Hrs	24 Hrs	40 Hrs
Red	1 Lumens	200 Hrs+	140 Hrs	60 Hrs	24 Hrs	40 Hrs
Blue	1.8 Lumens	150 Hrs+	100 Hrs	35 Hrs	16 Hrs	30 Hrs
Green	4.5 Lumens	150 Hrs+	100 Hrs	35 Hrs	16 Hrs	30 Hrs

All run time to 10% of initial output level. Illumination output electronically regulated.



"Slide-in-Place" diffuser can be used with any LED color for omni-directional light

Aluminum plate provides flat surface to adhere Velcro® for attaching to helmet

Cord attachment for para-cord lanyard, which provides extra security from loss of light and allows it to be worn around the neck

Securely attaches to MOLLE or other straps using MOLLE retainer

**STREAMLIGHT**  
**SIDEWINDER SERIES**



**SIDEWINDER COMPACT® II**

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Entire body rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7 rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

**SIDEWINDER COMPACT II**

**MULTIPLE POWER SOURCES:**

[1] "CR123A" lithium, or [1] "AA" Alkaline, or [1] "AA" lithium

**SIZE:** 3" x 1.07" x 2.04" (7.62 x 2.72 x 5.21 cm)

**WEIGHT:** 2.4 oz (69 g) // 3.3 oz (94 g) w/Helmet Mount

**COLOR:** Coyote

**Military Model (White, Red, Blue, IR LEDs)**

- 14516 Light only. Boxed.
- 14510 Helmet Mount. Boxed.
- 14512 Helmet Mount and Elastic Headstrap. Clam.
- 14513 E-Mount. Clam packaged.
- 14514 Helmet Mount and Elastic Headstrap. Boxed.
- 14515 Green, Blue, IR LEDs with Night Vision Goggle Mount. Boxed.
- 14518 Helmet and Rail Mount.

**Aviation Model (White, Green, Blue, IR LEDs)**

- 14531 Rail Mount and Elastic Headstrap.
- 14532 Helmet Mount and Elastic Headstrap, AA Battery. Boxed.
- 14533 Night Vision Goggle Mount. Boxed.



Operates on a AA Alkaline, AA Lithium or CR123A Lithium battery

**Military Model**

- White LED
- Blue LED
- IR/IFF LED
- Red LED

	HIGH W/CR123 LITHIUM	HIGH W/"AA" LITHIUM	HIGH W/"AA" ALKALINE
--	----------------------	---------------------	----------------------

<b>LUMENS:</b>	55	47	47
<b>CANDELA:</b>	1,175	1,000	1,000
<b>DISTANCE:</b>	69m	63m	63m
<b>RUN TIME:</b>	6h	6h	2h



NVG Mount - Aviation



**Aviation Model**

- White LED
- Blue LED
- IR/IFF LED
- Green LED



## SIDEWINDER® BOOT

The Sidewinder Boot is the new standard light for boot camp, recruit/basic training and wherever extra military instruction occurs. It's a durable hands-free task light that features a high-impact, super-tough, polymer case that offers exceptional durability and weather resistance. It's IPX7 rated and 1M drop tested and includes an integrated red filter that slides into place when needed.

### SIDEWINDER BOOT

**BATTERY:** [2] "AA" Alkaline

**SIZE:** 1.86" x 0.96" x 4.29" (4.72 x 2.44 x 10.9 cm)

**WEIGHT:** 3.52 oz (100 g) w/alkaline batteries

**COLOR:** Coyote

14975 Includes two "AA" batteries - coyote



	HIGH	LOW
<b>LUMENS:</b>	55	7
<b>CANDELA:</b>	1,000	140
<b>DISTANCE:</b>	63m	24m
<b>RUN TIME:</b>	8h	90h

Durable Belt/  
Clothing clip with  
integral helmet  
mount features.

## SIDEWINDER ACCESSORIES

	Sidewinder	Sidewinder Compact II	Sidewinder Boot
<b>Helmet Mount</b> 	14055	14055	14055
<b>Rail Mount for Helmet</b> 	14057	14057	14057
NSN-8470-01-633-3996			
<b>Night Vision Goggle Mount -Tactical</b> 	14155	14155	14155
<b>Night Vision Goggle Mount -Aviation</b> 	14135	14135	14135
NSN-5340-01-641-3916			
<b>Safety Wand - Glow in the dark</b> 	14902	14902	—
<b>Elastic Headstrap</b> 	—	14059	14059
<b>E-Mount [ACH, ECH, MICH, LWH compatible]</b> 	14136	14136	14136
NSN-5340-01-641-3930			
<b>E-Mount Access. Kit [Includes E-Mount, MOLLE Retainer and paracord]</b> 	14137	14137	14137
<b>Paracord</b> 	14138	14138	14138
<b>Sidewinder Rescue Access. Kit [Includes MOLLE Retainer and paracord]</b> 	14139	14139	14139
<b>Helmet Mount Kit-Coyote Helmet Mount, Headstrap, and MOLLE plate</b> 	14112	14112	14112
<b>Rail Mount Kit-Coyote Rail Mount, Headstrap and MOLLE plate</b> 	14113	14113	14113
<b>CR123 Batteries</b> 	2 Pk. 85175 6 Pk. 85180 12 Pk. 85177 400 Pk. 85179		—

# HEADLAMP SERIES //

**HANDS-FREE LIGHTING SPECIALISTS**  
BECAUSE WORK IS TOUGH ENOUGH WITHOUT  
HAVING TO WORRY ABOUT YOUR LIGHTING.

Streamlight headlamps are available in a complete line suited to fill the needs of everyone from heavy industrial use to casual hiker. We build features into our lights that help you light your way exactly how and where you need. Spot beams for distance or flood beams for area lighting, and USB or multi-fuel options allowing you to chose the perfect light for your needs.

ProTac HL® USB



ENDURO® PRO HAZ-LO®



BANDIT®



# STREAMLIGHT THE WIDEST RANGE OF HANDS-FREE LIGHTS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the weekend hiker needing a little extra light to setup the tent at the end of a long day on the trail. Our choices of beam types, light output and runtime ensures you'll be able to find exactly the light you need.

## RECHARGEABLE MODELS

### LISTED BY TYPE


#### SPOT / FLOOD MODELS

**KEY ATTRIBUTES:**  
Multi-Function  
Task Lighting  
General Use  
Multi-Purpose




#### FLOOD MODELS

**KEY ATTRIBUTES:**  
Arm's Length  
Task Lighting  
Wide, Smooth Light



#### SPOT MODELS

**KEY ATTRIBUTES:**  
Down Range  
Long Distance



ENDURO® PRO USB



USB HAZ-LO® HEADLAMP



TWIN-TASK® USB



DOUBLE CLUTCH™ USB



BANDIT® PRO



BANDIT®



PROTAC HL® USB



QB®

### LISTED BY FEATURE

#### SPECIALTY / COLOR LEDs

##### MODELS

**KEY ATTRIBUTES:**  
Preserve Night Vision  
Won't Spook Game



BANDIT® — COYOTE  
WHITE/RED LED



BANDIT® — COYOTE  
WHITE/GREEN LED



## NON-RECHARGEABLE MODELS



ENDURO® PRO HAZ-LO®

ENDURO® PRO

DOUBLE CLUTCH™ ALKALINE

TWIN-TASK® 3AA

TRIDENT®

TRIDENT® HAZ-LO®



SEPTOR®

SEPTOR® HAZ-LO®

PROTAC HL®



ARGO®

ARGO® HAZ-LO®

3AA HAZ-LO®

ENDURO®



ENDURO® PRO — COYOTE  
WHITE/GREEN LED

ENDURO® PRO  
WHITE/RED LED

GREEN TRIDENT®

BUCKMASTERS® TRIDENT®

# STREAMLIGHT HEADLAMP SERIES



## BANDIT®

This USB COB headlamp is an ultra lightweight, weather resistant, personal area/work light featuring a large button for easy actuation, and a Lithium Polymer rechargeable battery. A rubber plug keeps dirt and debris out of the micro USB charging port. It includes a handy snap in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband. High, Low and Emergency flash modes on Yellow, Black, Red and Blue models.

### BANDIT

**BATTERY:** Lithium Polymer Rechargeable

**SIZE:** 2.7" x 1.13" x .75" (6.85 x 2.87 x 1.9 cm)

**WEIGHT:** 1.3 oz (36.8 g)

**COLOR:** Yellow, Black, Red, Blue or Coyote

61700	w/Headstrap and USB cord— Yellow
61702	w/Headstrap and USB cord— Black
61704	w/Headstrap and USB cord— Blue
61705	w/Headstrap and USB cord— Red
61706	w/Headstrap and USB cord— Coyote / Red LED — Clam
61707	w/Headstrap and USB cord— Coyote / Green LED — Clam

**Yellow, Black, Red & Blue Models: White LED**



WHITE LED	HIGH	LOW
<b>LUMENS:</b>	180	35
<b>RUN TIME:</b>	2h	9h 30m

Yellow, Black, Red & Blue models:  
Emergency flash on high



Includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

RED LED	HIGH	LOW
<b>LUMENS:</b>	45	10
<b>RUN TIME:</b>	2h 30m	10h

GREEN LED	HIGH	LOW
<b>LUMENS:</b>	135	25
<b>RUN TIME:</b>	3h	13h 30m

**Coyote Models: White/Red LED  
White/Green LED**



	HIGH	LOW
<b>LUMENS:</b>	180	35
<b>RUN TIME:</b>	2h	9h 30m

Includes a rubber head strap that ensures a non-slip grip for hard hats and 3M® Dual Lock® reclosable fasteners.



## BANDIT® INDUSTRIAL

All the great features of the Bandit® USB headlamp in an industrial-specific package. Includes elastic strap, rubber hard hat strap and 3M® Dual Lock® Fasteners for strapless mounting to a hard hat.

### BANDIT INDUSTRIAL

**BATTERY:** Lithium Polymer Rechargeable

**SIZE:** 2.7" x 1.13" x .75" (6.85 x 2.87 x 1.9 cm)

**WEIGHT:** 1.3 oz (36.8 g)

**COLOR:** Yellow

61703	with elastic headstrap, rubber hard hat strap, 3M® Dual Lock® reclosable fasteners, and USB cord— Yellow
-------	--

3M® and Dual Lock® are registered Trademarks of the 3M Company.



# THE BANDIT FAMILY OF HEADLAMPS ULTRA-COMPACT AND ULTRA-COMPLETE. USED AT THE CAMPGROUND OR THE PROVING GROUND.

## BANDIT® PRO BANDIT® PRO INDUSTRIAL

The Bandit® Pro USB headlamp builds on the favorite Bandit® COB headlamp with the added benefits of an extended runtime and a low runtime battery function. It includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

### BANDIT PRO / BANDIT PRO INDUSTRIAL

**BATTERY:** Lithium Polymer Rechargeable

**SIZE:** 2.7" x 1.13" x .97" (6.85 x 2.87 x 2.46 cm)

**WEIGHT:** 1.6 oz (45.4 g)

**COLOR:** Yellow or Black

61711	USB cord, hat clip and elastic headstrap - Box - Yellow
61710	USB cord, hat clip and elastic headstrap - Clam - Yellow
61714	USB cord, hat clip and elastic headstrap - Clam - Black
61715	USB cord, hat clip and elastic headstrap - Box - Black
61716	Industrial Model with elastic headstrap, rubber hard hat strap, 3M® Dual Lock® reclosable fasteners, and USB cord - Box - Yellow



Multi-function push-button switch with charge indicator - shines red when charging, green when charged



	HIGH	LOW
<b>LUMENS:</b>	180	35
<b>RUN TIME:</b>	4h 30m	21h



Includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

Includes a rubber head strap that ensures a non-slip grip for hard hats and 3M® Dual Lock® reclosable fasteners



## QB®

This ultralight weight, weather resistant, personal work light featuring a large button for easy actuation, and a Lithium Polymer rechargeable battery. It includes a handy hat clip built right into the saddle, to clip the light on the brim of a baseball cap for added versatility. The adjustable nylon headband has a nonslip inner surface to allow for easy hard hat mounting.

### QB

**BATTERY:** Lithium Polymer Rechargeable

**SIZE:** 1.57" x 1.44" x 1.4" (4.0 x 3.66 x 3.55 cm)

**WEIGHT:** 1.5 oz (42.5 g)

**COLOR:** Yellow or Black

61431	USB cord, hat clip and elastic headstrap - Box - Yellow
61430	USB cord, hat clip and elastic headstrap - Clam - Yellow
61432	USB cord, hat clip and elastic headstrap - Clam - Black
61433	USB cord, hat clip and elastic headstrap - Box - Black



Multi-function push-button switch with charge indicator - shines red when charging, green when charged



It includes a handy hat clip built right into the saddle, to clip the light on the brim of a baseball cap for added versatility.

	HIGH	LOW
<b>LUMENS:</b>	200	95
<b>CANDELA:</b>	1,800	750
<b>DISTANCE:</b>	85m	55m
<b>RUN TIME:</b>	2h	4h



**ENDURO PRO HEADLAMPS ARE JUST LIKE YOU. THEY PUT THEIR HEAD DOWN AND GET TO WORK.**

**ENDURO® PRO USB**

Save money over the cost of standard batteries with the Enduro Pro USB rechargeable headlamp. You'll always have the light you need with Spot and Flood beams, each with high, medium and low modes. Spot gives you a bright, focused beam and Flood gives you soft, area illumination that won't tire your eyes on a long job.

**ENDURO PRO USB**

- BATTERY:** Lithium polymer cell
- SIZE:** 1.85" x 2.19" x 1.7" (4.70 x 5.56 x 4.32 cm)
- WEIGHT:** 3.6 OZ (102 g)
- COLOR:** Black with Yellow Fascia

61435	USB cord, elastic headstrap—box
61436	USB cord, elastic headstrap, rubber hard hat strap, and 3M® Dual Lock® — box



Includes a rubber head strap that ensures a non-slip grip for hard hats and 3M® Dual Lock® reclosable fasteners.

WHITE SPOT	HIGH	MED	LOW	WHITE FLOOD	HIGH	MED	LOW
<b>LUMENS:</b>	200	90	25	<b>LUMENS:</b>	145	50	15
<b>CANDELA:</b>	2,080	890	250	<b>CANDELA:</b>	220	80	30
<b>DISTANCE:</b>	91m	60m	32m	<b>DISTANCE:</b>	30m	18m	11m
<b>RUN TIME:</b>	6h 15m	19h	48h	<b>RUN TIME:</b>	7h	21h	48h

## ENDURO® PRO INDUSTRIAL

All the great features of the Enduro® Pro headlamp in an industrial-specific package. Includes elastic strap, rubber hard hat strap and 3M® Dual Lock® Fasteners for strapless mounting to hard hat. Three modes: spot for distance, flood for area illumination, red light for night vision preservation.

### ENDURO PRO INDUSTRIAL

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 1.85" x 2.19" x 1.45" (4.70 x 5.68 x 3.68 cm)

**WEIGHT:** 3.4 OZ (96.38 g)

**COLOR:** Black with Yellow Fascia

61422 Elastic headstrap, rubber hard hat strap, 3M® Dual Lock® reclosable fasteners, and USB cord— Yellow



SPOT	HIGH	MED	LOW
<b>LUMENS:</b>	200	75	25
<b>CANDELA:</b>	2,250	825	300
<b>DISTANCE:</b>	95m	57m	35m
<b>RUN TIME:</b>	6h	14h	38h

FLOOD	HIGH	MED	LOW
<b>LUMENS:</b>	135	45	15
<b>CANDELA:</b>	210	80	20
<b>DISTANCE:</b>	29m	18m	9m
<b>RUN TIME:</b>	6h	14h	38h



Includes a rubber head strap that ensures a non-slip grip for hard hats and 3M® Dual Lock® reclosable fasteners.

## ENDURO® PRO

The Enduro Pro AAA Headlamp features two power LEDs, and two colored LEDs. This headlamp is as versatile as it is durable. The Enduro Pro features eight output modes — three levels of spot or flood and two for the night vision colored LEDs. 45° tilting head design. Snap-on front fascia plate is included and allows you to easily change color. IPX4 water-resistant rated and 2m impact resistance tested.

### ENDURO PRO

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 1.85" x 2.19" x 1.45" (4.70 x 5.56 x 3.68 cm)

**WEIGHT:** 3.4 OZ (96.38 g)

**COLOR:** Yellow or Coyote

61420 (3) alkaline—elastic headstrap—clam— Yellow

61421 (3) alkaline—elastic headstrap—box— Yellow

61425 (3) alkaline—elastic headstrap—box— Coyote/Green LED



**Yellow Model:**  
White / Red LED

**Coyote Model:**  
White / Green LED

Remove yellow or coyote fascia to switch to black

WHITE SPOT	HIGH	MED	LOW
<b>LUMENS:</b>	200	75	25
<b>CANDELA:</b>	2,250	825	300
<b>DISTANCE:</b>	95m	57m	35m
<b>RUN TIME:</b>	6h	14h	38h

WHITE FLOOD	HIGH	MED	LOW
<b>LUMENS:</b>	135	45	15
<b>CANDELA:</b>	210	80	20
<b>DISTANCE:</b>	29m	18m	9m
<b>RUN TIME:</b>	6h	14h	38h

RED LED	HIGH	LOW
<b>LUMENS:</b>	.37	.08

GREEN LED	HIGH	LOW
<b>LUMENS:</b>	1.25	.25

## ENDURO® PRO HAZ-LO®

This intrinsically safe, high performance 3 "AAA" battery powered headlamp features two power LEDs. There are a total of three output modes, Spot, Flood and Spot/Flood Combo for maximum brightness. The flood LED is strategically placed high on the light for shadow free lighting when mounted on a hard hat. IP67 dust tight and waterproof to 1m for 30 minutes.

### ENDURO PRO HAZ-LO

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 2.0" x 2.19" x 1.5" (5.08 x 5.68 x 3.81 cm)

**WEIGHT:** 3.5 OZ (99.2 g)

**COLOR:** Yellow

61424 Elastic headstrap, rubber hard hat strap, 3M® Dual Lock® reclosable fasteners— Yellow

SPOT	SPOT	FLOOD	SPOT/FLOOD COMBO
<b>LUMENS:</b>	160	160	235
<b>CANDELA:</b>	1,320	100	—
<b>DISTANCE:</b>	73m	20m	—
<b>RUN TIME:</b>	5h	5h	4h 45m



**NEW**



Includes a rubber hard hat strap and 3M® Dual Lock® fasteners for strapless mounting to hard hats



Class 1, Division 1, Groups A, B, C, D;  
Class II, Division 1, Groups E, F, G;  
Class III, T-Class: T4 Exia



Permissible Portable Headlamp Assembly  
App. No. 20-A070001-0  
Tested for use in methane-air mixtures only



STREAMLIGHT  
HEADLAMP SERIES





# TWIN-TASK HEADLAMPS

## MULTI-USE AND MULTI-POWER — THEY'RE AS FLEXIBLE AS THEIR ELASTIC STRAPS.

### TWIN-TASK® USB HEADLAMP

With two light sources to choose from, the Twin-Task® USB Headlamp is a versatile headlamp for any task. With its 375 lumen main beam for distance spotting and its 250 lumen COB flood LED it has just the right mode for your lighting needs. The ability to recharge the battery in the light or quickly change to a backup battery makes the light easily scalable for extended lighting use. With five lighting levels, the light is up to any task.



Low-profile, ergonomically balanced design; contoured battery pack for wearer comfort.

#### TWIN-TASK USB

**BATTERY:** Rechargeable Lithium Ion

**SIZE:** 1.35" x 2.125" x 2.67" (3.43 x 5.4 x 6.78 cm)

**WEIGHT:** 6.1 oz (173 g)

**COLOR:** Black/Red

51063 USB Cord—and elastic strap—Clam—Red

51064 USB Cord—and elastic strap—Box—Red

SPOT	HIGH	MED	LOW
<b>LUMENS:</b>	375	175	50
<b>CANDELA:</b>	3,650	1,850	440
<b>DISTANCE:</b>	121m	86m	42m
<b>RUN TIME:</b>	4h 45m	8h 30m	20h

COB FLOOD	HIGH	LOW
<b>LUMENS:</b>	250	125
<b>CANDELA:</b>	160	80
<b>DISTANCE:</b>	25m	18m
<b>RUN TIME:</b>	5h	9h



Uses three "AA" alkaline batteries (included).

### TWIN-TASK® 3AA HEADLAMP

With two light sources to choose from, the Twin-Task® Headlamp is a versatile headlamp for any task. With its 300 lumen main beam for distance spotting and its 250 lumen COB flood LED, it has just the right mode for your lighting needs. With five lighting levels, the light is up to any task.

#### TWIN-TASK 3AA

**BATTERY:** (3) "AA" alkaline

**SIZE:** 1.35" x 2.125" x 2.67" (3.43 x 5.4 x 6.78 cm)

**WEIGHT:** 7.6 oz (215 g)

**COLOR:** Black/Red

51061 Alkaline batteries—and elastic strap—Clam—Red

51062 Alkaline batteries—and elastic strap—Box—Red

51065 Alkaline batteries—and rubber strap—Box—Red

SPOT	HIGH	MED	LOW
<b>LUMENS:</b>	300	100	50
<b>CANDELA:</b>	2,900	1,000	500
<b>DISTANCE:</b>	108m	63m	45m
<b>RUN TIME:</b>	4h 15m	20h	38h

COB FLOOD	HIGH	LOW
<b>LUMENS:</b>	250	125
<b>CANDELA:</b>	140	80
<b>DISTANCE:</b>	24m	18m
<b>RUN TIME:</b>	3h 30m	7h 30m



Model with rubber hard hat strap available



# PROTAC HL HEADLAMPS DELIVERING HIGH-LUMEN PERFORMANCE AND LONG-RANGE LIGHTING.

## PROTAC HL® USB HEADLAMP

All the great features of the ProTac HL® headlamp with 1,000 lumens, USB rechargeability and Streamlight SL-B26 USB battery pack. TEN-TAP® programming lets you choose the order of operating modes. Includes diffuser lens for spot/flood functionality as well as interchangeable red and green lenses. IPX4 rated for water resistance. 1 meter impact-resistance tested. Maximum light output throughout battery life. Includes red and green lenses. The Lithium Ion rechargeable battery is the only rechargeable battery that can be recharged while in the headlamp.

### PROTAC HL USB HEADLAMP

**BATTERY:** Uses rechargeable lithium ion battery (included); also accepts a Streamlight SL-B26 Li-Ion USB battery pack

**SIZE:** 4.03" x 1.20" x 3.12" (10.23 x 3.05 x 7.92 cm)

**WEIGHT:** 8.1 oz (230 g)

**COLOR:** Black

61305	ProTac HL USB Headlamp— Black
61306	ProTac HL USB Headlamp 120V AC— Black
<b>ACCESSORIES</b>	
74175	Lithium ion battery
22101	SL-B26 Battery Pack with USB port - 1 pack
22102	SL-B26 Battery Pack with USB port - 2 pack
22100	SL-B26 Battery Charge Cradle
22070	USB cord - 40"
22081	USB cord - 22"

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	13,500	5,400	900
<b>DISTANCE:</b>	232m	147m	60m
<b>RUN TIME:</b>	1h 30m	2h 45m	20h

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/medium/low (factory default)
- high only
- low/medium/high



**MULTI-FUEL DESIGN:**  
Uses the same battery (#74175) as the Strion®; also accepts SL-B26 Li-Ion USB rechargeable battery pack

## PROTAC HL® HEADLAMP

The perfect light for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. TEN-TAP® programming lets you choose the order of operating modes. IPX4 rated for water resistance. 1 meter impact-resistance tested. Maximum light output throughout battery life.

### PROTAC HL HEADLAMP

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.66" x 1.2" x 2.6"  
(2.54 x 3.05 x 6.60 cm)

**WEIGHT:** 6.6 oz (187 g)

**COLOR:** Black

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/medium/low (factory default)
- high only
- low/medium/high



	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	635	105	20
<b>CANDELA:</b>	8,500	1,450	280
<b>DISTANCE:</b>	184m	76m	33m
<b>RUN TIME:</b>	1h 45m	8h	36h

61304 Lithium batteries and elastic and rubber straps— Black



Includes a rubber head strap that ensures a non-slip grip for hard hats.





THE DOUBLE CLUTCH.  
**SPOT TO FLOOD**  
 IN ONE EASY SHIFT.

### DOUBLE CLUTCH™ USB

This dual-power, dual-function, dual-output headlamp gives you the flexibility of using either a USB-rechargeable battery or 3 AAA alkaline batteries. It also lets you choose either a spot or a flood beam, both with high and low mode. It's lightweight and long-running with a 60° tilting head. Unbreakable lens. IPX4 rated. Water-resistant. 2 meter impact resistance tested.

#### DOUBLE CLUTCH USB

**BATTERY:** Rechargeable Lithium Polymer pack or (3) "AAA" alkaline or lithium batteries

**SIZE:** 1.75" x 2.50" x 1.66" (4.44 x 6.35 x 4.22 cm)

**WEIGHT:** 4.0 OZ (113 g)

**COLOR:** Yellow or Black

#### YELLOW BLACK

61602	61603	120V AC with elastic and rubber straps
61600	61601	USB Cord (only)
61607	61608	Alkaline Model

#### ACCESSORIES

22071	22071	120V AC Wall Adapter
22070	22070	USB Cord
61604	61604	Lithium Polymer Battery

LITHIUM POLYMER	HIGH	LOW	ALKALINE "AAA"	HIGH	LOW
<b>LUMENS:</b>	125	30	<b>LUMENS:</b>	125	30
<b>SPOT DIST:</b>	82m	40m	<b>SPOT DIST:</b>	82m	40m
<b>SPOT CANDELA:</b>	1,700	400	<b>SPOT CANDELA:</b>	1,700	400
<b>FLOOD DIST:</b>	31m	4m	<b>FLOOD DIST:</b>	31m	4m
<b>FLOOD CANDELA:</b>	250	70	<b>FLOOD CANDELA:</b>	250	70
<b>RUN TIME:</b>	3h 30m	10h	<b>RUN TIME:</b>	6h	18h



Includes a rubber head strap that ensures a non-slip grip for hard hats.

## STREAMLIGHT TECHNOLOGY: DECADES OF ILLUMINATION INNOVATION.

### SHIFT BEAMS //

- SHIFTS EASILY TO SPOT OR FLOOD MODES WITH THE TURN OF THE WRIST



- GLOVE-FRIENDLY
- FACECAP ROTATION

### SHIFT BATTERIES //

- USB RECHARGEABLE LITHIUM POLYMER OR "AAA" BATTERIES



### SHIFT BRIGHTNESS //

- DOUBLE SHIFT FOR HIGH TO LOW IN SPOT OR FLOOD MODES.
- 125 LUMENS ON HIGH. 30 LUMENS ON LOW.



**STREAMLIGHT  
HEADLAMP SERIES**



**STREAMLIGHT HEADLAMPS GIVE YOU THE  
VERSATILITY AND THE BRIGHTNESS  
YOU NEED TO ACCOMPLISH ANY TASK.**

**ARGO®**

Featuring an intense, long-distance beam for down range illumination with 3 levels of output.

**ARGO**

**BATTERY:** [3] "AAA" alkaline

**SIZE:** 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)

**WEIGHT:** 5.4 oz (153 g)

**COLOR:** Yellow

	HIGH	MED	LOW
<b>LUMENS:</b>	150	100	45
<b>CANDELA:</b>	9,250	6,375	2,750
<b>DISTANCE:</b>	190m	160m	103m
<b>RUN TIME:</b>	3h	4h 30m	30h



Includes a rubber head strap that ensures a non-slip grip for hard hats.



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F, G,  
Class III, T5

61301 Alkaline batteries—rubber and elastic straps—Yellow

**ARGO® HAZ-LO®**

With its intense, long-distance beam that reaches as far as 113 meters, and its Class 1, Division 1 safety rating, the Argo® HAZ-LO® headlamp is ideal any where you need hands-free lighting, even in hazardous environments. Intrinsically safe and offers 2 lighting modes and a 90° tilting head. Unbreakable lens. IPX4 rated for water-resistance. 2 meter impact-resistance tested.

**ARGO HAZ-LO**

**BATTERY:** [3] "AAA" alkaline

**SIZE:** 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)

**WEIGHT:** 5.4 oz (153 g)

**COLOR:** Yellow



Includes a rubber head strap that ensures a non-slip grip for hard hats.

	HIGH	LOW
<b>LUMENS:</b>	90	20
<b>CANDELA:</b>	3,200	700
<b>DISTANCE:</b>	113m	53m
<b>RUN TIME:</b>	8h	50h



Class 1, Division 1, Groups A,B,C,D;  
Class II, Division 1, Groups E,F,G;  
Class III, T-Class: T4 Exia

61026 Alkaline batteries—rubber and elastic straps—Yellow



## SEPTOR®

The Septor headlamp is your ideal choice when you need a hands-free flood light for close-up tasks or tasks at arm's length. It gives you 120 lumens of a soft, wide beam to illuminate your work area.

### SEPTOR

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 1.75" x 2.70" x 2.40"  
(4.45 x 6.85 x 6.09 cm)

**WEIGHT:** 5.5 oz (156 g)

**COLOR:** Yellow



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F, G,  
Class III, T5

61052 Alkaline batteries—rubber and elastic straps—Yellow

	HIGH	MED	LOW
<b>LUMENS:</b>	120	45	13
<b>CANDELA:</b>	900	375	100
<b>DISTANCE:</b>	60m	35m	20m
<b>RUN TIME:</b>	3h 30m	10h	55h



Includes a rubber head strap that ensures a non-slip grip for hard hats.

## SEPTOR® HAZ-LO®

The perfect headlamp for close-up tasks or tasks at arm's length is now safe to use in hazardous locations and is intrinsically safe. 90° tilting head. High and low lighting modes. Unbreakable lens. IPX4 rated for water-resistance. 2 meter impact-resistance tested.

### SEPTOR HAZ-LO

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 1.75" x 2.70" x 2.40"  
(4.45 x 6.85 x 6.09 cm)

**WEIGHT:** 5.5 oz (156 g)

**COLOR:** Yellow



Class I, Div 1, Groups A,B,C,D;  
Class II, Div 1, Groups E,F,G;  
Class III; T-Class: T4 Exia

61024 Alkaline batteries—rubber and elastic straps—Yellow

	HIGH	LOW
<b>LUMENS:</b>	85	20
<b>CANDELA:</b>	620	150
<b>DISTANCE:</b>	50m	24m
<b>RUN TIME:</b>	8h	50h



Includes a rubber head strap that ensures a non-slip grip for hard hats.

## 3AA HAZ-LO® HEADLAMP

This compact, long-running, high-performance headlamp meets the stringent requirements of Div. 1 hazardous locations. Exceptional light output. Long run time. Unbreakable, O-ring sealed lens. Easy operation even when wearing heavy gloves. Impact-resistant housing – 1 meter drop-test verified. Intrinsically safe.

### 3AA HAZ-LO

**BATTERY:** (3) "AA" alkaline

**SIZE:** 1.88" x 2.5" x 3.08"  
(4.76 x 6.35 x 7.82 cm)

**WEIGHT:** 7.1 oz (202 g)

**COLOR:** Yellow



Permissible Portable Headlamp Assembly  
App. No. 20-A070001-0  
Tested for use in methane-air mixtures only



Class I, Div. 1, Groups A,B,C,D;  
Class II, Div. 1, Groups E,F,G,  
Class III, T4

61200 Alkaline batteries—rubber and elastic straps—Yellow

<b>LUMENS:</b>	120
<b>CANDELA:</b>	6,800
<b>DISTANCE:</b>	165m
<b>RUN TIME:</b>	11h



Includes a rubber head strap that ensures a non-slip grip for hard hats.



# STREAMLIGHT HEADLAMP SERIES

## TRIDENT®

The Trident multi-purpose headlamp offers the versatility of switching between either a bright light to illuminate objects at a distance (126 meters) or a soft flood light for tasks at arm's length.

### TRIDENT

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)

**WEIGHT:** 5.50 oz (156 g)

**COLOR:** Yellow or Green or RealTree Edge™

### THREE TRIDENT MODELS:

**Yellow Model:** Contains Power LED and three ultra-bright white LEDs

**Green Model:** Contains Power LED, one safety green LED, two white 5mm LEDs

**Buckmasters Camo Model:** RealTree Edge™ camo; contains super-bright Power LED and three safety-green 5mm LEDs

### TRIDENT HEADLAMP

61050 with White LEDs with alkaline batteries—Yellow

61051 2 White and 1 Green LED with alkaline batteries—Green

61070 3 Green LEDs with alkaline batteries—Camo

### Safety-Rated Models



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F, G,  
Class III, T5



### Yellow

Model	POWER 3 LEDs	1 LED
<b>LUMENS:</b>	80	35
<b>CANDELA:</b>	4,000	385
<b>DISTANCE:</b>	126m	39m
<b>RUN TIME:</b>	5h	10h

### Green

Model	POWER 2 LEDs	1 LED
<b>LUMENS:</b>	80	25
<b>CANDELA:</b>	4,000	275
<b>DISTANCE:</b>	126m	33m
<b>RUN TIME:</b>	5h	19h 30m

### Camo

Model	POWER 3 LEDs	1 LED
<b>LUMENS:</b>	80	20
<b>CANDELA:</b>	4,000	175
<b>DISTANCE:</b>	126m	26m
<b>RUN TIME:</b>	5h	20h



Includes a rubber head strap that ensures a non-slip grip for hard hats.

## TRIDENT® HAZ-LO®

Now you can safely use this multi-purpose headlamp in hazardous environments. The Class 1, Division 1 safety-rated Trident® HAZ-LO® headlamp is intrinsically safe and gives you the versatility to switch between a bright power LED to illuminate objects at a distance (102 meters!) or a soft flood light for close-up tasks. 90° tilting head. Unbreakable lens. IPX4 rated for water-resistance. 2 meter impact-resistance tested.

### TRIDENT HAZ-LO

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)

**WEIGHT:** 5.50 oz (156 g)

**COLOR:** Yellow

61025 with alkaline batteries—rubber and elastic straps—Yellow



Class I, Div 1, Groups A,B,C,D;  
Class II, Div 1, Groups E,F,G;  
Class III; T-Class: T4 Exia.



Includes a rubber head strap that ensures a non-slip grip for hard hats.



	HIGH	LOW
<b>LUMENS:</b>	85	30
<b>CANDELA:</b>	2,600	300
<b>DISTANCE:</b>	102m	35m
<b>RUN TIME:</b>	8h	24h

## ENDURO®

The Enduro® is ultralight and super comfortable. It features an integrated rubber/elastic combination head strap and a clip that attaches to the brim of your hat, coat lapel or car visor. Unbreakable lens. O-ring sealed, waterproof to 1 meter for 1 hour. Impact-resistant housing – drop-test verified. Maximum light output throughout battery life.

### ENDURO

**BATTERY:** (2) "AAA" alkaline

**SIZE:** 1.3" x 2.25" x 1.6"  
(3.25 x 5.7 x 4 cm)

**WEIGHT:** 2.75 oz (78.5 g)

**COLOR:** Black or RealTree Edge™

61400	with alkaline batteries—elastic strap and visor clip—Black
61405	with alkaline batteries—elastic strap and visor clip—Camo



### BLACK & CAMO MODEL

WHITE LED	HIGH	LOW
<b>LUMENS:</b>	50	10
<b>CANDELA:</b>	1,100	285
<b>DISTANCE:</b>	86m	33m
<b>RUN TIME:</b>	5h 30m	25h

Includes integrated rubber/elastic combination head strap and a clip that attaches to the brim of your hat, coat lapel or car visor.



## INTRODUCING A NEW

# RECHARGEABLE HEADLAMP WITH CLASS I, DIV 1 SAFETY RATINGS.

NEW



	SPOT	FLOOD	COMBINED
<b>LUMENS:</b>	190	120	250
<b>CANDELA:</b>	2,000	90	—
<b>DISTANCE:</b>	89m	19m	—m
<b>RUN TIME:</b>	7h 30m	13h	7h



Class I, Division 1, Groups A,B,C,D;  
Class II, Division 1, Groups E,F,G;  
Class III, T-Class: T4 Exia

Includes a rubber hard hat strap and 3M® Dual Lock® fasteners for strapless mounting to hard hats



## USB HAZ-LO® HEADLAMP

The ideal headlamp for those who work in potentially hazardous work environments requiring flexible lighting options, with the added feature of USB rechargeability. You're able to charge your light anywhere and save money over the cost of standard batteries. The dual beam, multi-function USB HAZ-LO® has three output modes: Spot, Flood and Spot/Flood to cover a variety of tasks. The USB HAZ-LO® comes with both an elastic head strap and a rubber hard hat strap, as well as 3M® Dual Lock® fasteners for strapless mounting. IP67 dust tight and waterproof to 1m for 30 minutes.

### USB HAZ-LO

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack

**SIZE:** 1.72" x 3.25" x 1.75" (4.36 x 8.25 x 4.45 cm)

**WEIGHT:** 2.75 oz (78.5 g)

**COLOR:** Yellow

61460 Elastic headstrap, rubber hard hat strap, and 3M® Dual Lock® - Box - Yellow

61463 120V AC Charger, elastic headstrap, rubber hard hat strap, and 3M® Dual Lock® - Box - Yellow

### ACCESSORIES

61465 Charge cradle

61469 120V AC bank charger



# STYLUS & SPECIALTY SERIES //

## REDEFINING PORTABLE LIGHTING

YOUR JOB HAS CHANGED, BUT THE NEED FOR SMALL,  
VERSATILE AND EFFECTIVE LIGHTING HASN'T.

We pride ourselves on identifying a need and building a product to suit it. Our Stylus is exactly one of those products. Small, compact, a long runtime and easily stowed. It's been seen just about everywhere from garages to TSA lanes. It's evolved into a full family of Stylus products with unique attributes that make them extra functional and suited for a variety of tasks. Same with our namesake Twin-Task and Task-Light lines.





STYLUS®

STYLUS PRO®

STYLUS PRO® COB

MACROSTREAM®

STYLUS PRO REACH®

STREAMLIGHT JR. F-STOP®

KEYMATE® USB

# STREAMLIGHT MICROSTREAM/MACROSTREAM SERIES



## MICROSTREAM®

High-powered ultra-compact lithium ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4 water-resistant.

### MICROSTREAM

**BATTERY:** [1] "AAA" alkaline

**SIZE:** 3.5" x .6" (9.15 x 1.5 cm)

**WEIGHT:** 1.10 oz (31.2 g)

**COLOR:** Matte Black or Red

66318 White LED — Black

66323 White LED — Red

**LUMENS:** 45  
**CANDELA:** 420  
**DISTANCE:** 41m  
**RUN TIME:** 2h 15m



## MICROSTREAM® USB

This compact USB lithium ion battery powered flashlight features a tail cap switch, momentary or constant on operation, high and low beams, a combination pocket/hat clip for convenience, and amazing brightness and run time for a light of its size. The aluminum housing with Type II Military Spec anodizing helps make the light extremely durable and abrasion resistant. To charge the light, slide the head cover forward to expose the micro USB port.

### MICROSTREAM USB

**BATTERY:** Li-Ion rechargeable

**SIZE:** 3.87" x .61" (98.2 x 15.6 cm)

**WEIGHT:** 1.2 oz (34.1 g)

**COLOR:** Black, Red, Blue or Coyote

66601	includes wrist lanyard, hat clip and USB cord - Clam - Black
66604	includes wrist lanyard, hat clip and USB cord - Box - Black
66602	includes wrist lanyard, hat clip and USB cord - Clam - Red
66605	includes wrist lanyard, hat clip and USB cord - Box - Red
66603	includes wrist lanyard, hat clip and USB cord - Clam - Blue
66606	includes wrist lanyard, hat clip and USB cord - Box - Blue
66608	includes wrist lanyard, hat clip and USB cord - Clam - Coyote
66609	includes wrist lanyard, hat clip and USB cord - Box - Coyote

### ACCESSORIES

22070	40" USB Cord
22081	22" USB Cord
66607	MicroStream USB Battery
22600	EPU-5200™ Portable USB Charger

**HIGH**    **LOW**  
**LUMENS:** 250    50  
**CANDELA:** 1,150    250  
**DISTANCE:** 68m    31m  
**RUN TIME:** 1h 30m    3h 30m



Sliding metal sleeve protects micro USB port





THE MACROSTREAM USB  
**ULTRA-COMPACT SIZE**  
**MEETS UNPARALLELED**  
**PERFORMANCE.**

### MACROSTREAM® USB

High-powered ultra-compact lithium ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4 water-resistant.

#### MACROSTREAM USB

**BATTERY:** Li-Ion rechargeable

**SIZE:** 4.50" x .83" (11.43 x 2.1 cm)

**WEIGHT:** 2.2 oz (62.4 g)

**COLOR:** Black

	HIGH	LOW
<b>LUMENS:</b>	500	50
<b>CANDELA:</b>	2,000	220
<b>DISTANCE:</b>	90m	30m
<b>RUN TIME:</b>	2h	8h

66320 includes wrist lanyard and USB cord - Box - Black



Metal sleeve protects charge port; slide sleeve forward to reveal charge port

Clip onto brim of hat for hands-free use



STREAMLIGHT  
**STYLUS SERIES**



THE STYLUS PRO SERIES  
**MORE OPTIONS**  
TO USE IN EVEN MORE  
**PLACES & WAYS!**





	HIGH	LOW
<b>LUMENS:</b>	350	90
<b>CANDELA:</b>	2,950	840
<b>DISTANCE:</b>	109m	58m
<b>RUN TIME:</b>	1h 30m	3h 30m



**UPGRADED**

Sliding metal sleeve protects micro USB port

## STYLUS PRO® USB

You won't want to be without this sleek, compact penlight that recharges at any USB port or with optional AC wall adaptor. Consistent light output throughout battery life. IPX4 water-resistant. 1 meter impact-resistance tested.

### STYLUS PRO USB

**BATTERY:** Lithium ion

**SIZE:** 5.95" x .63" (15.1 x 1.6 cm)

**WEIGHT:** 1.8 oz (51 g)

**COLOR:** Black

66133 120V AC adapter, USB cord, nylon holster — Black

66134 USB cord, nylon holster— Black

### ACCESSORIES

22070 USB Cord

22071 120V AC USB Cord

66029 Nylon Holster

## STYLUS PRO®

Compact size, durable construction and optimum beam output make this an ideal light for multiple tasks. Unbreakable lens. O-ring sealed. IPX4 rated for water-resistance. 1 meter impact-resistance tested. Removable pocket clip.

### STYLUS PRO

**BATTERY:** (2) "AAA" alkaline

**SIZE:** 5.3" x .6" (13.4 x 1.5 cm)

**WEIGHT:** 1.64 oz (46.9 g)

**COLOR:** Matte Black, Silver, Red, Blue, Lime Green, Orange or RealTree Edge™

66118 White LED — Matte Black

66121 White LED — Silver

66120 White LED — Red

66122 White LED — Blue

66129 White LED — Lime Green

66128 White LED — Orange

66124 Green LED — RealTree Edge™

### ACCESSORIES

66028 Nylon Holster



	WHITE LED	GREEN LED
<b>LUMENS:</b>	100	5
<b>CANDELA:</b>	950	73
<b>DISTANCE:</b>	62m	17m
<b>RUN TIME:</b>	8h	11h

**UV LED OUTPUT:** 250mW

**UV RUN TIME:** 2h 30m



**UPGRADED**

Sliding metal sleeve protects micro USB port

## STYLUS PRO® USB UV

The Stylus Pro USB UV features a 400nm UV LED that is ideal for HVAC leak detection, forensic investigations or identifying fraudulent documents.

### STYLUS PRO USB UV

**BATTERY:** Lithium ion

**SIZE:** 5.95" x .63" (15.1 x 1.6 cm)

**WEIGHT:** 1.8 oz (51 g)

**COLOR:** Black

66148 120V AC adapter, USB cord, nylon holster

66149 USB cord, nylon holster

### ACCESSORIES

22070 USB Cord

22071 120V AC USB Cord

66029 Nylon Holster

# STREAMLIGHT STYLUS SERIES



## STYLUS PRO® COB

A sleek, compact, USB rechargeable worklight that you can wear. Clip it to your pocket for hands-free lighting. Don't have a pocket? Stick it to a steel surface using its integrated magnet. Slim profile fits into tight spaces to flood the work area with light.

### STYLUS PRO COB

**BATTERY:** Lithium ion

**SIZE:** 6.64" x .55" (168.6 x 14 mm)

**WEIGHT:** 2.2 OZ (62.4 g)

**COLOR:** Black, Red or Blue

66700 includes pocket clip and USB cord - Clam - Black

66702 includes pocket clip and USB cord - Box - Black

66703 includes pocket clip and USB cord - Clam - Red

66705 includes pocket clip and USB cord - Box - Red

66706 includes pocket clip and USB cord - Clam - Blue

66708 includes pocket clip and USB cord - Box - Blue

### ACCESSORIES

66143 Lithium Ion Battery (Stylus Pro USB/COB)

22070 40" USB Cord

22071 120V AC USB Cord

22081 22" USB Cord

22059 International Wall Adapter

22069 12V DC USB Adapter

22600 EPU-5200

66029 Nylon Holster



COB LED floods work area with bright, diffused light

Integrated magnet for hands-free use



Push-button switch with charge indicator  
Red = charging  
Green = charged

	HIGH	LOW
<b>LUMENS:</b>	160	40
<b>CANDELA:</b>	130	30
<b>DISTANCE:</b>	23m	11m
<b>RUN TIME:</b>	3h	8h 30m

Flash mode: 7 hours of run time

## STYLUS PRO® 360

Versatile light functions as a typical Stylus Pro or adjust the head to reveal the 360° feature. Equipped with a rubber tail boot that allows the light to stand upright. It features a tail cap switch, momentary or constant on operation, a pocket clip for convenience, and amazing brightness and run time for a light of its size and price.

### STYLUS PRO 360

**BATTERY:** (2) "AAA" alkaline

**SIZE:** 5.9" x .64" (150 x 16.25 cm)

**WEIGHT:** 1.9 OZ (53.8 g)

**COLOR:** Black

66218 Stylus Pro 360—Black

**LUMENS:** 65  
**CANDELA:** 430  
**DISTANCE:** 41m  
**RUN TIME:** 6h 30m



Rubber tail boot allows the light to stand upright

The 360° feature allows the light to be used as a small lantern





## STYLUS®

This bright, long-running LED penlight has a long battery life, and goes anywhere you need it. IPX4 rated for water-resistance. Removable pocket clip.

### STYLUS

**BATTERY:** [3] "AAAA" alkaline

**SIZE:** 6.21" x .375" (15.17 x .95 cm)

**WEIGHT:** 1.1 OZ (31.19 g)

**COLOR:** Black, Gold, Silver, US Flag, Red or Blue

65006	Red LED—Black
65012	White LED—Silver
65018	White LED—Black
65020	Green LED—Black
65022	Blue LED—Black
65024	White LED—Gold
65035	White LED—Red
65050	White LED—Blue
65058	White LED—Black, UL Listed

### ACCESSORIES

65030	AAAA Batteries—6 Pack
65905	Holster
72024	Lanyard with Push Button Slide
65031	Glare Guard



Intrinsic Safety for Haz. Loc.  
Class I, Div. 1,  
Groups A, B, C, D, T3C  
"Classified"



Intrinsic Safety for Haz. Loc.  
Class I, Div. 1,  
Groups A, B, C, D, T3C  
"Exia"

**SAFETY RATED  
MODEL OFFERED**

LED COLOR:	WHITE	GREEN	BLUE	RED
<b>LUMENS:</b>	11	7	2	2
<b>CANDELA:</b>	140	59	110	53
<b>DISTANCE:</b>	24m	15m	21m	15m
<b>RUN TIME:</b>	24h	24h	24h	24h



SAFETY RATED MODEL OFFERED



## STYLUS® UV

An ultraviolet penlight for fluorescent detection of fraudulent documents and for use in forensic investigations. IPX4 rated for water-resistance. Removable pocket clip.

### STYLUS UV

**BATTERY:** [3] "AAAA" alkaline

**SIZE:** 6.21" x .375" (15.17 x .95 cm)

**WEIGHT:** 1.1 OZ (31.19 g)

**COLOR:** Black

65069	365nm UV LED—Black
-------	--------------------

### ACCESSORIES

65030	AAAA Batteries—6 Pack
65905	Holster

<b>OUTPUT:</b>	3.8 mW
<b>RUN TIME:</b>	60h



THE STYLUS SERIES ELIMINATES  
**HARD-TO-SEE  
NOOKS AND CRANNIES  
AND LIGHTS THE WAY.**

**STYLUS REACH®**

<b>LUMENS:</b>	11
<b>CANDELA:</b>	140
<b>DISTANCE:</b>	24m
<b>RUN TIME:</b>	24h

Twist and turn the flexible cable into any position to light the most out-of-the-way places.



Features a high-intensity white LED and a 7" cable (providing 14" of reach) that allows you to see into the tightest spots. IPX4 rated for water-resistance. Pocket clip.

**STYLUS REACH**

**BATTERY:** (3) "AAAA" alkaline  
**SIZE:** 14" x .375"  
(35.6 x .95 cm)  
**WEIGHT:** 1.7 oz (48.2 g)  
**COLOR:** Black or Silver

*SAFETY RATED  
MODEL OFFERED*

65618	White LED—Black
65658	White LED—UL Listed Black
65612	White LED—Silver
<b>ACCESSORIES</b>	
65030	AAAA Batteries—6 Pack



**STYLUS REACH® 18**

<b>LUMENS:</b>	11
<b>CANDELA:</b>	140
<b>DISTANCE:</b>	24m
<b>RUN TIME:</b>	24h



A textured grip for non-slip handling makes it easier to maneuver the light in slippery or wet conditions.

All the great features of the Stylus Reach® with a longer cable. With a total of 25" of reach, nothing is out of sight. IPX4 rated for water-resistance. Pocket clip.

**STYLUS REACH 18**

**BATTERY:** (3) "AAAA" alkaline  
**SIZE:** 25" x .375"  
(64 x .95 cm)  
**WEIGHT:** 3.5 oz (99.2 g)  
**COLOR:** Black

65418	White LED—18" Cable—Black
<b>ACCESSORIES</b>	
65030	AAAA Batteries—6 Pack



Intrinsic Safety for Haz. Loc.  
Class I, Div. 1,  
Groups A, B, C, D, T3C  
"Classified"



Intrinsic Safety for Haz. Loc.  
Class I, Div. 1,  
Groups A, B, C, D, T3C  
"Exia"



## STYLUS PRO REACH®

We added an 8" PVC cable for extended reach and flexibility to our powerful Stylus Pro® penlight. It now provides 14" of reach to get intense light right where you need it. Unbreakable, scratch-resistant lens. O-ring sealed, shock-proof and drop-tested. IPX4 rated water-resistant. Removable pocket clip.

### STYLUS PRO REACH

**BATTERY:** [2] "AAA" alkaline

**SIZE:** 14.6" x .6"  
(37.1 x 1.5 cm)

**WEIGHT:** 2.7 oz (76.5 g)

**COLOR:** Matte Black

<b>LUMENS:</b>	38
<b>CANDELA:</b>	825
<b>DISTANCE:</b>	57m
<b>RUN TIME:</b>	8h

A textured grip for non-slip handling makes it easier to maneuver the light in slippery or wet conditions.



Magnetic clip holder

66418 White LED includes Clip Holder — Matte Black



**STREAMLIGHT**  
**TWIN-TASK SERIES**



**TWIN-TASK® 3C**



CHOOSE  
FROM SPOT,  
SPOT/FLOOD,  
OR FLOOD

	SPOT	SPOT/FLOOD	FLOOD
<b>LUMENS:</b>	435	190	95
<b>CANDELA:</b>	6,600	1,500	70
<b>DISTANCE:</b>	162m	77m	17m
<b>RUN TIME:</b>	16h	19h	46h

The Twin-Task® 3C flashlight features three lighting modes. High, Low and Flood using the latest in COB LED technology. The power LED with its textured reflector provides an even beam, along with a piercing hotspot for distance. The Flood LED provides smooth even area lighting for your up close tasks with extended run time. Packaged with a high-strength lanyard.

**TWIN-TASK 3C**

**BATTERY:** [3] "C" alkaline  
**SIZE:** 8.93" x 1.57" x 1.26"  
(22.7 x 4.0 x 3.2 cm)  
**WEIGHT:** 14.6 oz (414 g)  
**COLOR:** Matte Black

51039	Matte Black - Box
51047	Matte Black - Clam

**TWIN-TASK® 3AA**



CHOOSE  
FROM SPOT,  
SPOT/FLOOD,  
OR FLOOD

	SPOT	SPOT/FLOOD	FLOOD
<b>LUMENS:</b>	270	240	75
<b>CANDELA:</b>	3,680	3,000	60
<b>DISTANCE:</b>	121m	110m	15m
<b>RUN TIME:</b>	11h	12h	25h

The Twin-Task® 3AA flashlight features three lighting modes. High, Low and Flood using the latest in COB LED technology. The power LED with its textured reflector provides an even beam, along with a piercing hotspot for distance. The Flood LED provides smooth even area lighting for your up close tasks with extended run time. Packaged with a high-strength lanyard.

**TWIN-TASK 3AA**

**BATTERY:** [3] "AA" alkaline  
**SIZE:** 8.75" x 1.33" x .79"  
(22.22 x 3.38 x 2.0 cm)  
**WEIGHT:** 7.1 oz (201 g)  
**COLOR:** Matte Black

51038	Alkaline batteries. Matte Black - Box
51060	Alkaline batteries. Matte Black - Clam

# THEY'RE CALLED TWIN-TASK, BUT THESE LIGHTS ARE SO VERSATILE, THEY SHOULD BE CALLED... **ANY-TASK.**

## TWIN-TASK® 1L TWIN-TASK® 2L



TWIN-TASK 1L	SPOT	SPOT/FLOOD	FLOOD
<b>LUMENS:</b>	240	200	60
<b>CANDELA:</b>	3,650	2,700	40
<b>DISTANCE:</b>	121m	104m	13m
<b>RUN TIME:</b>	2h 30m	4h	5h 45m

CHOOSE  
FROM SPOT,  
SPOT/FLOOD,  
OR FLOOD



TWIN-TASK 2L	SPOT	SPOT/FLOOD	FLOOD
<b>LUMENS:</b>	350	230	75
<b>CANDELA:</b>	4,900	2,580	60
<b>DISTANCE:</b>	140m	102m	15m
<b>RUN TIME:</b>	4h 45m	5h 45m	9h 45m

The Twin-Task® 1L and 2L flashlights feature three lighting modes. High, Low and Flood using the latest in COB LED technology. The power LED with its textured reflector provides an even beam, along with a piercing hotspot for distance. The Flood LED provides smooth even area lighting for your up close tasks with extended run time. Packaged with a high-strength lanyard.

### TWIN-TASK 1L

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 4.24" x 1.33" x .98"  
(10.77 x 3.38 x 2.49 cm)

**WEIGHT:** 4.2 oz (119 g)

**COLOR:** Matte Black

### TWIN-TASK 2L

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 5.67" x 1.33" x .98"  
(14.40 x 3.38 x 2.49 cm)

**WEIGHT:** 5.7 oz (162 g)

**COLOR:** Matte Black

### TT-1L

51036 51037 Lithium battery. Matte Black - Box

51048 51049 Lithium battery. Matte Black - Clam

## TWIN-TASK® 3AAA



CHOOSE  
FROM SPOT,  
SPOT/FLOOD,  
OR FLOOD

	SPOT	SPOT/FLOOD	FLOOD
<b>LUMENS:</b>	240	165	60
<b>CANDELA:</b>	4,200	2,000	50
<b>DISTANCE:</b>	130m	89m	14m
<b>RUN TIME:</b>	3h 30m	3h 15m	11h

The Twin-Task® 3AAA flashlight features three lighting modes. High, Low and Flood using the latest in COB LED technology. The power LED with its textured reflector provides an even beam, along with a piercing hotspot for distance. The Flood LED provides smooth even area lighting for your up close tasks with extended run time. Packaged with a high-strength lanyard.

### TWIN-TASK 3AAA

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 5.45" x 1.57" x 1.18"  
(13.84 x 3.99 x 3.0 cm)

**WEIGHT:** 7.0 oz (198 g)

**COLOR:** Matte Black

51052 Alkaline batteries. Matte Black - Box

51050 Alkaline batteries. Matte Black - Clam

**TWIN-TASK® 3C-UV**



CHOOSE FROM:  
POWER LED,  
6 UV LEDS  
OR 3 UV LEDS.



	POWER LED	6 UV LED	3 UV LED
<b>LUMENS:</b>	185	40mw	30mw
<b>CANDELA:</b>	3,730	—	—
<b>DISTANCE:</b>	116m	—	—
<b>RUN TIME:</b>	27h	63h	81h

Three lighting modes include ultraviolet light for detection of fraudulent documents or engine and HVAC leaks. The white LED mode provides an even beam with a piercing hotspot for distance. Unbreakable lens. IPX4 rated for water-resistance. O-ring sealed. 1 meter impact-resistance tested.

**TWIN-TASK 3C UV LED**

**BATTERY:** (3) "C" alkaline  
**SIZE:** 9.02" x 1.68" x 1.26"  
(22.9 x 4.26 x 3.2 cm)  
**WEIGHT:** 1 lb (449 g)  
**COLOR:** Matte Black

51045 Matte Black.

**TWIN-TASK® 3AAA LASER**



CHOOSE FROM:  
POWER LED,  
5 LEDS OR  
LASER.



	POWER LED	5 LED
<b>LUMENS:</b>	100	68
<b>CANDELA:</b>	2,000	800
<b>DISTANCE:</b>	90m	57m
<b>RUN TIME:</b>	2h 45m	5h 15m

Features a mode with piercing brightness and a hotspot for distance, plus a mode for ultra-bright area lighting and extended runtime. Also includes a red laser pointer. Unbreakable lens. IPX4 rated for water-resistance. O-ring sealed. 1 meter impact-resistance tested.

**TWIN-TASK 3AAA LASER LED**

**BATTERY:** (3) "AAA" alkaline  
**SIZE:** 5.38" x 1.57" x 1.17"  
(13.69 x 3.98 x 2.98 cm)  
**WEIGHT:** 7.04 OZ (200 g)  
**COLOR:** Matte Black

51043 Alkaline batteries. Matte Black.

**TASK-LIGHT® 3AA**

The long life of an LED with the longer range and brighter beam of a conventional high-powered light. Unbreakable lens. O-ring sealed for water-resistance. Drop-tested.

**TASK-LIGHT 3AA**

**BATTERY:** (3) "AA" alkaline  
**SIZE:** 8.60" x 1.33" x .79"  
(21.7 x 3.38 x 2.01 cm)  
**WEIGHT:** 6.4 OZ (180 g)  
**COLOR:** Matte Black or Titanium

51006 Alkaline batteries. Matte Black.  
51016 Alkaline batteries. Titanium.



<b>LUMENS:</b>	95
<b>CANDELA:</b>	1,600
<b>RUN TIME:</b>	16h



# SPECIALIZED TECHNOLOGY FOR SPECIALIZED JOBS.

## NIGHT COM® LED

Choose from 3 lighting options: power LED for extreme brightness, night vision protection that meets or exceeds MIL-14720, or ultra-bright red for use when night vision preservation is not needed. Unbreakable lens. O-ring sealed for weather resistance. Drop-tested.

### NIGHT COM LED

**BATTERY:** (2) 3V "CR123A" lithium  
**SIZE:** 5.43" x 1.33" x .98"  
 (13.79 x 3.38 x 2.49 cm)  
**WEIGHT:** 5.44 oz (152 g)  
**COLOR:** Matte Black

51056 Lithium batteries. Red LEDs. Matte Black.



	WHITE LED	RED LED
<b>LUMENS:</b>	105	2.5
<b>CANDELA:</b>	4,500	—
<b>RUN TIME:</b>	3h 30m	28h

LED - Indicator Type: Preserves complete dark adaptation per MIL-14720 (<0.05 lumens)

Three Modes:



<b>1 INDICATOR LED</b>	<b>2 RED LEDs</b>	<b>POWER LED</b>
Run Time 130 hours	Run Time 28 hours	Run Time 3.5 hours

## NIGHT COM® UV

Choose a far-reaching, bright, white light or an ultraviolet light for detection of fraudulent documents and detecting engine/HVAC leaks. Unbreakable lens. IPX4 rated for water-resistance. 1 meter impact-resistance tested.

### NIGHT COM UV

**BATTERY:** (2) 3V "CR123A" lithium  
**SIZE:** 5.40" x 1.33" x .98"  
 (13.7 x 3.39 x 2.49 cm)  
**WEIGHT:** 5.44 oz (152 g)  
**COLOR:** Matte Black

51046 Lithium batteries. Matte Black.



	HIGH LED	LOW LED
<b>LUMENS:</b>	115	50
<b>CANDELA:</b>	4,200	1,600
<b>DISTANCE:</b>	130m	80m
<b>RUN TIME:</b>	4h 15m	13h 30m

UV LEDs: 10 Hours of continuous run time

Three Modes:



<b>HIGH LED</b>	<b>LOW LED</b>	<b>6 UV LEDs</b>
50,000 hour lifetime	50,000 hour lifetime	(3) 365nm UV LEDs (3) 390nm UV LEDs

## MULTI OPS®

An ultra-bright white light, or (5) UV LEDs for fluid detection, and a laser pointer all in one. IPX4 rated for water-resistance. All openings are O-ring or gasket sealed. 1 meter impact-resistance tested.

### MULTI-OPS

**BATTERY:** (3) "AAA" alkaline  
**SIZE:** 5.38" x 1.57" x 1.17"  
 (13.69 x 3.98 x 2.98 cm)  
**WEIGHT:** 7.04 oz (200 g)  
**COLOR:** Matte Black

51072 Alkaline batteries. Matte Black.



<b>LUMENS:</b>	50
<b>CANDELA:</b>	2,500
<b>DISTANCE:</b>	100m
<b>RUN TIME:</b>	4h 45m

**LASER OUTPUT:** Useable laser range of 100+ feet when in LED/laser mode, and 100+ yards when in laser only mode.

White LED + UV LEDs: 4 Hours of continuous run time  
 White LED + Laser: 4 Hours of continuous run time  
 UV LEDs: 10 Hours of continuous run time  
 Laser only: 40 Hours of continuous run time



## STREAMLIGHT JR. F-STOP®

Ultra-compact lightweight 2AA flashlight features a power LED and Spot to Flood technology! This feature makes the light very versatile for every lighting need. With the bezel forward (for Spot mode) the light has a piercing beam. When the bezel is slid backwards, the beam opens up into a smooth flood pattern for area lighting.

### STREAMLIGHT JR. F-STOP

**BATTERY:** Two (2) "AA" size, Alkaline or Lithium batteries.

**SIZE:** 6.5" x 1.12" x .75"  
(16.51 x 2.84 x 1.90 cm)


**WEIGHT:** 4.4 oz (125 g)

**COLOR:** Black, Red or Blue


71700	Black, includes holster and (2) alkaline batteries—clam
71701	Black, includes holster and (2) alkaline batteries—box
71702	Red, includes holster and (2) alkaline batteries—clam
71703	Red, includes holster and (2) alkaline batteries—box
71704	Blue, includes holster and (2) alkaline batteries—clam
71705	Blue, includes holster and (2) alkaline batteries—box

### ACCESSORIES

71503	Nylon Holster
99075	Rubber helmet strap



SPOT



FLOOD

	SPOT	FLOOD
<b>LUMENS:</b>	220	250
<b>CANDELA:</b>	5,600	360
<b>DISTANCE:</b>	150m	38m
<b>RUN TIME:</b>	6h	6h

With the bezel forward (for Spot mode) the light has a piercing beam. When the bezel is slid backwards, the beam opens up into a smooth flood pattern for area lighting.



# THE LIGHT SEEN IN EVERY TOOL BOX, IS THE LIGHT THAT CAN HELP YOU SEE ANYWHERE.

## STREAMLIGHT JR.® LED

Cutting edge technology makes this lightweight flashlight super-bright and super-convenient. Unbreakable lens. Regulated light output throughout battery life. IPX4 rated for water-resistance. All openings are O-ring sealed. 1 meter impact-resistance tested.

### STREAMLIGHT JR. LED

**BATTERY:** [2] "AA" alkaline or lithium

**SIZE:** 6.5" x 1.00" x .73"  
(16.51 x 2.54 x 1.85 cm)

**WEIGHT:** 4.1 oz (117 g)

**COLOR:** Black

71500 Alkaline batteries. Black.

### ACCESSORIES

71503 Nylon Holster

71510 Magnetic Clip Holder

99075 Rubber Helmet Strap

<b>LUMENS:</b>	225
<b>CANDELA:</b>	2,700
<b>DISTANCE:</b>	104m
<b>RUN TIME:</b>	6h



## STREAMLIGHT JR.® REACH LED

With its flexible cable and magnetic clip, you can put this handy light anywhere and see anything. Unbreakable lens. IPX4 rated for water-resistance. All openings O-ring sealed. 1 meter impact-resistance tested.

### STREAMLIGHT JR. REACH LED

**BATTERY:** [2] "AA" alkaline

**SIZE:** 20" x .8" x .73"  
(50.8 x 2.03 x 1.85 cm)

**WEIGHT:** 6.1 oz (173 g)

**COLOR:** Black

<b>LUMENS:</b>	115
<b>CANDELA:</b>	1,500
<b>DISTANCE:</b>	77m
<b>RUN TIME:</b>	7h 30m




71600 Alkaline batteries. Black.

### ACCESSORIES

71510 Magnetic Clip Holder



# STREAMLIGHT POCKET LIGHT SERIES



## CLIPMATE® USB

This multi-function light clips to pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adaptor. IPX4 water-resistant. 1 meter impact-resistance tested.

### CLIPMATE USB

**BATTERY:** Lithium polymer cell  
**SIZE:** 3.20" x 1.39" x .65" (81 x 35 x 17 mm)  
**WEIGHT:** 1.9 oz (53.8 g)  
**COLOR:** Black

- 61125 Light only. Black.
- 61126 Light with 120V AC. Black.

### ACCESSORIES

- 22070 USB Cord
- 22058 120V AC Wall Adapter
- 61128 Clipmate USB Battery

WHITE LED	HIGH	LOW	RED LED	HIGH	LOW
<b>LUMENS:</b>	70	10	<b>LUMENS:</b>	.5	.2
<b>CANDELA:</b>	500	50	<b>CANDELA:</b>	9	3
<b>DISTANCE:</b>	44m	14m	<b>DISTANCE:</b>	6m	3m
<b>RUN TIME:</b>	3h 30m	24h	<b>RUN TIME:</b>	16h	65h



Dual LEDs:  
 High-intensity white LED  
 Night vision red LED



Flexible, extension cable targets the beam where you need it



## NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

### NANO

**BATTERY:** [4] alkaline button cell  
**SIZE:** 1.47" x .51" x .43" (3.73 x 1.3 x 1.09 cm)  
**WEIGHT:** .36 oz (10 g)  
**COLOR:** Black, Blue, Pink, or Red

For each color Nano Light sale, we donate \$1 to the organization associated with that light. Look below for information about each cause.

<b>LUMENS:</b>	10
<b>RUN TIME:</b>	8h



- 73001 Black with White LED
- 73002 COPS/Blue with White LED
- 73003 BCRF/Pink with White LED
- 73005 NFFF/Red with White LED
- 61205 4 pack coin cell Nano Light Batteries

# SURE, THEY'RE CALLED POCKET LIGHTS

BUT REALLY THEY'RE GO-ANYWHERE, DO-ANYTHING LIGHTS.

## KEYMATE® USB

This weather resistant, personal area light featuring a recessed button to prevent accidental turn on, a Lithium Polymer rechargeable battery and a low battery power warning indicator. It also includes a snap hook for attachment to a key ring, zipper pull, or ball cap.

### KEYMATE USB

**BATTERY:** Lithium polymer cell

**SIZE:** 2.9" x 1.08" x .5" (7.3 x 2.74 x 1.27 cm)

**WEIGHT:** .5 OZ (14.2 g)

**COLOR:** Black

73200 Keymate USB w/5" (12.7cm) USB Cord—Black



Bright white COB LED provides 35 lumens with optimal area illumination

WHITE LED	HIGH	LOW
<b>LUMENS:</b>	35	16
<b>RUN TIME:</b>	1h	2h

2 hours on Flash mode

Easily charge from your computer, USB port or EPU-5200 with the included USB cable.

<b>LUMENS:</b>	27 (white)
<b>RUN TIME:</b>	40h



61100	Yellow with White LEDs and alkaline batteries
61101	Black with White LEDs and alkaline batteries
61102	Black with Green LEDs and alkaline batteries

## CLIPMATE®

Equipped with three high-intensity LEDs and an innovative 360° rotating head, this is one versatile little light. Includes integrated hat clip, elastic strap headband and lanyard.

### CLIPMATE

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 3.52" x .85" (8.94 x 2.16 cm)

**WEIGHT:** 2.4 OZ (66.7 g)

**COLOR:** Yellow with three white LEDs;  
Black with a choice of white or green LEDs

## THE LOGO®

Weighs less than half an ounce and has 3 light levels plus a blink mode that will flash for 45 hours. To conserve battery, it automatically turns off after 6 minutes in high, medium or low modes. Weather-resistant. 1 meter impact-resistance tested.

### THE LOGO

**BATTERY:** (2) 3V CR2016 lithium coin cell

**SIZE:** 1.8" x 1.2" x .37" (45.7 x 30.5 x 9.4 mm)

**WEIGHT:** .37 OZ (10.7 g)

**COLOR:** Black

73100 The Logo—Black



WHITE LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	10	5	2.5

45 hours on Blink mode



STREAMLIGHT  
LIGHTS FOR A CAUSE SERIES

# STREAMLIGHT LIGHTS FOR A CAUSE

SUPPORTING THE THINGS THAT MATTER TO YOU.







The Breast Cancer Research Foundation® is an independent 501 (c) (3) not-for-profit organization whose mission is to advance the world's most promising research to eradicate breast cancer in our lifetime. For more information, visit [www.bcrfcure.org](http://www.bcrfcure.org).

By purchasing this product, you are helping to make a difference in the rebuilding of the lives of surviving families and affected co-workers of law enforcement officers killed in the line of duty. In addition to rebuilding lives, C.O.P.S. (Concerns of Police Survivors) provides training to law enforcement agencies on survivor victimization issues and educates the public of the need to support the law enforcement profession and its survivors. For more information, visit [www.nationalcops.org](http://www.nationalcops.org).

Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit foundation has developed and expanded programs that fulfill that mandate. Their mission is to honor and remember America's fallen fire heroes and to provide resources to assist their survivors in rebuilding their lives. For more information, visit [www.firehero.org](http://www.firehero.org).

**STREAMLIGHT/BCRF PRODUCTS**

- 73003 Nano-Pink with White LED
- 44944 Siege AA Lantern – Pink
- 74350 Strion with AC/12V DC – 1 Holder-Pink

**STREAMLIGHT/COPS PRODUCTS**

- 73002 Nano-COPS/Blue with White LED
- 44949 Siege AA Lantern – Blue

**STREAMLIGHT/NFFF PRODUCTS**

- 73005 Nano-NFFF/Red with White LED
- 44953 Siege AA Lantern – Red
- 69157 Vantage LED Tactical Helmet Light-Red

**SEE PAGE 160 FOR NANO LIGHTS THAT SUPPORT THESE GREAT CAUSES**



**SEE PAGE 47 FOR SIEGE AA LIGHTS THAT SUPPORT C.O.P.S.**



**SEE PAGE 54 FOR A VANTAGE THAT SUPPORTS THE NFFF**



**SEE PAGE 19 FOR A PINK STRION THAT SUPPORTS THE BCRF**

For every colored Nano Light sold, we donate \$1 to the organization associated with that light.  
 For every colored Siege AA sold, we donate \$2 to the organization associated with that light.  
 For every pink Strion® LED sold, Streamlight will donate \$5 to the Breast Cancer Research Foundation.®  
 For every red Vantage sold, Streamlight will donate \$3 to the National Fallen Firefighters Foundation.®



Streamlight, Inc.  
30 Eagleville Road  
Eagleville, PA U.S.A. 19403-3996

streamlight.com // streamlightgear.com  
(800) 523-7488 Toll-Free  
(800) 220-7007 Fax  
(610) 631-0600  
(610) 631-0712 Fax

